




KLEIN®

KLEIN®



klein bicycles 2006

REFINEMENT IS IMPROVING TO PERFECTION



This is a Klein. If you take the time to inspect our frames, you will surely appreciate the subtlety and attention to detail that simply isn't found from other bike companies. Aluminum tubes are formed to perfection, welds are immaculate, alignment is exacting, and the finish is spectacular. On the road or off, there's never been a better time to ride a Klein.

Up hills and down, the Attitude is the world's most advanced aluminum hardtail mountain bike. If you want the best, look no further. Are you dreaming of endless miles on the road? The rear suspension Rêve rides smoothly to the century mark and beyond. The Rêve blends Klein experience in building lightweight aluminum road bikes with our simple approach to road bike comfort. Farther down the road, our Q-Pro is all about lightweight speed. The Q-Pro blends advanced aluminum construction methods with carbon fiber seat stays to yield the perfect road racing platform.

Questo è Klein. Se controlli con attenzione i nostri telai, sicuramente apprezzerai la cura e l'attenzione ai dettagli che semplicemente non trovi in altre bici. I tubi di alluminio sono plasmati alla perfezione, le saldature sono immacolate, l'allineamento è preciso e le finiture spettacolari. Su strada e in fuori strada, non c'è mai stato niente di meglio che correre su una Klein.

In salita e discesa, l'Attitude è il più avanzato telaio rigido in alluminio. Se vuoi il meglio, non cercare oltre. Se sogni strade senza fine, la sospensione posteriore della Rêve, ti accompagnerà con il massimo confort. La Rêve rappresenta l'esperienza Klein nella costruzione di telai da strada leggeri col nostro semplice avvicinamento al confort su strada. La Q-Pro è costruita pensando unicamente a peso e velocità; fonde efficacemente gli avanzati metodi di costruzione dell'alluminio, con il carro verticale in fibra di carbonio per produrre il telaio da strada perfetto.

—この手厚さが完璧なまでに仕立てあげる— これがクラインの醍醐味だ。フレームをじっくり見てほしい。きっとその繊細さに気付くだろう。他社のバイクには見ることのできない細部にも、目が留まるはず。クライン独自のZR9000アルミニウムチューブは完璧に成形されていて溶接部は完全無欠。アライメントも厳しく管理され、かつてない洗練された仕上がりになっている。オンロードでもオフロードでもクラインに優る乗り心地はないだろう。





果てしなく続くトレイルを走りたいなら、Attitudeが世界で最も進化したアルミフレームのハードテイルマウンテンバイクと言っても過言ではない。最高のバイクをお探しならこれ以上悩む必要はなし。どこまでも遠くへ、と望むライダーも、Reveのリアサスペンションを付ければ、100マイルもの距離でさえ滑らかに走行できる。Reveは、クラインが持つ軽量アルミフレームのロードバイク製造の技術と、ロードバイクに快適さを持たせるためのシンプルなアプローチを巧みに融合した製品である。軽量さとスピードにかけては、Q-Proがまさに適役だ。Q-Proは、最先端のクライン独自のZR9000アルミニウムにカーボンファイバー製のシートステイを組み合わせで完璧なロードバイクを実現させた。

ONLY THE BEST. NOTHING RIDES LIKE A KLEIN.

SOLO IL MEGLIO. NIENTE CORRE COME UNA KLEIN.

クラインには完璧以外のバイクはない。





KLEIN®




Il processo creativo che porta alla realizzazione di una Klein rende confusa la linea di demarcazione che divide scienza e magia. Noi miglioriamo costantemente i nostri progetti per una maggiore robustezza, maggiore leggerezza e prestazioni che vadano ampiamente oltre ogni vostra aspettativa. Utilizziamo i migliori materiali e la più avanzata tecnologia per migliorare le prestazioni di ogni nostro singolo telaio costruito a mano. Costruiamo ogni singolo tubo con la massima cura dei dettagli, per ottenere esattamente la qualità che desideriamo. Una bicicletta Klein offre il miglior progetto, la tecnologia più avanzata e la migliore cura nelle saldature e nella verniciatura. Il risultato è che una Klein è la bicicletta più veloce, leggera e meglio rifinita disponibile. Niente corre come una Klein.

The creative process that produces a Klein blurs the lines between science and magic. We constantly improve upon our designs for more strength, less weight and a ride that transcends your every expectation. We utilize the best materials and techniques to maximize the performance of every hand built frame. Each tube is masterfully worked to deliver exactly the qualities that we desire. Klein bicycles offer the best design, the most advanced technology, and the finest execution of welding and paint in the industry. As a result, Klein bikes are the lightest, fastest, most refined bicycles available. Nothing rides like a Klein.

artistic alchemy

クラインを生産する創造的プロセスは、科学とマジックの境界さえも曖昧にする。堅牢さと軽量性を追求し、ユーザーの期待をはるかに超える走行性能を実現するために、常にデザインを改良し続けている。最適な材料と技術を駆使し、あらゆるハンドメイドフレームの最大限の性能を引き出している。チューブは1つ1つ丹念に加工され、期待どおりの品質を実現させた。クラインには、業界で屈指の設計、最先端のテクノロジー、最高の溶接・塗装技術が結実している。その結果、クラインは、現在入手できる中で最も速く、最も洗練されたバイクとなっている。クラインの乗り心地は他のバイクには真似できない。






Attitudeは、これまでにトレイルに持ち込まれたバイクの中でも、最も洗練されたアルミのハードテールフレームだ。このフレームの各チューブは、華麗な走行性能を維持しながら、軽量化と強度の向上を実現する高度な処理が施されている。溶接面積を最大限にするために外部からバテッド加工されたヘッドチューブ、シフト操作を軽快で、クリーンに維持する内蔵式ケーブルといった細部に至るまで、配慮が行き届いている。空隙を生まないウォッシュ溶接技術は業界最高峰のクリーンな仕上がりを見せ、独自の方法で熱処理を施されたフレームは比類なき耐久性を誇る。

La Klein Attitude è il più raffinato telaio front in alluminio, che abbia mai percorso un sentiero. Ogni singolo tubo è progettato e costruito per togliere peso e aggiungere robustezza, mantenendo un'eleganza unica. Ogni dettaglio viene considerato, dalla sagomatura del tubo sterzo che aumenta la superficie di saldatura, al passaggio dei cavi all'interno, per mantenerli efficienti e puliti. Le nostre saldature sono le migliori dell'industria ciclistica ed il trattamento termico completo viene effettuato alla fine della lavorazione. I nostri telai sono costruiti per durare.

The Klein Attitude is the most refined aluminum hardtail frame ever to grace the trail. Each tube of the frame is highly manipulated to shave weight and add strength while still maintaining an elegant ride. Every detail has been considered, the externally butted headtube that provides maximum weld area and the internal cable routing that keeps shifting crisp and clean. The void free welds are the cleanest in the industry and the heat treated frame will last a lifetime.



attitude[®]xx

FOX FRL 100mm fork

ZR9000 GRADIENT ALLOY FRAME

CANE CREEK S-6 AHEADSET

SHIMANO XT/XTR STI GROUP

BONTRAGER RACE LITE TUBELESS DISC WHEELSET.

attitude[®]xv

hayes HFX-9 brakes

ZR9000 GRADIENT ALLOY FRAME

FOX FRL FORK 100

SHIMANO LX/XT DRIVETRAIN

BONTRAGER RACE TUBELESS DISC WHEELSET.



attitude[®]v

rockshox RECON fork

ZR9000 GRADIENT ALLOY FRAME

SHIMANO DEORE/XT DRIVETRAIN

HAYES HFX-9 HYDRAULIC DISC BRAKES

BONTRAGER SELECT DISC WHEELSET.





The innovative S.P.A. (suspension performance advantage) system brings to the road efficient, lightweight rear-wheel suspension technology. The crucial component, positioned at the top of the seat stay wishbone, is a proprietary Elastocel bumper from BASF available in several densities to match rider weight and riding style. The S.P.A. system offers a comfortable high-performance ride that keeps the rubber on the road for improved acceleration and control.

La Rêve "spiana" la strada cosicch  tu possa correre all'infinito nel massimo confort. Le caratteristiche dell'innovativa sospensione S.P.A. (Suspension Performance Advantage) unisce alte prestazioni e confort di un leggerissimo sistema di sospensione posteriore. La sospensione S.P.A. permette di avere una migliore aderenza della ruota posteriore, per migliorare accelerazione e controllo. Tutto questo con la tradizionale leggerezza di una Klein. Il componente pi  importante,

posizionato in cima ai foderi posteriori verticali,   un esclusivo elastomero prodotto in Elastocel dalla BASF, disponibile in diverse densit  per adattarsi al peso ed allo stile di guida di ogni atleta. Goditi la tua corsa come non mai.

彫刻のように研ぎ澄まされた繊細なデザイン。Q-Proはクラインが培ったテクノロジーの結晶といえる。フレームは、類を見ないクライン独自のZR9000アルミニウムで成形され、高剛性のカーボンファイバー製シートステイを装備する。この組み合わせにより、路面の振動を吸収して長距離走行の疲れを軽減しつつ、敏速なパワーレスポンスをもつフレームとなる。必要とされる剛性を備えつつ、驚異的に軽く速い、しかも速いフレームが誕生することになった。

r veTM
shimano ULTEGRA ten speed
S. P. A. TECHNOLOGY
BONTRAGER RACE X LITE PLUS CARBON FORK
CARBON WISHBONE SEATSTAY
BONTRAGER RACE LITE WHEELSET.



r veTM
shimano 105 ten speed
S. P. A. TECHNOLOGY
BONTRAGER RACE X LITE PLUS CARBON FORK
CARBON WISHBONE SEATSTAYS
BONTRAGER RACE WHEELSET.





Lightning fast and razor sharp, the Q-Pro is a technological work of art. The frame is sculpted of the industry's finest aluminum and married to the high modulus carbon fiber seat stay assembly. The combination is an incredibly light frame that has all of the stiffness needed to transmit energy from your body to the road, and yet the bike is designed to absorb road vibration, reducing fatigue on long rides.

Leggera, veloce e precisa come un rasoio, la Q-Pro è una vera opera d'arte tecnologica. Il telaio è scolpito nella miglior lega di alluminio ed abbinato ad un carro posteriore in carbonio ad alto modulo. Il risultato è un telaio incredibilmente leggero, che possiede tutta la rigidità necessaria per trasmettere l'energia dal tuo corpo alla strada, mentre assorbe le vibrazioni e riduce la fatica nei lunghi percorsi.

彫刻のように研ぎ澄まされた繊細なデザイン。Q-Proはクラインが培ったテクノロジーの結晶といえる。フレームは、類を見ないクライン独自のZR9000アルミニウムで成形され、高剛性のカーボンファイバー製シートステイを装備する。この組み合わせにより、路面の振動を吸収して長距離走行の疲れを軽減しつつ、敏速なパワーレスポンスをもつフレームとなる。必要とされる剛性を備えつつ、驚異的に軽く速い、しかも速いフレームが誕生することになった。

q-proTM xx

bontrager RACE X LITE carbon crank
ULTRA-TUNED CARBON WISHBONE SEATSTAYS
AEROS CARBON FORK
SHIMANO DURA-ACE 10 SPEED GROUPO
BONTRAGER RACE X LITE WHEELSET.



q-proTM xv

shimano ULTEGRA 10 speed
AEROS CARBON FORK
ULTRA-TUNED CARBON WISHBONE SEATSTAYS
SHIMANO ULTEGRA 10 SPEED GROUPO
BONTRAGER RACE LITE WHEELSET




everything you ever wanted
to know about Klein.



	KLEIN ATTITUDE XX	KLEIN ATTITUDE XV	KLEIN ATTITUDE V	KLEIN RÉVE X	KLEIN RÉVE V	KLEIN Q-PRO XX	KLEIN Q-PRO XV
Colors	Sizzlin' Red Linear	Arctic White Linear	Metallic Orange & Black Linear (Japan only)	Cotton Candy Blue Linear	Black Sudbury	Arctic White Linear	Vulcan Ember
Sizes	XS, S, M, L, XL	XS, S, M, L, XL	XS, S, M, L, XL	49, 52, 55, 58, 61 (cm)	49, 52, 55, 58, 61 (cm)	49, 52, 54, 56, 58, 61 (cm)	49, 52, 54, 56, 58, 61 (cm)
Frame	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum Alloy	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays	Klein ZR9000 Gradient Aluminum w/ Carbon seat stays
Fork	Fox FRL 100mm	Fox FRL 100mm	Rock Shox Recon w/ poplock 100mm	Bontrager Race X Lite Plus with BzzzKill	Bontrager Race X Lite Plus with BzzzKill	Klein Aeros Carbon	Klein Aeros Carbon
Headset	Cane Creek S-6 Aheadset	VP A76C Aheadset	VP A76C Aheadset	Cane Creek S3 Aheadset	Cane Creek S3 Aheadset	Klein AirHeadset	Klein AirHeadset
Rear Shock	N/A	N/A	N/A	s.p.a. soft-tail suspension w/ BASF elastocell spring	s.p.a. soft-tail suspension w/ BASF elastocell spring	N/A	N/A
Bottom Bracket	Shimano XT integrated	Shimano LX integrated	Bontrager GXP	Shimano Ultegra	Shimano 105	Bontrager GXP	Shimano Ultegra
Crankset	Shimano XT 44/32/22 w/ integral BB	Shimano LX 44/32/22 w/ integral BB	Bontrager Race 22/32/44 GXP	Shimano Ultegra 52/39/30	Shimano 105 50/39/30	Bontrager Race X Lite carbon 39/53	Shimano Ultegra 53/39
Pedals	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Front Derailleur	Shimano XT	Shimano LX	Shimano Deore	Shimano Ultegra GS	Shimano 105 GS	Shimano Dura-Ace	Shimano Ultegra
Rear Derailleur	Shimano XTR	Shimano XT	Shimano XT	Shimano Ultegra GS	Shimano 105 GS	Shimano Dura-Ace	Shimano Ultegra
Shifters	Shimano XT STI	Shimano LX	Shimano Deore	Shimano Ultegra 10 Speed	Shimano 105 10 Speed	Shimano Dura-Ace 10 Speed	Shimano Ultegra 10 Speed
Cassette	SRAM PG970 11-34, 9 speed	SRAM PG970 11-34, 9 speed	SRAM PG950 11-34, 9 speed	Shimano Ultegra 12-25, 10 speed	Shimano 105 12-25, 10 speed	Shimano Dura-Ace 12-25, 10 speed	Shimano Ultegra 12-25, 10 speed
Chain	Shimano HG-93	Shimano HG-73	Shimano HG-53	Shimano Ultegra	Shimano 105	Shimano Dura-Ace	Shimano Ultegra
Wheelset	Bontrager Race Lite Disc, tubeless compatible	Bontrager Race Disc, tubeless compatible	Bontrager Select Disc	Bontrager Race Lite	Bontrager Race	Bontrager Race X Lite	Bontrager Race Lite
Tires	Bontrager Jones ACX 26x2.2 tubeless ready	Bontrager Jones ACX 26x2.2 tubeless ready	Bontrager ACX folding 26x2.2	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23	Bontrager Race X Lite 700x23
Brakes	Shimano XT Hydraulic Disc	Hayes HFX-9 Hydraulic Disc	Hayes HFX-9	Shimano Ultegra, long reach	Shimano 105, long reach	Shimano Dura-Ace	Shimano Ultegra
Brake Levers	Shimano XT STI	Hayes HFX-9 Carbon Lever	Hayes HFX-9	Shimano Ultegra STI	Shimano 105 STI	Shimano Dura-Ace STI	Shimano Ultegra STI
Handlebar	Bontrager Race X Lite, carbon	Bontrager Race Lite	Bontrager Select	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race X Lite	Bontrager Race Lite
Stem	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Select	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race XXX Lite, carbon	Bontrager Race Lite
Seatpost	Bontrager Race X Lite, ACC Carbon	Bontrager Race Lite	Bontrager Select	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon	Bontrager Race X Lite, ACC Carbon
Saddle	Bontrager Race X Lite, Ti	Bontrager Race X Lite, Ti	Bontrager Race Luxe	Bontrager Race Lite Luxe, Ti	Bontrager Race Lite Luxe, Ti	Bontrager Race X Lite, Ti	Bontrager Race X Lite, Ti
Grips/Tape	Klein Instinct	Klein Instinct	Klein Instinct	Bontrager Gel	Bontrager Gel	Bontrager Gel	Bontrager Gel


	Size	Typical rider height	Seat tube center to top (in./cm)	Effective seattube (in./cm)	Standover (in./cm)	Bottom bracket (in./cm)	Effective top tube length (in./cm)	Chainstay length (in./cm)	Wheelbase (in./cm)	Fork rake (in./cm)	Fork travel (mm)	Seat tube angle	Head tube angle	Trail (in./cm)
			A	B	C	D	E	F	G			H	I	J
Attitude	XS	5'2" - 5'5"	14.0/35.5	21.9/55.6	26.3/66.9	11.4/29.0	21.7/55.1	16.4/41.6	40.0/101.7	1.5/3.8	80.0	72.8°	70.2°	3.0/7.6
	SM	5'4" - 5'7"	15.7/40.0	22.4/56.8	28.0/71.0	11.6/29.5	22.6/57.4	16.4/41.6	40.8/103.7	1.5/3.8	80.0	72.8°	70.8°	2.9/7.3
	MD	5'8" - 5'11"	17.5/44.4	22.2/56.4	29.2/74.1	11.8/30.0	23.4/59.5	16.4/41.6	41.5/105.5	1.5/3.8	80.0	72.8°	71.3°	2.8/7.0
	LG	5'9" - 6'2"	19.2/48.8	22.9/58.2	30.6/77.6	11.9/30.2	24.1/61.1	16.4/41.6	42.2/107.2	1.5/3.8	80.0	72.8°	71.4°	2.7/6.9
	XL	6'1" - 6'6"	22.0/53.3	24.4/61.9	32.2/81.9	12.0/30.5	24.7/62.7	16.4/41.6	42.9/109.0	1.5/3.8	80.0	72.8°	71.4°	3.9/9.9
Réve	49cm	5'2" - 5'5"	20.4/51.8	19.3/49.0	28.6/72.7	10.5/26.7	20.9/53.0	16.7/42.4	39.3/99.7	1.9/4.8	N/A	74.3°	71.5°	2.3/5.8
	52cm	5'4" - 5'7"	20.7/52.6	20.5/52.0	29.4/74.7	10.6/26.8	21.1/53.5	16.7/42.4	39.3/99.9	1.9/4.8	N/A	74.0°	71.8°	2.2/5.6
	55cm	5'8" - 5'11"	20.9/53.0	21.7/55.0	30.1/76.3	10.6/26.9	21.9/55.5	16.7/42.4	39.5/100.3	1.9/4.8	N/A	73.5°	73.0°	2.0/5.0
	58cm	5'9" - 6'2"	21.4/54.4	22.8/58.0	30.8/78.3	10.6/26.9	22.6/57.5	16.7/42.4	40.1/101.8	1.9/4.8	N/A	73.5°	73.5°	1.9/4.7
	61cm	6'1" - 6'6"	22.1/56.1	24.0/61.0	31.5/80.1	10.7/27.1	23.4/59.5	16.7/42.4	40.4/102.7	1.9/4.8	N/A	72.5°	73.5°	1.9/4.7
Q-Pro	49cm	5'3" - 5'6"	19.5/49.5	20.4/51.9	28.6/72.6	10.2/26.0	20.7/52.6	16.3/41.4	38.1/96.7	1.6/4.1	N/A	74.0°	72.5°	2.5/6.3
	52cm	5'5" - 5'8"	19.7/50.0	21.2/53.8	28.7/72.9	10.4/26.3	21.5/54.7	16.3/41.4	38.7/98.2	1.6/4.1	N/A	73.5°	72.7°	2.4/6.2
	54cm	5'8" - 5'11"	22.4/56.9	21.9/55.7	30.7/78.1	10.4/26.5	22.0/56.0	16.3/41.4	39.2/99.6	1.6/4.1	N/A	73.5°	72.8°	2.4/6.1
	56cm	5'10" - 6'1"	22.9/58.1	22.7/57.7	31.7/80.5	10.5/26.7	22.5/57.2	16.3/41.4	39.1/99.2	1.4/3.5	N/A	73.5°	73.9°	2.4/6.0
	58cm	6'0" - 6'3"	24.0/61.0	23.5/59.8	32.4/82.4	10.6/26.9	23.1/58.7	16.3/41.4	39.6/100.5	1.4/3.5	N/A	73.3°	73.9°	2.4/6.0
	61cm	6'3" - 6'6"	24.9/63.2	24.7/62.8	33.7/85.5	10.7/27.2	23.9/60.6	16.3/41.4	40.4/102.5	1.4/3.5	N/A	73.3°	74.0°	2.4/6.0

Attitude




Line drawings correspond to chart dimensions

Réve




Line drawings correspond to chart dimensions

Q-Pro



Line drawings correspond to chart dimensions



DIRECT FIT

Standing over a top tube isn't a very scientific approach to fitting a person to a bike, so Klein invented a different fit system that many in the industry have embraced over time. Our Direct Fit philosophy analyzes how a body interacts with a bicycle to optimize comfort and fit, and we continue to pursue this as a universal measuring approach.

Direct Fit measures the distance between one's hands on the handlebars to the center of the bottom bracket. This measurement should be recorded. It will never change no matter what bike you are on nor what position you are in throughout the pedal stroke. This distance remains a constant, on or off the saddle.

The included angle created by the Direct Fit line and the horizontal line of the ground helps determine the one's desired posture for the intended use of the bike. If the angle is acute, the one's back is flatter in an aggressive road racing posture. As the angle opens, the rider's posture becomes less aggressive and more relaxed.

Proper fit is essential to performance and endurance, a local dealer should help with Direct Fit when purchasing a Klein bicycle.

DIRECT FIT (MM)/DIRECT FIT ANGLE (K AND L)

Attitude	XS	SM	MD	LG	XL	
	768/54.4°	795/52.5°	820/50.6°	839/50.8°	884/51.6°	
Q-Pro	49	52	55	58	61	
	803/50.5°	816/51.5°	862/51.6°	900/51.8°	921/52.8°	
Q-Pro	49	52	54	56	58	61
	769/49.8°	779/48.4°	815/48.2°	842/48.3°	871/48.6°	889/49.2°

Direct Fit (K)
The distance from the center of the bottom bracket spindle to the rider's hand position.

Direct Fit Angle (L)
The angle created by the "Direct Fit" line and the horizontal line of the ground.

Visit your Klein dealer for more information about Klein's Direct Fit or visit:
www.kleinbikes.com.

KLEIN®

OFFICES

United States
Design, Manufacturing
and Customer Service
Klein Bicycle Corporation
801 West Madison Street
Waterloo, Wisconsin 53594
Tel: 920 478 2191

European Central Office
Bikeurope BV
Basicweg 12
3821 BR Amersfoort
The Netherlands
Tel: 031 (0) 33 45 09 060
Fax: 031 (0) 33 45 64 825

Japan
Trek Japan Corporation
81 Fukashima-machi
Higashinada-ku, Kobe 658
tel: +81 (0) 78 413 6606
fax: +81 (0) 78 413 6607

DISTRIBUTORS

Argentina
Bike Sports S.R.L.
tel: 541147979433
fax: 541147976562

Aruba
Tri-Bike Aruba
tel: 297 5 852 734
fax: 297 5 850 609

Australia
Trek Bicycle Australia
tel: 61 29 299 7444
fax: 61 29 290 3860

Bermuda
Winner's Edge
tel: 441 295 6012
fax: 441 292 1904

Brunei
Trekology Bikes 3
tel: 65 6466 2673
fax: 65 6466 7610

Canary Islands
Adolfo Suanzes S.A.
tel: 349 28 22 68 12
fax: 349 28 27 79 29

Chile
Sparta Deportes Limitada
tel: 56 2 560 4274
fax: 56 2 557 2850

Colombia
USA Bikes EU
tel: 574 262 1987
fax: 574 262 2880

Costa Rica
Avimil, S.A.
tel: 506 380 5290
fax: 506 289 4850

Croatia
Rog Joma
tel: 385 1 2304 331
fax: 385 1 233 9337

Curacao
Vista Bike
tel: 5999 869 5582
fax: 5999 465 9677

Cyprus
Goodtones Ltd.
tel: 357 22 33 6673
fax: 357 22 66 1027

Czech Republic
Bretton Ltd.
tel: 420 2 679 1 2679
fax: 4202 72926464

Ecuador
Dide, S.A.
tel: 593 2 247 2168
fax: 593 2 248 3914

El Salvador
Deportes Nacionales S.A. de C.V.
tel: 503 822 2863
fax: 503 822 2862

Finland
Oy Duell Bike Center Ab
tel: 358 6 322 7500
fax: 358 6 322 2231

Greece
Gatsoulis Imports
tel: 302 0 253 0412
fax: 302 102 533 960

Hong Kong
Chung Yung Cycle Co.
tel: 852 2670 3639
fax: 852 2679 5602

Iceland
Orninn Hjol Ltd.
tel: 354 588 9890
fax: 354 588 9894

Indonesia
Trekology Bikes 3
tel: 65 6466 2673
fax: 65 6466 7610

Ireland
Centro Limited
tel: 353 1 456 7516
fax: 353 1 456 6463

Israel
Cycle Trading Company Ltd.
tel: 972 9 9513 010
fax: 972 9 9509 783

Italy
Areab
tel: 39 0438 435550
fax: 39 0438 439847

Korea
Spo-World
tel: 82 2 3444 9394
fax: 82 2 3444 9414

Malaysia
Trekology Bikes 3
tel: 65 6466 2673
fax: 65 6466 7610

Malta
Magri Cycles & Spares
tel: 356 414399
fax: 356 643677

Mexico
Tekno Bike
tel: 52 81 8478 4560
fax: 52 81 8340 1275

Norway
Foss Sykler AS
tel: 47 22 38 62 00
fax: 47 22 38 62 10

Poland
REA Sport SP.ZO.O
tel: 48 22 466 688
fax: 48 22 846 7964

Puerto Rico
Seamount Bicycle Distributors
tel: 787 763 4369
fax: 787 765 6520

Russia
Sportex
tel: 7 926 206 43 56
fax: 7 926 200 76 61

St. Maarten
Trek-Sport N.V.
tel: 59954 43462
fax: 59954 43928

Singapore
Trekology Bikes 3 Private Limited
tel: 65 6466 2673
fax: 65 6466 7610

Slovakia
KCK Cyklosport Mode S.R.O.
tel: 421 862 549 2200
fax: 421 46 549 1056

Slovenia
Sport Trade 2000
tel: 386 1 510 4940
fax: 386 1 519 9580

Taiwan
Speed High Co. Ltd.
tel: 886 2 27252035
fax: 886 2 23457475

Thailand
Probike Co., Ltd.
tel: 662 254 1077
fax: 662 254 1078

Trinidad
Geronimo's Cycles
tel: 868 622 2453
fax: 868 622 2453

U.S.V.I.
Endurance Sports
tel: 340 719 1990
fax: 340 719 4087

Uruguay
Bilper S.A.
tel: 598 2 708 2498
fax: 598 2 401 2514

Venezuela
Bike Pro / Bike Planet
tel: 58 212 993 6736
fax: 58 212 992 8338

KLEIN BICYCLE CORPORATION LIMITED WARRANTY Klein Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when the bicycle is purchased from an authorized Klein dealer. Klein Bicycle Corporation likewise warrants all original parts, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered under the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Klein dealer. Proof of purchase is required. A warranty registration card must be completed and received by Klein Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components purchased outside the United States only if they are purchased through an authorized international Klein distributor or Klein dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse, abuse or neglect or modification of the frame, fork or components. Klein Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer. Weights in this catalog are approximate and specifications are subject to change without notice. Copyright 2004 Trek Bicycle Corporation All Rights Reserved. Klein is a Registered Trademark of Trek Bicycle Corporation. US Patent Numbers: 757644; D69329716; 5,405,159; 5,586,780; 6,109,636; 2,066,773; 494,252; 5,273,301; D412,868; 4,621,827; 4,960,402; 5,207,619; 5,002,297; 5,018,759; 5,360,088; 5,364,115; 5,377,734; 5,470,091; 5,433,465; 5,452,911; 5,445,439; 5,499,864; 5,517,878; 5,557,982; 5,626,355; 5,692,764; 5,931,544; 5,944,932; 5,826,899; 5,906,385; 6,270,104; 6 099,010; 6,497,042 and others pending. Bike photography by Bradley Rochford. © 2005 Klein Bicycle Corporation. All rights reserved.

KLEIN BICYCLE CORPORATION LIMITI DI GARANZIA Klein Bicycle Corporation fornisce ad ogni acquirente originale della bicicletta una garanzia a vita per eventuali difetti di costruzione o di materiali dei telai e delle forcelle rigide, quando la bicicletta è acquistata da un rivenditore autorizzato Klein. Klein Bicycle Corporation garantisce inoltre tutte le parti originali, con l'esclusione delle forcelle ammortizzate e degli ammortizzatori posteriori, per un periodo di un anno dalla data di acquisto. Le forcelle ammortizzate e gli ammortizzatori posteriori sono coperti dalla garanzia data dai singoli costruttori secondo le leggi vigenti nei singoli paesi. La verniciatura e le decalcomanie sono garantite per un anno. La garanzia è espressamente limitata alla riparazione o alla sostituzione del telaio o della forcella o dei singoli componenti difettosi. La garanzia si applica soltanto al primo acquirente e non è trasferibile. Ogni richiesta di garanzia deve essere inoltrata tramite un rivenditore autorizzato Klein. E' richiesta una prova di acquisto. La scheda di garanzia deve essere compilata e ricevuta da Klein Bicycle Corporation prima che venga avviata ogni richiesta di garanzia. La garanzia copre biciclette e componenti acquistati al di fuori degli Stati Uniti d'America soltanto se acquistati tramite un distributore internazionale Klein od un suo rivenditore autorizzato Klein. La garanzia non copre la normale usura assemblaggio e manutenzione non adeguati, installazione di applicazioni e componenti non originariamente intesi o compatibili con la bicicletta originale, danneggiamento dovuto ad incidente, errato utilizzo, abuso o negligenza o modifica del telaio, forcella o componenti. Klein Bicycle Corporation non sarà responsabile di danni conseguenti o accessori. Alcuni stati non permettono l'esclusione di danni conseguenti o accessori, pertanto quest'esclusione di garanzia potrebbe non essere applicata al vostro caso specifico. La presente garanzia dà all'utilizzatore specifici diritti legali, e tali diritti possono variare da paese a paese. Questa garanzia non intacca in alcun modo i diritti del consumatore fissati dalla legge. I pesi indicati nel presente catalogo sono approssimativi e le specifiche possono essere variate senza preavviso. Copyright 2005 [Trek Bicycle Corporation] Tutti i Diritti Riservati. [Klein] è un Marchio Registrato di [Trek Bicycle Corporation]. Brevetti US Numeri: 757644; D69329716; 5,405,159; 5,586,780; 6,109,636; 2,066,773; 494,252; 5,273,301; D412,868; 4,621,827; 4,960,402; 5,207,619; 5,002,297; 5,018,759; 5,360,088; 5,364,115; 5,377,734; 5,470,091; 5,433,465; 5,452,911; 5,445,439; 5,499,864; 5,517,878; 5,557,982; 5,626,355; 5,692,764; 5,931,544; 5,944,932; 5,826,899; 5,906,385; 6,270,104; 6 099,010; 6,497,042 ed altri in corso di applicazione. Fotografia delle bici by Bradley Rochford. © 2005 [Klein] [Bicycle Corporation]. Tutti i diritti riservati.

クライン保証規定 トレック・ジャパン株式会社では、トレックの指定するクラインの正規販売店で新製品を最初にお買い上げ頂いた方に、生涯を通じ、クラインバイクのフレームとリジッドフォークの製造上および材料の欠陥について保証致します。また、サスペンションフォークとリアショックアブソーバを除くすべての純正部品について、購入の日から一年間保証致します。サスペンションフォークとリアショックアブソーバについては、各メーカーから保証致します。塗装については購入の日から一年間保証致します。保証は欠陥のあるフレーム、リジッドフォークまたはパーツの修理・交換に限定され、これが保証サービスを実現する唯一の手段となります。この保証を受ける権利は最初の購入者にあり、権利は他人に譲渡できません。本保証はクライン正規販売店を通して行わなければなりません。その際、レシート等の購入を証明するものが必要です。また、本保証は、クライン正規販売店を通して購入された場合のみを対象とします。本保証は通常の使用による磨耗や損傷、不適切な組み立てやメンテナンス、或いは当社の純正でない部品やアクセサリまたは購入された自転車と適合しない部品やアクセサリの装備が原因発生したトラブルには適用されません。本保証は事故、誤用、粗忽な取扱い、あるいは不注意による損傷や故障、欠陥には適用されません。またフレームやフォーク、コンポーネントの改造も無効となります。トレック・ジャパン(株)では、付随的損傷または広大的損傷については保証の対象外としております。また、ディーラー側で発生するパーツ交換などによする作業コストや人件費は補償、保証の対象となっておりません。トレックUSAおよびトレック・ジャパン(株)では、クライン商品の通信販売を行っておりません。これは、通信販売に伴う運送方法、保管方法、アフターサービスの不備に対してはトレックの保証が及ばないからです。当カタログに記載されている重量は概算の値です。カタログに記載されている商品の標準仕様、およびデザイン等は、改良のため予告なく変更されることがあります。あらかじめご了承ください。商品のカラーは、印刷のインクの性質上、実際のカラーと多少異なる場合がありますので、ご了承ください。本カタログに記載されているバイクの画像は、オプション等が装備され実車のスペックと異なる場合があります。本カタログは2005年9月現在のものです。本カタログの複製お