




EADDENT

RALEIGH

A close-up, low-angle shot of a car's front end, focusing on the headlight and grille. The car is dark-colored, possibly black or dark grey, with a chrome grille. A Cadillac logo is visible on the grille. The headlight is illuminated, casting a bright yellow light. The background is dark and out of focus.

**ca•dent**, kad' ant, ə. Having cadence or rhythm.



**Looking for a bike** with all the performance of today's high tech road bikes but with a more comfortable, relaxed attitude? Enter the Cadent line of road bikes from Raleigh. Designed for men and women, these exciting new bikes feature Re<sup>2</sup>P, a performance comfort frame design that greatly improves comfort without sacrificing performance, light weight or efficiency.



**Re<sup>2</sup>P, or Relaxed, Ergonomic, Efficient Positioning**, is the cornerstone of Cadent design.

Using this philosophy, the Raleigh Product Team has developed a line of bicycles which reduce back and neck strain and pressure on the hands and wrists. The result: A “Heads Up” riding position, allowing Cadent riders to ride longer with more comfort than on traditional road bikes. Rider weight is centered over the bike, providing sure and confident handling. The Cadent is perfect for those looking to participate in group and event rides, light duty touring, commuting or just plain fun riding. Older riders, those returning to the sport or riders with health or flexibility issues will find renewed riding enjoyment courtesy of Re<sup>2</sup>P.



In addition to utilizing Re<sup>2</sup>P, Cadent bikes are loaded with comfort enhancing features that compliment the user friendly appeal of the design. Lightweight frames, Raleigh Custom Carbon forks, padded bar tape, and comfortable saddles are present throughout the Cadent line. Cadent 4.0 and 5.0 feature Easton Ultralite alloy main triangles and vibration taming Easton carbon seatstays.

The main advantage of **Re<sup>2</sup>P, or Relaxed, Ergonomic, Efficient Positioning** versus traditional road bike geometry is a reduction in the strain placed on the back and neck of the rider. Cadent riders are all together more upright, relaxed and comfortable than their traditional counterparts.





## See What You've Been Missing

**The “Heads Up” riding position that Re<sup>2</sup>P provides** enables riders to see the road (and the scenery) ahead better than on traditional road bikes. Cadent riders are able to ride with additional confidence, safety and control.



## Relaxed, Ergonomic, Efficient Positioning.

### Cadent 4.0

This model shares the same high end Easton Ultralite Race frame and full carbon rear end as the Cadent 5.0, for a superior blend of lightness and comfort. Shimano Ultegra 10 speed drivetrain components offer seamless performance.



### Cadent 5.0

Our flagship model uses an Easton Ultralite Race frame with a full carbon EC90 CNT rear end. Performance upgrades include a Shimano Dura-Ace rear derailleur, a Truvativ Rouleur Compact Carbon crankset, and a Mavic Cosmos wheelset.







### **Cadent 3.0**

Atomic 13 SL butted aluminum main triangle and carbon fiber wishbone seatstays keep weight to a minimum and provide added comfort. A Truvativ Elita GXP crankset delivers increased stiffness and power transfer.



### **Cadent 2.0**

Added performance and value courtesy of Shimano Tiagra 9-speed shifters and 105 rear derailleur. A Truvativ Touro triple crank tames the toughest hills.



### **Cadent 1.0**

A responsive Atomic 13 Aluminum frame is matched with a smooth riding Raleigh Custom Carbon fork with alloy steer tube. Vittoria Zaffiro tires provide a smooth efficient ride.

***Cadent bikes feature Raleigh's PAGe, or Proportionately Adjusted Geometry. PAGe enables riders of smaller or larger stature, male or female, to achieve proper fit and positioning. Frame geometry, stem configuration, bar width and crank length are all optimized within the Cadent line to offer a near custom fit for all body types.***

## **CADENT**

There are 5 Cadent models to suit a wide range of riding styles, budgets, and performance needs. Each one is carefully designed to provide a superior combination of comfort and value.



Specifications:



Model	Cadent 5.0	Cadent 4.0	Cadent 3.0	Cadent 2.0	Cadent 1.0
Frame	Easton Ultralite Race w/EC90 CNT Seat Stays/ Chain Stays	Easton Ultralite Race w/EC90 CNT Seat Stays/ Chain Stays	Atomic 13 SL Aluminum w/Carbon Wishbone Seat Stays	Atomic 13 Aluminum w/replaceable hanger	Atomic 13 Aluminum w/replaceable hanger
Fork	Raleigh Custom Carbon/ Carbon Steer, 50mm offset	Raleigh Custom Carbon/ Carbon Steer, 50mm offset	Raleigh Custom Carbon/ Alloy Steer, 50mm offset	Raleigh Custom Carbon/ Alloy Steer, 50mm offset	Raleigh Custom Carbon/ Alloy Steer, 50mm offset
Sizes	49, 52, 54, 56, 59cm	49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm	45, 49, 52, 54, 56, 59cm
Shifter	Shimano Ultegra 10spd	Shimano Ultegra 10spd	Shimano 105 9spd	Shimano Tiagra 9spd	Shimano Sora 8spd
Front Derailleur	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano 2200
Rear Derailleur	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105	ShimanoTiagra
Cranks	Truvativ Carbon Compact Rouleur GXP 36/50t	Truvativ Elita GXP 30/42/52t	Truvativ Elita GXP 30/42/52t	Truvativ Touro 30/42/52t	Truvativ ISO Flow Road 30/42/52t
Bottom Bracket	Truvativ GXP	Truvativ GXP	Truvativ GXP	Truvativ Power Spline	Truvativ Sealed Cartridge
Gear	Shimano Ultegra 10spd 12-27t	Shimano Ultegra 10spd 12-25t	SRAM PG-950 9spd (12-26t)	SRAM PG-950 9spd (12-26t)	SRAM PG-850 8spd (12-26t)
Chain	Shimano Ultegra	Shimano Ultegra	KMC Z9000	KMC Z9000	KMC Z82
Hub (F)	Mavic Cosmos	Alloy Sealed Joytech QR 28h	Alloy Sealed Joytech QR 28h	Alloy Sealed Joytech QR 28h	Alloy Joytech QR 28h
Hub (R)	Mavic Cosmos	Alloy Sealed Joytech QR 28h, Cassette	Alloy Sealed Joytech QR 32h, Cassette	Alloy Sealed Joytech QR 32h, Cassette	Alloy Joytech QR 32h, Cassette
Spokes	Mavic Cosmos	14g Black Stainless	14g Black Stainless	14g Black Stainless	14g Stainless Steel
Rims	Mavic Cosmos Black	Alex AT-400, w/CNC sides	Alex DC-19 w/Ground Side	Alex DC-19 w/Ground Side	Alex DC-19 w/Ground Side
Pedals	Shimano PD-520 clipless	Shimano PD-520 clipless	Shimano PD-520 clipless	Road Pedals w/clips & straps	Road Pedals w/clips & straps
Headset	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8	Integrated 1-1/8
Handlebar	Easton EA70 Wing 31.8	Easton EA30 Wing 31.8	Easton EA30 Wing 31.8	Alloy Road 26.0	Alloy Road 26.0
Grips	Raleigh w/Gel	Raleigh w/Gel	Raleigh w/Gel	Raleigh w/Gel	Raleigh w/Gel
Stem	Truvativ Team Road, 31.8mm, 10deg	Truvativ XR, 31.8mm 12deg	Truvativ XR, 31.8mm 12deg	Alloy Ahead 25deg	Alloy Ahead 25deg
Brakes	Shimano Ultegra	Shimano Ultegra	Tektro Dual Pivot	Tektro Dual Pivot	Tektro Dual Pivot
Brake Levers	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano Tiagra	Shimano Sora
Tires	Vittoria Rubino 700x25c	Vittoria Rubino 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c	Vittoria Zaffiro 700x25c
Seat	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road	Raleigh Cadent Road
Seatpost	Raleigh Carbon Micro Adjust 31.6mm	Raleigh Carbon Micro Adjust 31.6mm	Raleigh Carbon Micro Adjust 27.2mm	Raleigh Carbon Micro adjust 27.2mm	Alloy Micro adjust 27.2mm
Color	The Cadent Silver	The Cadent Red	The Cadent White	The Cadent Black	The Cadent Blue

Geometry:

Cadent 1.0 through 3.0 are available in 6 sizes, ranging from 45cm to 59cm. Cadent 4.0 and 5.0 are available in 5 sizes, ranging from 49cm to 59cm. Standover clearance is enhanced by the compact frame, making it easier to dial in the correct rider setup. With PAGE Geometry there's a model suitable for nearly any body type.

	Cadent 5.0					
	Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge
A	Stand over Height**	723mm	745mm	775mm	809mm	829mm
B	Seat Tube Length	450mm	480mm	510mm	540mm	570mm
C	Top Tube Length*	510mm	525mm	545mm	565mm	590mm
D	Head Tube Length	125mm	145mm	175mm	215mm	225mm
E	Head Angle	72	72	72	72.5	73
F	Seat Angle	75.5	74	73.5	73	72.5
G	Wheel Base	977mm	979mm	998mm	1011mm	1028mm
H	Chain Stay Length	412mm	412mm	415mm	418mm	420mm
I	Fork Offset	50mm	50mm	50mm	50mm	50mm
J	BB Height	268mm	268mm	268mm	268mm	268mm
	Stem Length	80mm	80mm	90mm	100mm	110mm
	Handlebar Width	400mm	400mm	420mm	420mm	440mm
	Crank Length	170mm	170mm	172.5mm	172.5mm	175mm
	Seat Post Length	350mm	350mm	350mm	350mm	350mm

	Cadent 3.0						
	Size	45cm XSmall	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge
A	Stand over Height**	697mm	723mm	745mm	775mm	809mm	829mm
B	Seat Tube Length	420mm	450mm	480mm	510mm	540mm	570mm
C	Top Tube Length*	495mm	510mm	525mm	545mm	565mm	590mm
D	Head Tube Length	110mm	125mm	145mm	175mm	215mm	225mm
E	Head Angle	70.5	72	72	72	72.5	73
F	Seat Angle	76	75.5	74	73.5	73	72.5
G	Wheel Base	977mm	977mm	979mm	998mm	1011mm	1028mm
H	Chain Stay Length	412mm	412mm	412mm	415mm	418mm	420mm
I	Fork Offset	50mm	50mm	50mm	50mm	50mm	50mm
J	BB Height	268mm	268mm	268mm	268mm	268mm	268mm
	Stem Length	60mm	60mm	75mm	75mm	90mm	105mm
	Handlebar Width	400mm	400mm	400mm	420mm	420mm	440mm
	Crank Length	165mm	170mm	170mm	172.5mm	172.5mm	175mm
	Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm

	Cadent 4.0					
	Size	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge
A	Stand over Height**	723mm	745mm	775mm	809mm	829mm
B	Seat Tube Length	450mm	480mm	510mm	540mm	570mm
C	Top Tube Length*	510mm	525mm	545mm	565mm	590mm
D	Head Tube Length	125mm	145mm	175mm	215mm	225mm
E	Head Angle	72	72	72	72.5	73
F	Seat Angle	75.5	74	73.5	73	72.5
G	Wheel Base	977mm	979mm	998mm	1011mm	1028mm
H	Chain Stay Length	412mm	412mm	415mm	418mm	420mm
I	Fork Offset	50mm	50mm	50mm	50mm	50mm
J	BB Height	268mm	268mm	268mm	268mm	268mm
	Stem Length	60mm	75mm	75mm	90mm	105mm
	Handlebar Width	400mm	400mm	420mm	420mm	440mm
	Crank Length	170mm	170mm	172.5mm	172.5mm	175mm
	Seat Post Length	350mm	350mm	350mm	350mm	350mm

	Cadent 1.0, 2.0						
	Size	45cm XSmall	49cm Small	52cm SM/MD	54cm MD/LG	56cm Large	59cm Xlarge
A	Stand over Height**	697mm	723mm	745mm	775mm	809mm	829mm
B	Seat Tube Length	420mm	450mm	480mm	510mm	540mm	570mm
C	Top Tube Length*	495mm	510mm	525mm	545mm	565mm	590mm
D	Head Tube Length	110mm	125mm	145mm	175mm	215mm	225mm
E	Head Angle	70.5	72	72	72	72.5	73
F	Seat Angle	76	75.5	74	73.5	73	72.5
G	Wheel Base	977mm	977mm	979mm	998mm	1011mm	1028mm
H	Chain Stay Length	412mm	412mm	412mm	415mm	418mm	420mm
I	Fork Offset	50mm	50mm	50mm	50mm	50mm	50mm
J	BB Height	268mm	268mm	268mm	268mm	268mm	268mm
	Stem Length	60mm	60mm	70mm	80mm	90mm	100mm
	Handlebar Width	380mm	380mm	400mm	420mm	420mm	440mm
	Crank Length	165mm	170mm	170mm	172.5mm	172.5mm	175mm
	Seat Post Length	350mm	350mm	350mm	350mm	350mm	350mm

\*\*Measured from Center  
\*Measured Horizontally





Enjoy the ride.





**RaleighAmerica.com**  
©2006 Raleigh America, Inc.