



ride fast. ride roox.

Content

- 04 hardcore handlebars
- 06 x-country handlebars
- 08 e-series handlebars, barends
- 10 hardcore stems
- 12 freeride + xc stems
- 14 freeride chaindevice
- 16 downhill - 4cross chaindevices
- 18 seatposts
- 20 headsets
- 22 cranksets
- 24 road components
- 26 small parts
- 27 softgoods
- 30 distributors

visit also: www.roox.at

Newest parts


rx 44 headset
see page 20



e-series handlebars
see page 08



sl4.1 xc-post
see page 18



slide 'n' grind
see page 14



page 03

Hard-Core

1 torque bar

our top-of-the-line dh handlebar - the life insurance for many of the workcup circuit's top riders. this bar is so strong that we can guarantee it for a lifetime!

material: custom drawn aluminium
7075 T6, 4,0 mm; length: 735 mm;
rise: 45 mm; weight: 480 g
colour: black or gold anodized
limited lifetime warranty!

2 assault frd

the assault freeride handlebar is the missing link between the hardcore dh bars and the allround riser bars from our new e-series.

material: custom drawn aluminium
7075 T6, 3,0 mm; length: 685 mm;
rise: 45 mm; weight: 335 g
colour: black anodized
3 years limited warranty!

3 plops

cnc-machined and laser etched barend-plugs. fit for all common handlebars. each plug is fixed with three bolts - no more moving grips!

material: aluminium 7000 series
diameter: 22,2 mm, weight: 30 g
colour: black anodized, laser-etched

Handlebars



xc-Country

1 r.a.c.t. flatriser

state-of-the-art cross-country bar. the r.a.c.t. flatriser is one of the lightest riser bars available - yet so strong, that we guarantee it for two years!

material: carbon/kevlar composite
length: 625 mm; rise: 25 mm; weight: 138 g;
colour: carbon; 2 years limited warranty!

3 dbs flatriser

is it a xc-bar or is it a riser? it's both. our dbs-flatriser combines both types of bars: a bit of rise (25 mm), allows the use of barends and is extra-lightweight!

material: double butted seamless aluminium 7075-T6; length: 635 mm; rise: 25 mm; weight: 202 g; colours: black or gold anodized
2 years limited warranty!

2 r.a.c.t. crosscomp

carbon/kevlar bar in the classic 3°-xc-shape. the unique roox advanced composite technology (r.a.c.t.) ensures strength and reliability.

material: carbon/kevlar composite
length: 585 mm; rise: 25 mm; weight: 138 g;
colour: carbon; 2 years limited warranty!

4 dbs crosscomp

the bar with the classic xc-shape in our dbs series. crosscomp bars are offering an optimal strength-to-weight ratio!

material: double butted seamless aluminium 7075-T6; length: 585 mm; bend: 3°; weight: 145 g; colours: black or gold anodized
2 years limited warranty!

Handlebars



e-Series

1 e-series riser + fat-riser

2 our riser handlebars - both of them are perfect allround & freeride-tools. they're setting new standards in performance and strength for budget minded riders.

material: aluminium 2014; length: 685 mm;
rise: 45 mm; clamp: riser 25,4/fatrisher 31,8 mm;
weight: riser 250 g/fatrisher 260 g;
colour: black anodized, laser-etched graphics

4 e-series mxc-racing

this standard cross-country bar offers optimal weight to strength ratio!

material: aluminium 2014; length: 580 mm;
bend: 5°; clamp: 25,4 mm; weight: 160 g;
colour: black anodized, laser-etched graphics

3 e-series mxc-flatriser

now available - our legendary shaped mxc-flatriser at a truly affordable price! better steering control and relaxed riding without adding extra weight.

material: aluminium 2014; length: 640 mm;
rise: 25 mm; clamp: 25,4 mm; weight: 240 g;
colour: black anodized, laser-etched graphics

6 e-series mxc-litehorns

superlight beauties - our mxc litehorns. large 25,0 mm diameter and a first-class finish makes them outstanding in performance, style and weight.

material: aluminium 7020; length: 93 mm;
weight: 88 g/pair; colour: black anodized
with laser-etched graphics

Handlebars



new!

e-series
full performance at
reasonable prices!
made by roox.

Hard-Core

1 commander dh stem

our "top-of-the-line" stem for unlimited hardcore use. you've never had a stiffer, stronger and more reliable stem on your downhill/freeride bike.

material: aluminium 7000 series
diameter: 1 1/8", threadless
length: 35/55 mm rise: 0°
colour: black anodized, laser-etched
5 years limited warranty!

2 one.point.five.stem

matching the 1.5" interface standard, this new stem combines both maximum strength and reasonable weight. it's a perfect allround tool.

material: aluminium 7000 series
diameter: 1 1/2", threadless
length: 50/70 mm; rise: 0°/10°
colour: black anodized, laser-etched
5 years limited warranty!

Stems



ride fast. ride roox.



he rides fast. he rides roox.
and he's successful with his fully roox-equipped rotwild: french 4-cross-champion **mickael deldycke** (team fiat/rotwild).

[RooX]. 
bicycle components

FreeRide + Aero-Stems

1 danny's frd stem

the successor of our legendary danny's stem. strong enough for the toughest downhill and light enough for xc racers: the ultimate freeride and general purpose stem!

material: aluminium 7000 series;
diameter: 1 1/8", threadless;
length: 50/70/90 mm; rise: 0°/20°;
colour: black anodized, laser-etched;
5 years limited warranty!

2 mxc stem

a lightweight beauty: the mxc (marathon & x-country) stem from our classic danny's series. the use of aluminium 7075, one of the strongest alloys available, makes this stem exceptional strong and rigid at nearly no weight!

material: aluminium 7000 series;
diameter: 1 1/8"; rise: 5°/15°;
length: 90/110/130 mm;
weight: 145 g (5°/90 mm);
colour: black anodized, laser-etched
3 years limited warranty!



ride fast. ride roox.



Chain

for more than 9 years roox is producing high speed chaindevices and since that we became the worldwide leading manufacturer for this type of product.

our devices are setting new industry standards in performance and reliability. that 's why they are used by more european dh and 4-cross racers than any other product.

after dominating the race-circus for years we 're now setting a new milestone with the world 's best freeride-chaindevice:

1 slide ' n ' grind freeride chaindevice

our brandnew chain control system - especially designed for freeriding bikes. the strong "slide ' n ' grind"-plate offers maximum protection for the chainring, the small lower-roller leaves enough clearance for sliding and grinding...

material/mounting-plate: aluminium 7000 series
material/bash-guard and roller: pp/pa composite
fits for 32/34/36 t chainrings; compatible to all iscg-standard frames (for other frames use our is/bb-adaptor, see page 16)

Devices



multi-adjustable chain-spoiler

she rides fast. she rides roox.
multiple worldchampion and world-cup winner **anne-caroline chausson** (fra, team commenal/oxbow) is winning with a roox rollercoaster.



ride fast. ride roox.

Chain Devices



he rides fast. he rides roox.
frank parolin (fra, team commenal/
oxbow) is racing with a roox roller-
coaster chaindevice.



1 iscg adaptor
adapts all devices for iscg-standard
(like roox roller coaster) to frames
without is-mounts.

2 roller coaster is
designed for serious dh-racing - the
choice of multiple worldchampion
anne-caroline chausson!
maximum clearance on the backside
means the roller coaster is fits on most
dh-frames. compatible to all iscg-stand-
ard frames (for others use our iscg-
adaptor). new: fits for 38 - 54 t. rings.

3 chain animal
chaindog and chaincat together -
as a combo they 're unbeatable!
micro-adjustable chainline and device-
angles; to be fixed at the bottom
bracket; fits for chainrings from 36 to
54 t; only for a single-chainring-setup.

4 chain dog
the original - and still the num-
ber one. unsurpassed function
for successful competitors.
adjustable angle and chain line.
to be fixed at the seat-tube.
only for a single-chainring-setup.

5 chain cat
our original bottom
device. works perfectly
in combination with the
chaindog.
to be fixed at the bottom
bracket, for chainrings
from 36 to 54 t.

6 roller coaster bottom
all the features of our outstand-
ing roller coaster in a bottom
only device.
two guiding-pulleys, controlled and
supported by a spring system.
to be fixed at the bottom bracket.
for chainrings from 42 to 54 t.



1



2



3



4



5



6

Seat

1 mxc seatpost

our mxc-seatpost for xc- & road-bikes. offers 5 mm lay-back and an ideal strength-to-weight ratio at a reasonable price.

material: ovalized aluminium 7075 series, custom drawn; diameter: 27,2 mm; length: 350 mm; weight: 258 g; colour: black anodized with durable graphics/insertion scale
3 years limited warranty!

2 sl4.1 seatpost

new lightweight seatpost for xc and road. durable insertion scale on the front side (= visible while riding).


material: custom aluminium 7075-T6; length: 350 mm; weight: 215 g; colour: black, gold; diameter: 27,2 mm; the sl4.1 is coming with chromo and aluminium bolts;
3 years limited warranty!

3 s4.2 seatpost


the latest version of our most popular product: no gimmicks, just classic design & pure quality: extra long, micro-adjustable, unscratchable insertion scale.

material: custom aluminium 7075-T6; length: 430 mm; colour: black only; weight: 245 g (26,8/430 mm); diameter: 26,4/26,6/26,8/27,0/27,2/28,6/29,4/29,8/30,0/30,2/30,4/30,9/31,0/31,2/31,4/31,6/31,8 mm
5 years limited warranty!

Posts



ride fast. ride roox.



he rides crazy (and fast too!). he rides roox. it doesn't matter where you ride - as long as your bike is equipped with the right stuff. trial worldchampion petr kraus (cz, team red bull).



Head

Sets

1 rx 44 headset

brandnew! we're proud to introduce our new high performance headset, the rx 44. extensive work from our engineering department brought our superseal™ technology to the next level and this fact makes this black beauty to one of the most durable and reliable headsets at the market.

material: aluminium 7075-t6 (cups), stainless steel 4140 (crown race); stack height: 29.7 mm; diameter: 1 1/8", threadless; weight: 150 g; bearings: sealed cartridge, angular-contact; colour: black anodized with laser-etched graphics. warranty: 3 years on the bearing, lifetime on all other parts.



...nice view for the rider, isn't it?



new!

Crank

1 mxc crankset

strong, light and durable. the mxc offers state-of-the-art design and an optimal strength to weight ratio.

material: aluminium 7075-t6; length: 175 mm;
weight: 460 g; bolt pattern: 58/94, 74/110, 64/104
colour: black anodized, laser-etched graphics;
available for shimano™ octalink.

5 spinning max crankset

short, superstrong crank with square-taper design - for riders looking for maximum torque. it's clearly manufactured for the ultimate in strength and reliability.

material: aluminium 7075-t6; length: 165 mm;
bolt pattern: 74/110 (spider or disc)
colour: black anodized, laser-etched graphics

2 frd crankset

one of the stiffest and strongest cranksets at the market - definately designed for downhill and freeride.

material: aluminium 7075-t6; length: 175 mm;
weight: 495 g; bolt pattern: 58/94, 74/110, 64/104
colour: black anodized, laser-etched graphics;
available for shimano™ octalink.

4 square-taper cranks

still available: our classic cranksets for square taper bottom brackets, the light-weight xc-racing and the stiff and strong dhs model.

material: aluminium 7075-t6; length: 175 mm;
weight: 430 g (xc), 480 g (dhs);
bolt pattern: 58/94 and 74/110
colour: black anodized with laser-etched graphics

Sets



Road

1 amigo road handlebar

the amigo handlebar comes in a classic "6-bend" shape and offers excellent performance at a reasonable price.

material: aluminium 6000 series
clamp-diameter: 26,0 mm
width: 42/44 cm; weight: 270 g
colour: silver anodized
3 years limited warranty!

3 roadie stem

one of the lightest roadstems available. the damping system allows its use with full carbon forks.

material: aluminium 7075-T6; clamp: 26,0 mm;
rise: 0°/17°; diameter: 1 1/8" (1" with shim);
length: 80/90/100/110/120/130 mm
weight: 120 g (90 mm); colour: black, laser-etched graphics
3 years limited warranty!

2 gaucho road handlebar

light & stiff: the gaucho handlebar is crafted from customdrawn aluminium. the new "xtra-curv"-shape offers racing performance beside extra comfort.

material: aluminium 7075-T6
clamp-diameter: 26,0 mm
width: 42/44 cm; weight: 240 g
colour: black anodized
3 years limited warranty!

Components



ride fast. ride roox.



she rides fast. she rides roox.
female power. on the race-course
and with the allen-key.
christine hölzl (ger, team fiat-rotwild).




Various & Softgoods

- 1** headset spanner
the perfect headset fixation, fits all 1 1/8" headtubes from 210 to 290 mm.
- 2** steerer adaptor
allows use of 1 1/8" ahead stems with threaded forks; 1", 1 1/8" and 1 1/4".
- 3** 1" shim
allows use of 1 1/8" ahead stems with 1" forks.

1 riders tee
sizes: m/l/xl
colour: sand

2 polo shirt
sizes: m/l/xl
colour: navy

3 workin short
sizes: m/l/xl
colour: sand



new!

1 adventure shirt

sizes: l/xl
colour: olive

2 basecap

flexfit-style
colour: sand/chocolate

3 girls supersonic shirt

size: s
colour: black

4 supersonic shirt

sizes: m/xl, long sleeve
colour: blue/navy

5 interlock jacket

sizes: s/m/l/xl
colour: black/white

6 club tee

sizes: m/l/xl
colour: white/black

Soft Goods



1



2



3



4



5



6

new!

International Distributors

[andorra]
CICLES DANDY
+376 865 376, dandy@dandybike.com
www.dandybike.com

[australia]
BIKEPRO
+61 398 361012, bikepro@iprimus.com.au
www.bikepro.com.au

[austria]
THALINGER LANGE GMBH
+43 07242 4970
mail@thalinger-lange.com
www.bikersbest.com

[belgium + luxembourg]
FUERZA S.P.R.L.
+32 081 633078, info@fuerza.be
www.fuerza.be

[canada]
NRG ENTERPRISES LTD.
+1 800 6654362, nrg@nrgenterprises.com
www.nrgenterprises.com

[czech republic]
PAUL LANGE OSTRAVA
+420 597 444160, bikeparts@paulhange.cz
www.paulhange.cz

[denmark]
R&R INDUSTRIES SCANDINAVIA
+45 070 210545, info@rri.dk

[finland]
ET SPORTS
+358 013 821826, sales@et-sports.com
www.et-sports.com

[france]
CHAPAK SARL
+33 04 66274077, info@chapak.com
www.chapak.com

[germany]
ADP SALES
+49 06074 400760, info@rotwild.de
www.rotwild.de

[germany]
ROOX BICYCLE COMPONENTS
+43 07242 60407, office@roox.at
www.roox.at

[hungary]
HT SPORT KFT.
+36 099 313714, heavytools@mail.datanet.hu
www.heavytoolsteam.com

[italy]
SERENISSIMA DIFFUSION SRL
+39 0438 778522, serena@modolo.com
www.modolo.com

[japan]
FUKAYA SANGYO CO., LTD.
+81 052 3216571
fk.import@fukaya-sangyo.co.jp
www.fukaya-sangyo.co.jp

[japan]
KAWASHIMA CYCLE SUPPLY CORPORATION
+81 0722 381557, info@riogrande.co.jp
www.riogrande.co.jp

[korea]
SIS INTERNATIONAL CO., LTD.
+82 02 7334794, siskorea@netsgo.com
www.siskorea.com

[the netherlands]
PASSAGE TRADING
+31 070 3208609, info@passagetrading.nl
www.passagetrading.nl

[new zealand]
SPORTIVE AGENCIES
+64 3348 9725, roox@sportive.co.nz

[norway]
LARS KJÆRULFF SYKKEL A/S
+47 092 660666, post@lksykkel.no
www.lksykkel.no

[poland]
CULT-BIKES
+48 017 8642233, kontakt@cult-bikes.com.pl
www.cult-bikes.com.pl

[poland]
TWR
+48 0601 420854, twr@kki.pl

[portugal]
CASTANHEIRA & CASTANHEIRA, LDA
+351 0258 971216,
castanheiraecastanheira@sapo.pt

[reunion]
BOURBON SPORT COMPANY
+262 0262 443604, o_ray26@hotmail.com

[russia]
OMNI BIKE LTD.
+7 095 4597181, info@omnibike.ru
www.omnibike.ru

[slovakia]
SLOVKOLEX S.R.O.
+421 042 4421556, office@slovkolex.sk
www.slovkolex.sk

[slovenia]
SPORT TRADE 2000
+386 1 5104945, sandi.gabrovsek@siol.net
www.sporttrade2000.si

[south africa + namibia + zimbabwe]
CYCLES AFRICA
+27 011 6781548, cunning@mweb.co.za,
http://come.to/cycles.africa

[spain]
FUN SPORT
+34 093 2050528, funsport@telefonica.net
www.funsportexpress.com

[sweden]
QUALITY BIKE AB
+46 325 71478, info@qualitybike.se
www.qualitybike.se

[switzerland]
SUSPENSION CENTER
+41 031 8093020
suspension.center@bluewin.ch
www.suspensioncenter.ch

[united kingdom]
ISON DISTRIBUTION
+44 01223 213800
sales@ison-distribution.com
www.ison-distribution.com

[usa]
MONK A MOO, INC.
+1 305 5866045, dsramos@monkamoo.com
www.monkamoo.com

if your country is not listed please contact
the roox headquarters: office@roox.at

ride fast. ride roox. but please note:

life expectancy of each component can vary widely with frequency and type of use, maintainance, crashes, rider size and riding style. therefore we strongly recommend:

read and follow product installation instructions. do not modify your components, it will void all warranties. replace your components if your bicycle is involved in a crash.

ride with care and only on approved trails. always wear a helmet and other safety equipment. and treat the environment with care, it's the only one we've got.

your competent bike dealer will be happy to advise you about the range of roox components, necessary mounting parts as well as part options for your particular bike and safety issues.

roox bicycle components reserves the right to alter or discontinue without replacement, equipment, technical details, colours, materials, services etc. without notice and without reason. to improve our products specifications may change at any time.

we accept no liability for printing errors.



[RooX]. 
bicycle components

a division of techno-trade guni gmbH
wiesenstrasse 83, a-4601 wels/austria
office@roox.at, www.roox.at