




**2008**

Bicycle Tires





## EVOLUTION IS WORK IN PROGRESS.

We wanted to change the status quo. We were always convinced that better racing cycle tires were possible, so we created the ULTREMO: The first proper road racing tire weighing under 200 g, with Triple Compound and high-density puncture protection. Today - one year later -

the ULTREMO is so popular that we can hardly meet world demand. But we have not stopped. This year we improved the ULTREMO even more by adding the Ultremo tube that weighs a skimpy 49 g.



ULTREMO

Be lighter. Be faster. Be tougher. The new benchmark for competition tires.


- Lighter:** Only 195 g. Ultra-light and at the same time extremely safe and hardwearing.
- Faster:** Triple Compound. Three optimized rubber mixtures. Fast, grippy, durable.
- Tougher:** High Density Guard. Puncture protection from high-density, woven Vectran®. Patent-protected. Maximum defense.



**ROADBIKE Test winner 05/07:**  
"Schwalbe's new Ultremo is an ideal allrounder that no other manufacturer even came close to in the test. An extremely light tire, it offers the best puncture protection and rolls well. More importantly however: In all riding conditions, it is so surefooted, it can be relied upon absolutely on the road - even in the wet it offers still good traction. Test winner."



**TOUR tire test. Wet grip 02/2007:**  
"Outstanding"



ULTREMO SCHLAUCH

New 2008


**The fastest tube for the fastest tire.** Lighter: Weight just 49 g! Faster: Ultra-low rolling resistance. Tougher: Retains air pressure much longer than a latex tube. The Ultremo tube is manufactured using high-precision technology. Precision needs patience, so each tube is extruded very slowly to ensure that the unbelievably thin wall thickness can be maintained. A valve stem extension (1.5 g) for deep profile rims is provided with each tube.

**SV 21**, for tire sizes 20-622, 23-622, 25-622  
Art.-Nr. 10429603



ULTREMO TUBULAR

**For pros nothing else will do:** A classic tubular. Genuinely handmade. Great skill and care are needed in the workmanship necessary in assembling the individual parts together. In order to attain perfection several days are needed in between the assembly steps for complete curing. Traditional craftsmanship is expertly combined with the most modern materials: Triple Compound and High Density Guard. Yet another plus is the latex tube that lowers both the rolling resistance and puncture susceptibility.





**ULTREMO** Evolution Line, Folding tire

28"	23-622	700 x 23C	HD Guard	Triple	Black-Skin	6,0-10,0	85-145	195 g	7 oz	127	HS 380	11646930
-----	--------	-----------	----------	--------	------------	----------	--------	-------	------	-----	--------	----------

**ULTREMO TUBULAR** Evolution Line, Tubular

28"	22-622	700 x 22	HD Guard	Triple	Black-Skin	8,0-14,0	115-205	260 g	9 oz		HS 380	10100515
-----	--------	----------	----------	--------	------------	----------	---------	-------	------	--	--------	----------


**ULTREMO**

**Triple Compound.** Three different rubber mixtures optimize: Speed, grip, durability.


- Light rolling base
- Grippy shoulders
- Durable center

**High Density Guard.** Vectran® fibers are more tear-resistant than titanium, more cut-resistant than Aramid and at the same time extremely flexible and light. NASA used super-dense Vectran® airbags for their Mars lander. Vectran® fibers are woven using patented weaving technology to form our super-strong High Density Guard.

High Density Guard was developed in co-operation with the American firm Warwick Mills that specializes in the production of extremely dense fabrics and holds 14 international patents for its high-strength weaving process.




**High Density Guard:**  
Only densely woven  
Vectran® protects optimally.



Vectran® fibers can also be found in other tire brands, but not as a densely woven fabric, rather as loosely bound fibers found in a tire carcass.


STELVIO

**The top competition tire with Dual Compound technology.** The ‘friction resistant’ Endurance mixture in the center of the tread is extremely durable, while a silica mixture on the tread sides provides superb cornering ability. The RaceGuard® puncture protection belt has been specially developed for racing tires: Although lightweight and with low rolling resistance, it provides really effective protection against punctures.




STELVIO HS 350

The proven HS350 profile is still used on all sizes up to and including 26". The technical specification is identical to the new HS376 profile.



STELVIO PLUS

**Maximum puncture protection for race bikes!** The Stelvio Plus is effectively protected from penetration punctures by its SmartGuard® belt. The strong layer made from highly elastic special rubber is not as thick as the Marathon Plus, nevertheless the protection level is unique in racing tires.







STELVIO HS 376

Performance Line, Folding tire

28"	20-622	700 x 20C	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	215 g	8 oz	67	HS 376	11645550
	23-622	700 x 23C	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646550
			RaceGuard®	Dual	Silver	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646558
			RaceGuard®	Dual	Neon-Orange	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646557
			RaceGuard®	Dual	Neon-Green	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646552
			RaceGuard®	Dual	Blue	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646554
			RaceGuard®	Dual	Red	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646553
			RaceGuard®	Dual	Yellow	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646555
			RaceGuard®	Dual	White	6,0-10,0	85-145	235 g	8 oz	67	HS 376	11646551
	25-622	700 x 25C	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	255 g	9 oz	67	HS 376	11646950

Performance Line, Wired tire

28"	23-622	700 x 23C	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	315 g	11 oz	67	HS 376	11146550
	25-622	700 x 25C	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	335 g	12 oz	67	HS 376	11146950
	28-622	700 x 28C	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	350 g	12 oz	67	HS 376	11147550

STELVIO HS 350

Performance Line, Folding tire

16"	28-349	16 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	160 g	6 oz	67	HS 350	11609351
20"	28-406	20 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	180 g	6 oz	67	HS 350	11613352
	28-451	20 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	205 g	7 oz	67	HS 350	11621351
24"	23-520	24 x 7/8	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	185 g	6 oz	67	HS 350	11628200
26"	28-559	26 x 1.10	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	250 g	9 oz	67	HS 350	11630351
	23-571	650 x 23C	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	215 g	8 oz	67	HS 350	11635351

Performance Line, Wired tire

18"	28-355	18 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	210 g	7 oz	67	HS 350	11110351
17"	32-369	17 x 1 1/4	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	235 g	8 oz	67	HS 350	11111351
20"	28-406	20 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	220 g	8 oz	67	HS 350	11113129
	28-451	20 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	245 g	9 oz	67	HS 350	11121351

STELVIO PLUS Performance Line, Folding tire

28"	23-622	700 x 23C	SmartGuard®	Dual	Black-Skin	6,0-10,0	85-145	340 g	12 oz	67	HS 350	11646248
	25-622	700 x 25C	SmartGuard®	Dual	Black-Skin	6,0-8,0	85-115	380 g	13 oz	67	HS 350	11646348

Race Support

Team Gerolsteiner rides on Stelvio and we participate directly - with our own support vehicle and team of specialists. We advise riders, fit innumerable tires onto innumerable wheels, optimizing tires to the prevailing conditions. It is not only a genuine advantage for the professionals, we also get to experience at first-hand and in detail how our tires perform under race conditions - real advantages for us and our development engineers.




Photo: Roth

BLIZZARD

The proven classic. The modern tread is available in all popular colors and incorporates a Kevlar-Guard for a safer ride.




**ROADBIKE best buy:**  
„No other training tire offers such convincing road performance as the light weight Blizzard, even compared with expensive racing tires it clearly belongs among the best“



LUGANO

New 2008

Our new entry-level model. Attractive bi-color compound. The classic diamond profile provides reliable performance on dry and wet roads. Naturally with a puncture protection belt.



TUBULARS

**Stelvio Tubular.** The tube isn't inserted, but directly vulcanized into the tire, so there are no seams; just a perfectly round structure.



Valve:  
40 mm

STELVIO TUBULAR




Classic, vulcanized tubular tire with integral tube.

MILANO

MONTELLO  
HS 021

MONTELLO  
HS 022

Valve:  
32 mm



TUBULAR ACCESSORIES

**Tubular Cement.** Schwalbe tubular cement quickly fixes tires to rims. An application brush is integrated into the cap.

180 ml , Art.-Nr. 3708



**Valve Extention.** Made of aluminum and weighing 1.5 g, it extends a high pressure valve by 31 mm. Suitable for valves with replaceable valve inserts. Valve insert remover included.

2 per Set, Art.-Nr. 3443







BLIZZARD

Sport Line, Folding tire

28"	20-622	700 x 20C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	240 g	8 oz	50	HS 363	11645835
	23-622	700 x 23C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	250 g	9 oz	50	HS 363	11646835
			Kevlar®Guard	Silica	Red	6,0-8,0	85-115	250 g	9 oz	50	HS 363	11646831
			Kevlar®Guard	Silica	Blue	6,0-8,0	85-115	250 g	9 oz	50	HS 363	11646832
			Kevlar®Guard	Silica	Yellow	6,0-8,0	85-115	250 g	9 oz	50	HS 363	11646833
	25-622	700 x 25C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	275 g	10 oz	50	HS 363	11646834

Sport Line, Wired tire

28"	20-622	700 x 20C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	310 g	11 oz	50	HS 363	11145835
	23-622	700 x 23C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	320 g	11 oz	50	HS 363	11146835
			Kevlar®Guard	Silica	Blue	6,0-8,0	85-115	320 g	11 oz	50	HS 363	11146832
			Kevlar®Guard	Silica	Red	6,0-8,0	85-115	320 g	11 oz	50	HS 363	11146831
	25-622	700 x 25C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	345 g	12 oz	50	HS 363	11146834
			Kevlar®Guard	Silica	Reflex	6,0-8,0	85-115	355 g	12 oz	50	HS 363	11146836

NEW LUGANO Basic Line, Wired tire

28"	20-622	700 x 20C	Puncture Protection	SBC	Black-Skin	6,0-7,5	85-110	305 g	11 oz	37	HS 384	11146000
	23-622	700 x 23C	Puncture Protection	SBC	Black-Skin	6,0-7,5	85-110	325 g	12 oz	37	HS 384	11147000
			Puncture Protection	SBC	Beige-Skin	6,0-7,5	85-110	325 g	12 oz	37	HS 384	11147001
			Puncture Protection	Silica	Blue	6,0-7,5	85-110	325 g	12 oz	37	HS 384	11147002
			Puncture Protection	Silica	Red	6,0-7,5	85-110	325 g	12 oz	37	HS 384	11147003
			Puncture Protection	Silica	Yellow	6,0-7,5	85-110	325 g	12 oz	37	HS 384	11147004

STELVIO TUBULAR Performance Line, Tubular

Road

28"	19-622	700 x 19	Tubular, Road	Silica	Black-Skin	9,0-15,0	130-120	180 g	6 oz		HS 030	10100500
	22-622	700 x 22	Tubular, Road	Silica	Black-Skin	7,0-14,0	100-205	240 g	8 oz		HS 030	10100510
	25-622	700 x 25	Tubular, Road	Silica	Black-Skin	6,0-12,0	85-180	280 g	10 oz		HS 030	10100520

Track: Extra light. Without puncture protection

28"	22-622	700 x 22	Tubular, Track	Silica	Black-Skin	9,0-15,0	130-220	180 g	6 oz		HS 030	10100530
-----	--------	----------	----------------	--------	------------	----------	---------	-------	------	--	--------	----------

MILANO Sport Line, Tubular

28"	22-622	700 x 22	Tubular	Silica	Beige-Skin	6,0-10,0	85-145	250 g	9 oz		HS 026	10100050
-----	--------	----------	---------	--------	------------	----------	--------	-------	------	--	--------	----------

MONTELLO Basic Line, Tubular

28"	22-622	700 x 22	Tubular	T45	Beige-Skin	5,0-7,0	70-100	300 g	11 oz		HS 022	10100000
			Tubular	T45	Beige-Skin	5,0-7,0	70-100	300 g	11 oz		HS 021	10100001



Photo: Roth

**MTB**




Photo: Team Bulls, Photohein, Lars Scharf

**U CONTROL<sup>®</sup>**

We make products for people who want to push boundaries. And for tires that means combining two extremes. Maximum control and maximum performance! Under all conditions and with each challenge! Our answer is not a tire, but the EVOLUTION 3-Tire-

Race-System: RACING RALPH (new 08), FURIOUS FRED (new 08), NOBBY NIC (new options 08). However each of these three have been perfected for its intended use and together they can face any challenge.



NEW






NOBBY NIC

**Devilish grip!** Nobby Nic has truly great grip, cornering speed and defies wash-out, which is why so many riders love it! And pros are surprised how it has been possible to have so much grip with such low rolling resistance. The secret is 3 +’s: Hi-tech manufacture + an Evo-carcass + triple compound + U-blocks.


**New.** Width 2.4“ now with SnakeSkin side wall. Fit for full-on Enduro.



RACING RALPH

New 2008


**The most successful competition tire.** We made it even more merci-less – lower weight, lower rolling resistance, better grip. Racing Ralph is now “next generation”. It slices through terrain with its ‘sharks-tooth’ U-Blocks that make it grip much more aggressively, particularly in curves.



FURIOUS FRED

New 2008

**No question - you want to win!** Is the track drying out? Can you risk a puncture? Is your technical riding skill excellent? OK - you are ready for Furious Fred. Never before has there been an MTB tire that ran so fast. We re-wrote the technical handbook: Tread design optimized for speed, minimal material, 127-epi-Evo-carcass, triple compound. And for maximum off-road speed 2.25 wide!



**Warning!** To anyone who wants everything. Furious Fred is the fastest MTB tire - Ever! But be aware: It is not an allrounder. Grip is limited and risk of puncturing is high.



NOBBY NIC Evolution Line, Folding tire

NEW	26"	47-559	26 x 1.80	Evo	Triple	Black-Skin	3,0-5,0	45-65	410 g	14 oz	67	125 kg	HS 365	11631565
				Evo-Tubeless	Triple	Black	3,0-4,0	45-55	540 g	19 oz	67	125 kg	HS 365	11731466
NEW		54-559	26 x 2.10	Evo	Triple	Black-Skin	2,5-4,5	35-65	495 g	17 oz	67	140 kg	HS 365	11632565
				Evo-Tubeless	Triple	Black	2,5-4,0	35-55	625 g	22 oz	67	140 kg	HS 365	11732466
NEW		57-559	26 x 2.25	Evo	Triple	Black-Skin	2,0-4,5	30-65	570 g	20 oz	67	145 kg	HS 365	11633565
				Evo-Tubeless	Triple	Black	2,0-4,0	30-55	695 g	24 oz	67	145 kg	HS 365	11733466
NEW				Evo, SnakeSkin	Triple	Black-Skin	2,0-4,5	30-65	610 g	21 oz	67	145 kg	HS 365	11633357
				Evo, Double Defense®	Triple	Black-Skin	2,0-4,5	30-65	660 g	23 oz	67	145 kg	HS 365	11633362
NEW		62-559	26 x 2.40	Evo, SnakeSkin	Triple	Black-Skin	2,0-4,5	30-65	675 g	24 oz	67	150 kg	HS 365	11633466

NEW RACING RALPH Evolution Line, Folding tire

NEW	26"	54-559	26 x 2.10	Evo	Triple	Black-Skin	2,5-4,0	35-55	460 g	21 oz	67	140 kg	HS 391	11632820
				Evo-Tubeless	Triple	Black	2,5-4,0	35-55	590 g	18 oz	67	140 kg	HS 391	11732727
		57-559	26 x 2.25	Evo	Triple	Black-Skin	2,0-4,0	30-55	520 g	23 oz	67	145 kg	HS 391	11633830
				Evo-Tubeless	Triple	Black	2,0-4,0	30-55	650 g	21 oz	67	145 kg	HS 391	11733727
				Evo, SnakeSkin	Triple	Black-Skin	2,0-4,0	30-55	570 g	20 oz	67	145 kg	HS 391	11633728
29er	29"			Evo, Double Defense®	Triple	Black-Skin	2,0-4,0	30-55	610 g	20 oz	67	145 kg	HS 391	11633732
		62-559	26 x 2.40	Evo	Triple	Black-Skin	2,0-4,0	30-55	570 g	20 oz	67	150 kg	HS 391	11633821
		57-622	29 x 2.25	Evo	Triple	Black-Skin	2,0-4,0	30-55	580 g	20 oz	67	145 kg	HS 391	11634000
		62-622	29 x 2.40	Evo	Triple	Black-Skin	2,0-4,0	30-55	640 g	22 oz	67	150 kg	HS 391	11634001

NEW FURIOUS FRED Evolution Line, Folding tire

NEW	26"	50-559	26 x 2.00	Evo	Triple	Black-Skin	2,5-5,0	35-70	295 g	10 oz	127	125 kg	HS 395	11632495
		50-559	26 x 2.00	Evo-Tubeless	Triple	Black	2,5-4,0	35-55	425 g	15 oz	127	125 kg	HS 395	11732496
		57-559	26 x 2.25	Evo	Triple	Black-Skin	2,0-4,0	30-55	395 g	14 oz	127	145 kg	HS 395	11632595
		57-559	26 x 2.25	Evo, RaceGuard®	Triple	Black-Skin	2,0-4,0	30-55	435 g	15 oz	127	145 kg	HS 395	11632596

U Control®

It is crucial to have full control in any situation. So good tires are vital. They are the interface where power and direction transfer from the rider to the ground.

The more “control potential” a tire has the better it is. Simple to say, but not at all simple to achieve: Because more control means less speed. And cornering ability on the front is completely different to power transmission on the rear.

We combined three of our hi-end technologies in order to create these “four pieces of the circle”. EVO-carcass: The steeper angle of the carcass threads require utmost care in production in order to give the whole construction maximum flexibility and minimum rolling resistance. Triple compound: There is hardly a bike tire manufacturer in the world that can match our focused dedication and complex combination of rubber mixtures in volume production. U-Blocks: The tread was carefully designed to maximize the effectiveness of the lugs! U-Blocks are serrated, half-open shoulder lugs. Their shape together with their positioning, in the opposite direction to what would normally be expected, afford much greater control in curves and make possible a greater angle of lean as the tire shoulder maintains full ground contact.

We went to the edge to get max control. **U-CONTROL tires: Nobby Nic, Racing Ralph, Furious Fred.**



**U-Control through U-Blocks.** When inclined while cornering the tire shoulder is in full ground contact, U-Blocks offer much more control during direction changes.

Tubeless

Most Schwalbe MTB tires are available in a tubeless version. Choose for yourself.

- Punctures are fewer.
- Riding at lower pressures is possible giving better off-road performance.
- No sudden loss of air from penetration punctures.
- Valve tear off is impossible.



- Special rims are necessary.
- Weight is somewhat higher than a normal tube system.
- Tire fitting is a little more complicated.
- Punctures are more difficult to locate.



Evo-Tubeless version (Racing Ralph, Nobby Nic, Furious Fred): Reduced weight. Reduced rolling resistance. Strengthened side walls. Please note: A patch repair is no longer possible. Use Doc Blue to seal holes, or use as puncture prevention.

Limited Slip Technology (L.S.T.)

**It's no rarity:** Under heavy braking the tire slips on the rim, causes the tube to slip that then tears off the valve. In order to prevent this horror story we introduced Limited Slip Technology (L.S.T.) on all our MTB, folding tires. The tire bead is coated with a special rubber layer that effectively reduces tire slip.

Tires should stick to the ground and to the rim!



Slip



No Slip



Recommended use

	Cross-Country	Marathon	Tour/ All Mountain	Enduro	Freeride	Downhill
Furious Fred 2.00						
Furious Fred 2.25						
Racing Ralph 2.10						
Racing Ralph 2.25						
Racing Ralph 2.40						
Nobby Nic 1.80						
Nobby Nic 2.10						
Nobby Nic 2.25						
Nobby Nic 2.40						
Little Albert 2.10						
Albert 2.25						
Fat Albert 2.35						
Smart Sam 2.10						
Smart Sam 2.25						
Black Shark Mud 1.50						
Black Shark Mud 2.10						
Muddy Mary						
Big Betty						
Al Mighty						
Black Shark Mud 2.25						

Quality Level

Features



Evolution Line

Evolution is constantly changing and improving. Each tire is optimized for its specific purpose and encapsulates the highest levels of quality and innovation.

**Evo Tubeless:** Light tubeless tire. Only ca. 100 g heavier. Strengthened side walls.

**Double Defense®:** Double protection. High Density Guard + SnakeSkin. For a light, off-road tire there is nothing safer.

**SnakeSkin:** A light and flexible carcass makes the tire resistant to sidewall scrubbing.

**RaceGuard®:** Effective puncture protection for a competition tire.

Performance Line

Lightweight Folding Tire.

**Tubeless:** Proven tubeless tire. Ca. 200 g heavier.

**Alpencross:** A robust combination of RaceGuard® & SnakeSkin for Alpine touring.

**SnakeSkin:** A light and flexible carcass makes the tire resistant to sidewall scrubbing.

**RaceGuard®:** Effective puncture protection for a competition tire.

**Light:** When every gram counts.

Sport Line

Attractive tread and low weight at an economical price.

**Sport:** No Extras.

**Kevlar®Guard:** Protection belt combining special, flexible India rubber and Kevlar fibers.

Basic Line

High standard.


**Puncture Protection:** Our standard, effective puncture protection belt.

ALBERT BROTHERS

New: Dual Compound

**Off-road rocking!** Fat Albert started out as a secret! Nowadays lots of bikers know the advantages of these light, wide tires - more comfort and above all more grip and control. Little Albert doesn't have the large volume of its big brothers, but it's small and light - the way racers like it. All Albert tires have SnakeSkin - a light and flexible sidewall layer that makes them extremely resistant to scrubbing.

**New.** Now with Dual Compound for improved performance.



Albert



Fat Albert

'Bike' test verdict:  
"The former test winner is unbeaten yet again this year, so keeping the competition in check. The tire with the widest range of uses."

ENDURO




SMART SAM

New: Dual Compound

**Unbeatable allrounder.** Smart Sam goes well on any terrain and even on the road it rolls effortlessly. It is available in a wide variety of executions with robust SnakeSkin side walls.

**New.** Now with Dual Compound for improved performance.




TOUR



HURRICANE

**Take a ride on the wild side!** The Hurricane rolls fast and quietly and even offers enough traction for occasional off-road use. RaceGuard® protects it optimally against penetration punctures.



MTB-CLASSICS



JIMMY

Now also in a folding version.



CX COMP

Light and economic. Now also for MTB's.



BLACK SHARK MUD



BLACK JACK



SPACE



MOUNTAINEER II



ALBERT BROTHERS Performance Line, Folding tire

29er	26"	LITTLE ALBERT	54-559	26 x 2.10	SnakeSkin	Dual	Black-Skin	2,5-4,5	35-65	535 g	19 oz	67	140 kg	HS 317	11632976
					Tubeless, SnakeSkin	Dual	Black-Skin	2,5-4,0	35-55	735 g	26 oz	67	140 kg	HS 317	11732976
	29"		54-622	29 x 2.10	SnakeSkin	Dual	Black-Skin	2,5-4,0	35-55	590 g	21 oz	67	140 kg	HS 317	11652976
	26"	ALBERT	57-559	26 x 2.25	SnakeSkin	Dual	Black-Skin	2,0-4,5	30-65	650 g	23 oz	67	145 kg	HS 317	11634076
					Tubeless, SnakeSkin	Dual	Black-Skin	2,0-4,5	30-65	870 g	31 oz	67	145 kg	HS 317	11734076
					Alpencross	Dual	Black-Skin	2,0-4,5	30-65	690 g	24 oz	67	145 kg	HS 317	11633978
	26"	FAT ALBERT	60-559	26 x 2.35	SnakeSkin	Dual	Black-Skin	2,0-4,5	30-65	750 g	26 oz	67	150 kg	HS 317	11634176
					Tubeless, SnakeSkin	Dual	Black-Skin	2,0-4,0	30-55	970 g	34 oz	67	150 kg	HS 317	11734176
Sport Line, Wired tire															
	26"	LITTLE ALBERT	54-559	26 x 2.10	Sport	ORC	Black-Skin	2,5-4,5	35-65	595 g	24 oz	50	140 kg	HS 317	11132855
		ALBERT	57-559	26 x 2.25	Sport	ORC	Black-Skin	2,0-4,5	30-65	690 g	27 oz	50	145 kg	HS 317	11133671
		FAT ALBERT	60-559	26 x 2.35	Sport	ORC	Black-Skin	2,0-4,5	30-65	795 g	28 oz	50	150 kg	HS 317	11133872

SMART SAM Performance Line, Folding tire

26"	54-559	26 x 2.10	SnakeSkin	Dual	Black-Skin	2,5-4,5	35-65	530 g	19 oz	67	140 kg	HS 367	11632470
			Tubeless, SnakeSkin	Dual	Black-Skin	2,5-4,5	35-65	705 g	25 oz	67	140 kg	HS 367	11732470
	57-559	26 x 2.25	SnakeSkin	Dual	Black-Skin	2,0-4,5	30-65	610 g	21 oz	67	145 kg	HS 367	11633470
			Alpencross	Dual	Black-Skin	2,0-4,5	30-65	680 g	24 oz	67	145 kg	HS 367	11633570
Sport Line, Wired tire													
24"	54-507	24 x 2.10	Sport	ORC	Black-Skin	2,5-4,5	35-65	580 g	20 oz	50	100 kg	HS 367	11126370
26"	54-559	26 x 2.10	Sport	ORC	Black-Skin	2,5-4,5	35-65	650 g	23 oz	50	140 kg	HS 367	11132367
			Kevlar®Guard	ORC	Reflex	2,5-4,5	35-65	700 g	24 oz	50	140 kg	HS 367	11132968
	57-559	26 x 2.25	Sport	ORC	Black-Skin	2,0-4,5	30-65	815 g	29 oz	50	145 kg	HS 367	11133367
28"	37-622	28 x 1.40, 700 x 35C	Sport	ORC	Black-Skin	3,5-6,0	50-85	430 g	15 oz	50	110 kg	HS 367	11149370
			Sport	ORC	Reflex	3,5-6,0	50-85	430 g	15 oz	50	110 kg	HS 367	11143377
	42-622	28 x 1.60, 700 x 40C	Sport	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 367	11150370
			Sport	ORC	Reflex	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 367	11153377

HURRICANE Performance Line, Folding tire

	26"	50-559	26 x 2.00	RaceGuard®	Dual	Black-Skin	2,5-5,0	35-70	570 g	20 oz	67	125 kg	HS 352	11632561
Sport Line, Wired tire														
	26"	50-559	26 x 2.00	Sport	ORC	Black-Skin	2,5-5,0	35-70	650 g	23 oz	50	125 kg	HS 352	11132371
				Kevlar®Guard	ORC	Reflex	2,5-5,0	35-70	690 g	24 oz	50	125 kg	HS 352	11130385
	28"	42-622	28 x 1.60, 700 x 40C	Sport	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 352	11150371
				Kevlar®Guard	ORC	Reflex	3,5-6,0	50-85	570 g	20 oz	50	120 kg	HS 352	11150385

JIMMY Performance Line, Folding tire

NEW	26"	54-559	26 x 2.10	Light	Dual	Black-Skin	2,5-4,5	35-65	495 g	17 oz	67	140 kg	HS 327	11632990
NEW				Tubeless	Dual	Black-Skin	2,5-4,0	35-55	665 g	23 oz	67	140 kg	HS 327	11732990
Sport Line/Basic Line, Wired tire														
	26"	54-559	26 x 2.10	Sport	ORC	Black-Skin	2,5-4,5	35-65	635 g	22 oz	50	140 kg	HS 327	11132755
				Puncture Protection	SBC	Black	2,5-4,5	35-65	875 g	31 oz	24	120 kg	HS 327	11132327

CX COMP Basic Line, Wired tire

NEW	26"	50-559	26 x 2.00	Puncture Protection	SBC	Black	2,0-4,5	30-65	660 g	23 oz	24	120 kg	HS 369	11139369
-----	-----	--------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	--------	--------	----------

BLACK SHARK MUD Performance Line, Folding tire

	26"	40-559	26 x 1.50	Light	Dual	Black-Skin	3,0-6,0	45-85	395 g	14 oz	67	100 kg	HS 325	11631316
		54-559	26 x 2.10	Light	Dual	Black-Skin	2,5-4,5	35-65	570 g	20 oz	67	140 kg	HS 325	11632216

BLACK JACK Basic Line, Wired tire

	24"	54-507	24 x 2.10	Puncture Protection	SBC	Black	2,5-4,5	35-65	850 g	30 oz	24	80 kg	HS 340	11126800
	26"	47-559	26 x 1.90	Puncture Protection	SBC	Black	2,5-5,0	35-70	800 g	28 oz	24	100 kg	HS 340	11131602
		54-559	26 x 2.10	Puncture Protection	SBC	Black	2,5-4,5	35-65	950 g	33 oz	24	120 kg	HS 340	11132600

SPACE Basic Line, Wired tire

	24"	60-507	24 x 2.35	Puncture Protection	SBC	Black	2,0-4,5	30-65	980 g	34 oz	24	110 kg	HS 326	11127329
	26"	60-559	26 x 2.35	Puncture Protection	SBC	Black	2,0-4,5	30-65	1060 g	37 oz	24	130 kg	HS 326	11133328

MOUNTAINEER II Basic Line, Wired tire

	26"	50-559	26 x 1.90	Puncture Protection	SBC	Billboard	2,0-4,5	30-65	990 g	35 oz	24	120 kg	HS 282	11132411
--	-----	--------	-----------	---------------------	-----	-----------	---------	-------	-------	-------	----	--------	--------	----------




MUDDY MARY

New Versions

**Our Grip Monster.** The aggressive ‘intermediate’ profile grips on any terrain. Racer’s are inspired. Outstanding control in all weathers and ground conditions. In addition it has great self-cleaning ability in stichky conditions. Muddy Mary’s extremely broad sprectrum of use covers 90 % of all circum-stances.

**New. New. New.** Freeride version. Tubeless version and size 2.35.



Developed in cooperation with eleven-times German Downhill Champion - Markus Klausmann.




BIG BETTY

New Versions

**For the tough jobs.** Big Betty is the card to play on stony or dry conditions with outstanding grip and excellent rolling characteristics. The profile is adapted for optimum braking performance and accurate steering.

**New.** SnakeSkin side walls. Very stable and now lighter for up-hill.

**New.** Now also in Tubeless and extra-strong Downhill version.




„With just a single rubber compound Big Betty took the world of Enduro riders by storm. Now the new Triple Compound version not only grips better, it has improved safety features that are confirmed by test lab results. The Big Betty gets seven stars..“




AL MIGHTY

**Downhill King.** Our fastest Downhill tire knows only one direction. Down. Fast and controlled! The center lugs are designed for optimum braking ability, while the double serrated blocks bite twice.



BLACK SHARK MUD

**For competitions on deep, muddy terrain.** Small, high lugs and Goey Gluey compound provide outstanding grip on soft ground. The super-strong Downhill version offers robust lateral stability at the lowest pressure.





MUDDY MARY

Freeride, Folding tire

NEW	26"	60-559	26 x 2.35	Freeride	Triple	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	HS 381	11633781
NEW				Freeride	Goody Gluey	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	HS 381	11633661
NEW				Freeride, Tubeless	Triple	Black	2,0-4,0	30-55	980 g	34 oz	67	150 kg	HS 381	11733781
NEW		64-559	26 x 2.50	Freeride	Triple	Black-Skin	1,5-3,5	20-50	980 g	34 oz	67	160 kg	HS 381	11633782
NEW				Freeride	Goody Gluey	Black-Skin	1,5-3,5	20-50	980 g	34 oz	67	160 kg	HS 381	11633003

Downhill, double carcass, Wired tire

NEW	26"	60-559	26 x 2.35	Downhill	Triple	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	HS 381	11133660
NEW				Downhill	Goody Gluey	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	HS 381	11133661
		64-559	26 x 2.50	Downhill	Triple	Black-Skin	1,5-3,5	20-50	1270 g	45 oz	2 x 67	160 kg	HS 381	11133000
				Downhill	Goody Gluey	Black-Skin	1,5-3,5	20-50	1270 g	45 oz	2 x 67	160kg	HS 381	11133001

BIG BETTY

Freeride, Folding tire

	24"	62-507	24 x 2.40	Freeride	Triple	Black-Skin	2,0-4,0	30-55	780 g	27 oz	67	135 kg	HS 358	11626920
	26"	62-559	26 x 2.40	Freeride	Triple	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	HS 358	11633941
				Freeride	Goody Gluey	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	HS 358	11633942
NEW				Freeride, Tubeless	Triple	Black	2,0-4,0	30-55	980 g	34 oz	67	150 kg	HS 358	11733941

Downhill, double carcass, Wired tire

NEW	26"	62-559	26 x 2.40	Downhill	Triple	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	HS 358	11133921
NEW					Goody Gluey	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	HS 258	11133922

AL MIGHTY Downhill, double carcass, Wired tire

	24"	60-507	24 x 2.35	Downhill	Triple	Black	2,0-4,0	30-55	1150 g	40 oz	2 x 67	135 kg	HS 354	11127554
	26"	60-559	26 x 2.35	Downhill	Triple	Black	2,0-4,0	30-55	1250 g	44 oz	2 x 67	150 kg	HS 354	11133554
				Downhill	Goody Gluey	Black	2,0-4,0	30-55	1250 g	44 oz	2 x 67	150 kg	HS 354	11133654
		65-559	26 x 2.60	Downhill	Triple	Black	1,5-3,5	20-50	1450 g	51 oz	2 x 67	160 kg	HS 354	11134654
				Downhill	Goody Gluey	Black	1,5-3,5	20-50	1450 g	51 oz	2 x 67	160 kg	HS 354	11134754


BLACK SHARK MUD

Downhill, double carcass, Wired tire

	26"	57-559	26 x 2.25	Downhill	Goody Gluey	Black	2,0-4,0	30-55	1200 g	42 oz	2 x 67	145 kg	HS 325	11133550
--	-----	--------	-----------	----------	-------------	-------	---------	-------	--------	-------	--------	--------	--------	----------


FREERIDE

All of our Freeride tires enjoy this technology.



NEW

**SnakeSkin:** A clearly visible feature of our Freeride tires. The outer side wall coating consists of a SnakeSkin fabric instead of heavy rubber. Just as durable, but clearly lighter.




**Triple Compound:** The three-way optimal rubber mixture. Light rolling base. Durable center. Grippy shoulders.



**Snake Bite Protection:** Side pinch-puncture protection provides safety and stability.




**Limited Slip Technology (L.S.T.):** The tire bead has a special rubber coating that effectively reduces the tire slipping on the rim.



DOWNHILL

The extra-strong Downhill version. It has all of the Freeride features plus a double carcass and particularly strong Snake Bite protection. It all adds up to more stability at the lowest pressure.



Double Carcass!

OPTIONS

**Tubeless version.** New. No tube means an end to tube replacement.  
**Goody Gluey.** Best control on stony ground and wet conditions from the super-grippy Goody-Gluey compound.

TABLE TOP

**Timo Pritzel Series.** Closed block tread is the outstanding basis for sophisticated tricks. We developed this tire together with Timo Pritzel. It is extremely light, in order to give Timo maximum momentum for record jumps.



Timo Pritzel  
Signature Series

DIRT / 4 CROSS



TWENTY 5

New 2008

**The tire for the Urban Cross Cycle - UXC.** This new bike concept, promoted by car maker Suzuki, came out of the “Urban Cross Car”. Twenty 5 is the first 25-inch tire, a size that has been developed in order to combine the compactness and directness found in a BMX with the robustness of a Mountainbike. Suitable for off-road and at the same time comfortable in the city.

URBAN CROSS CYCLE



BMX



BMX RACE

**Super-fast tire for BMX racing.** The first lightweight folding tire for BMX racing. That means top acceleration. The tread is designed for the sole purpose of racing. It is fast on track and tenacious in curves.

MOW JOE

STREET / URBAN

**Chilled on wild tricks and steep ramps.** The wraparound tread has great grip in half-pipes and it's a snap forwards or backwards with such versatile handling characteristics. Special strengthening protects the sidewalls.



CRAZY BOB

BMX-CLASSICS



JUMPIN' JACK

**Born to jump in the dirt.** Designed for “Dirt” riding, large regular lugs give outstanding grip in sand and dirt. Special strengthening protects the sidewalls.

Proven BMX profiles in an affordable standard version.



MAD MIKE



DIRTY HARRY



KNOBBY





TABLE TOP

Performance Line, Folding tire

24"	57-507	24 x 2.25	Light	ORC	Black-Skin	2,0-4,5	30-65	560 g	20 oz	67	130 kg	HS 373	11626371
26"	57-559	26 x 2.25	Light	ORC	Black-Skin	2,0-4,5	30-65	590 g	21 oz	67	145 kg	HS 373	11633371

Sport Line, Wired tire

24"	57-507	24 x 2.25	Sport	ORC	Black-Skin	2,0-4,5	30-65	605 g	21 oz	67	130 kg	HS 373	11126200
26"	57-559	26 x 2.25	Sport	ORC	Black-Skin	2,0-4,5	30-65	670 g	24 oz	67	145 kg	HS 373	11133369

NEW TWENTY 5 Evolution Line, Folding tire

25"	57-520	25 x 2.25	Evolution	Dual	Black-Skin	2,5-4,0	35-55	560 g	20 oz	67	135 kg	HS 398	11633639
-----	--------	-----------	-----------	------	------------	---------	-------	-------	-------	----	--------	--------	----------

MOW JOE

Performance Line, Folding tire

20"	47-406	20 x 1.85	Light	ORC	Black-Skin	3,0-5,0	45-70	330 g	12 oz	67	85 kg	HS 371	11616371
	50-406	20 x 2.00	Light	ORC	Black-Skin	3,0-5,0	45-70	380 g	13 oz	67	85 kg	HS 371	11617371
24"	47-507	24 x 1.85	Light	ORC	Black-Skin	3,0-5,0	45-70	420 g	15 oz	67	90 kg	HS 371	11625371

Sport Line, Wired tire

20"	47-406	20 x 1.85	Sport	ORC	Black-Skin	3,0-5,0	45-70	410 g	14 oz	67	85 kg	HS 371	11116371
	50-406	20 x 2.00	Sport	ORC	Black-Skin	3,0-5,0	45-70	480 g	17 oz	67	85 kg	HS 371	11117371
24"	47-507	24 x 1.85	Sport	ORC	Black-Skin	3,0-5,0	45-70	510 g	18 oz	67	90 kg	HS 371	11125371

CRAZY BOB Sport Line, Wired tire

20"	47-406	20 x 1.85	Sport	ORC	Black	4,5-7,0	65-100	630 g	22 oz	50	85 kg	HS 356	11116356
	54-406	20 x 2.10	Sport	ORC	Black	4,5-7,0	65-100	720 g	25 oz	50	85 kg	HS 356	11117356
24"	60-507	24 x 2.35	Sport	ORC	Black	2,0-4,5	30-65	950 g	33 oz	50	135 kg	HS 356	11126356
26"	60-559	26 x 2.35	Sport	ORC	Black	2,0-4,5	30-65	995 g	35 oz	50	150 kg	HS 356	11133356

JUMPIN' JACK Sport Line, Wired tire

20"	54-406	20 x 2.10	Sport	ORC	Black	2,0-4,5	35-65	640 g	23 oz	50	80 kg	HS 331	11117200
	57-406	20 x 2.25	Sport	ORC	Black	2,0-4,5	35-65	770 g	27 oz	50	80 kg	HS 331	11117201

MAD MIKE Wired tire

16"	47-305	16 x 1.75		SBC	Black	2,5-3,0	35-45	470 g	17 oz	24	55 kg	HS 137	11106400
	57-305	16 x 2.125		SBC	Black	2,5-3,0	35-45	580 g	20 oz	24	60 kg	HS 137	11107400
18"	47-355	18 x 1.75		SBC	Black	2,5-3,0	35-45	550 g	19 oz	24	60 kg	HS 137	11110400
20"	47-406	20 x 1.75		SBC	Black	2,5-4,0	35-55	610 g	22 oz	24	65 kg	HS 137	11116400
	57-406	20 x 2.125		SBC	Black	2,5-4,0	35-55	760 g	27 oz	24	70 kg	HS 137	11117400


DIRTY HARRY Basic Line, Wired tire

20"	54-406	20 x 2.10	Puncture Protection	SBC	Black	2,5-4,5	35-65	650 g	21 oz	24	75 kg	HS 311	11117111
-----	--------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	-------	--------	----------

KNOBBY Basic Line, Wired tire

20"	54-406	20 x 2.00	Puncture Protection	SBC	Black	2,5-4,5	35-65	750 g	26 oz	24	75 kg	HS 160	11117028
-----	--------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	-------	--------	----------


Timo Pritzel



ICE SPIKER PRO


New 2008

**Lighter, grippier, faster.** The ‘turbo’ of spike tires. With 361 spikes it bites firmly into icy roads. The tungsten carbide core of each spike is clad in weigh-saving aluminum. The scales stop at 695 g., yet the MTB tire remains agile and sporty.



ICE SPIKER


**Freeriding in snow.** Why not? With the ICE SPIKER you’re properly prepared for extreme winter riding. 304 specially long spikes offer maximum purchase on snow and ice.



MARATHON WINTER



New 2008

**For a safer journey.** You have full control on icy roads with the Marathon Winter. Even in tight bends and under violent braking everything remains under control. The spikes work best on ice when running at minimum pressure, while at maximum pressure the tires can be ridden on ice-free roads with minimal road noise.



SNOW STUD

**Perfect winter tire.** The spikes are not on the tread center, but arranged on the sides in the area of greatest contact pressure. When properly inflated the tire can also be used under normal, ice and snow-free, road conditions. By lowering the air pressure the tire gains optimum grip on icy roads.





**NEW ICE SPIKER PRO** Evolution Line, Folding tire

26"	54-559	26 x 2.10	Evolution	361	Winter	Black-Skin	2,5-4,0	35-55	695 g	24 oz	67	140 kg	HS 379	11632609
-----	--------	-----------	-----------	-----	--------	------------	---------	-------	-------	-------	----	--------	--------	----------

**ICE SPIKER** Performance Line, Wired tire

26"	54-559	26 x 2.10	Kevlar®Guard	304	Winter	Black-Skin	2,0-4,5	30-65	980 g	35 oz	50	140 kg	HS 333	11132801
-----	--------	-----------	--------------	-----	--------	------------	---------	-------	-------	-------	----	--------	--------	----------

**NEW MARATHON WINTER** Performance Line, Wired tire


20"	42-406	20 x 1.60	Kevlar®Guard	168	Winter	Reflex	2,0-5,0	30-70	630 g	22 oz	67	80 kg	HS 396	11116448
26"	47-559	26 x 1.75	Kevlar®Guard	200	Winter	Reflex	2,0-5,0	30-70	950 g	33 oz	67	125 kg	HS 396	11136448
28"	35-622	28 x 1.35, 700 x 35C	Kevlar®Guard	240	Winter	Reflex	2,5-6,0	35-85	840 g	29 oz	67	110 kg	HS 396	11126448
	42-622	28 x 1.60, 700 x 40C	Kevlar®Guard	240	Winter	Reflex	2,0-5,0	30-70	910 g	32 oz	67	120 kg	HS 396	11156448

**SNOW STUD** Performance Line, Wired tire

26"	50-559	26 x 1.90	Kevlar®Guard	100	ORC	Reflex	2,0-4,5	30-65	980 g	34 oz	50	125 kg	HS 268	11132223
28"	40-622	28 x 1.50, 700 x 38C	Kevlar®Guard	120	ORC	Reflex	2,0-5,0	30-70	915 g	32 oz	50	120 kg	HS 264	11150334

Spikes

Schwalbe spikes generally have a core made of extremely hardwearing tungsten carbide. The base is fully galvanized steel.



For more grip the spikes of the Ice Spiker Pro have an even stronger core made of Wolfram Carbide, one of the hardest known materials. For reasons of weight reduction spike bases and cladding are of light weight aluminum.





Photo: Tili Gottbrath, Schwalbe







**TOUR**



**ONE IDEA.  
TWO WHEELS.  
COUNTLESS AIMS.**


A question of global responsibility: In the not too distant future mobility without engine power will be a priority. A fact: People that walk or cycle as an everyday activity, live healthier and longer lives. An experience: Whether just in the park or right around the

world, traveling on two wheels is becoming more popular. It does not matter, why, in which country or how far people travel by bike – they have relied on MARATHON. For over 25 years. On millions of tires that carry this name.

MARATHON SUPREME

**Exceptional. Outstanding. The best.** A touring tire that can do everything. This was the aim of our development team. The result: Low weight for confidence and dynamic riding. In addition a complete and effective safety package derived from the very latest puncture protection and most up-to-date compound - the Marathon Supreme:

- High-density woven Vectran® is Schwalbe's highest level of puncture protection..
- The new Magic compound provides utmost security on wet, slippery roads.
- The elegant and sturdy side wall defies all abuse during a Marathon's lifetime.
- For comfort fans there is also a 50mm Balloon tire version.




Note: Not suitable for use with a sidewall dynamo.



MARATHON XR      New: High Density Guard


**The ultimate expedition tire!** An extremely versatile tread with an incomparably friction resistant rubber compound. The High Density Guard protection belt offers excellent puncture protection at an extremely low weight. A special chafer around the bead prevents the tire scrubbing out on the rim under extreme loads. Made as a folding tire to pack easily in luggage.

New. High Density Guard



MARATHON RACER      New: Even lighter

**The fastest Marathon ever. Again!** Now even lighter. Now even faster. Pure skin side walls and the new Speedgrip compound have further reduced weight and rolling resistance. Everything is optimized for speed. Pure dynamics: the low weight is noticeable every time you pull away. A RaceGuard® belt protects against punctures.



Note: Skin side walls are fast but sensitive. Always be certain to check for correct air pressure.



“You ride... and we’ll do the rest”. This is the motto that epitomizes the “VSF-All ride” quality seal and by which only the best and most reliable bicycle components are distinguished.

Awarded to: Marathon family, Big Apple, Schwalbe Tube, Fabric rim tape. More information on page 39.





**MARATHON SUPREME** Evolution Line, Folding tire

26"	50-559	26 x 2.00	HD Guard	Magic	Reflex	2,0-5,0	30-70	595 g	21 oz	67	140 kg	HS 382	11632800
NEW 28"	32-622	28 x 1.25, 700 x 32C	HD Guard	Magic	Reflex	4,0-6,5	55-95	430 g	15 oz	67	100 kg	HS 382	11647382
	37-622	28 x 1.40, 700 x 35C	HD Guard	Magic	Reflex	3,5-6,0	50-85	460 g	16 oz	67	110 kg	HS 382	11649800
	42-622	28 x 1.60, 700 x 40C	HD Guard	Magic	Reflex	3,5-6,0	50-85	525 g	18 oz	67	130 kg	HS 382	11650800
	50-622	28 x 2.00	HD Guard	Magic	Reflex	2,0-5,0	30-70	690 g	24 oz	67	150 kg	HS 382	11652800

**MARATHON XR**

Evolution Line, Folding tire

NEW

26"	42-559	26 x 1.60	HD Guard	Endurance	Reflex	3,5-6,0	50-85	595 g	21 oz	67	110 kg	HS 359	11630459
	50-559	26 x 2.00	HD Guard	Endurance	Reflex	2,0-5,0	45-70	790 g	28 oz	67	140 kg	HS 359	11631459
	57-559	26 x 2.25	HD Guard	Endurance	Reflex	2,0-4,5	35-65	890 g	32 oz	67	145 kg	HS 359	11633459
28"	37-622	28 x 1.40, 700 x 35C	HD Guard	Endurance	Reflex	3,5-6,0	50-85	590 g	21 oz	67	115 kg	HS 359	11649459
	42-622	28 x 1.60, 700 x 40C	HD Guard	Endurance	Reflex	3,5-6,0	50-85	670 g	24 oz	67	130 kg	HS 359	11650459
	50-622	28 x 2.00	HD Guard	Endurance	Reflex	2,0-5,0	45-70	880 g	31 oz	67	150 kg	HS 359	11652459

Evolution Line, Wired tire

26"	50-559	26 x 2.00	HD Guard	Endurance	Reflex	2,0-5,0	45-70	860 g	30 oz	67	140 kg	HS 359	11131459
28"	37-622	28 x 1.40, 700 x 35C	HD Guard	Endurance	Reflex	3,5-6,0	50-85	670 g	24 oz	67	115 kg	HS 359	11149459
	42-622	28 x 1.60, 700 x 40C	HD Guard	Endurance	Reflex	3,5-6,0	50-85	750 g	26 oz	67	130 kg	HS 359	11150459

**MARATHON RACER**

Folding tire

NEW

20"	40-406	20 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	290 g	10 oz	67	80 kg	HS 366	11615375
26"	40-559	26 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	390 g	14 oz	67	100 kg	HS 366	11631375
28"	30-622	28 x 1.20, 700 x 30C	RaceGuard®	Speedgrip	Reflex	4,0-7,0	55-100	330 g	12 oz	67	100 kg	HS 366	11650375
	35-622	28 x 1.35, 700 x 35C	RaceGuard®	Speedgrip	Reflex	4,0-6,5	55-95	360 g	13 oz	67	110 kg	HS 366	11650376
	40-622	28 x 1.50, 700 x 38C	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	430 g	15 oz	67	125 kg	HS 366	11650377


Wired tire

18"	40-355	18 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	260 g	9 oz	67	70 kg	HS 366	11111975
26"	40-559	26 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	450 g	16 oz	67	100 kg	HS 366	11131975
28"	35-622	28 x 1.35, 700 x 35C	RaceGuard®	Speedgrip	Reflex	4,0-6,5	50-85	420 g	15 oz	67	110 kg	HS 366	11151975


**MARATHON SUPREME**

**High Density Guard.**

Vectran® fibers are more tear-resistant than titanium, more cut-resistant than Aramid and at the same time extremely flexible and light. NASA used super-dense Vectran® airbags for their Mars lander. Vectran® fibers are woven using patented weaving technology to form our super-strong High Density Guard.



Vectran® fibers can also be found in other tire brands, but not as a densely woven fabric, rather as the loosely bound fibers found in a tire carcass.



**High Density Guard.**  
Only densely woven Vectran® protects optimally.




**Magic Compound.**

The safety factor on wet, slippery roads. Our newest rubber compound. We call it Magic, because at the same time it has both outstanding wet grip and excellent rolling characteristics.

MARATHON PLUS

**Punctures are a memory.** The SmartGuard® layer made from a flexible, special rubber offers particular resistance to shards of glass and flints. Even a thumbtack cannot penetrate this protective layer. The SmartGuard® belt does not increase rolling resistance. The MARATHON PLUS rolls as easily as a tire without protection.




Note: Use a pressure gauge to adjust tire pressures as the common 'thumb check' is insufficient due to the special construction of the Marathon Plus.




MARATHON PLUS ATB

**The flat-less trekking tire.** The Marathon Plus with an ATB profile makes for untroubled off-road excursions.




MARATHON

**The legend lives.** Developed over 20 years ago, at that time it was a quantum leap in performance. The first high-quality tire suitable for reliable touring and everyday use. These characteristics quickly made it popular and today it is still Europe's most ridden touring tire. In the newest version with KevlarGuard and Allround tread compound it can fulfil everything that is expected of a Marathon tire: Effective puncture protection, durability and excellent handling characteristics.



MARATHON CROSS

**A tire for all seasons.** It rolls easily on the road and performs well off-road too. It is hardwearing and has puncture protection exactly as you would expect from a member of the Marathon family. The robust profile, grippy compound and 3M-Scotchlite™ reflective lines make it suitable for year-round use.





MARATHON PLUS Wired tire

NEW	16"	35-349	16 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	480 g	14 oz	67	75 kg	HS 348	11109348
	18"	35-355	18 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	510 g	18 oz	67	75 kg	HS 348	11111348
	20"	35-406	20 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	580 g	20 oz	67	80 kg	HS 348	11115348
		47-406	20 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	710 g	25 oz	67	85 kg	HS 348	11116348
	24"	47-507	24 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	940 g	33 oz	67	100 kg	HS 348	11125348
	26"	35-559	26 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	830 g	29 oz	67	100 kg	HS 348	11130348
		47-559	26 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	980 g	34 oz	67	125 kg	HS 348	11131348
		37-590	26 x 1 3/8, 650 x 35A	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	860 g	30 oz	67	100 kg	HS 348	11140348
		42-590	26 x 1 5/8, 650 x 40A	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	980 g	34 oz	67	110 kg	HS 348	11141348
	28"	25-622	28 x 1.00, 700 x 25C	SmartGuard®	Allround	Reflex	5,0-8,0	70-115	580 g	20 oz	67	90 kg	HS 348	11146348
		28-622	28 x 1 1/8, 700 x 28C	SmartGuard®	Allround	Reflex	4,0-7,0	55-100	740 g	26 oz	67	95 kg	HS 348	11147348
		32-622	28 x 1 1/4, 700 x 32C	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	800 g	28 oz	67	100 kg	HS 348	11148348
		37-622	28 x 1 3/8, 700 x 35C	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	890 g	31 oz	67	110 kg	HS 348	11149348
		40-622	28 x 1.50, 700 x 38C	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	940 g	33 oz	67	125 kg	HS 348	11150348
		47-622	28 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	1070 g	38 oz	67	140 kg	HS 348	11151348
		40-635	28 x 1 1/2	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	1010 g	35 oz	67	130 kg	HS 348	11158348

MARATHON PLUS ATB Wired tire

26"	50-559	26 x 2.00	SmartGuard®	Allround	Reflex	2,5-5,0	50-85	1100 g	34 oz	67	140 kg	HS 353	11132353
28"	42-622	28 x 1.60, 700 x 40C	SmartGuard®	Allround	Reflex	3,5-6,0	35-70	970 g	39 oz	67	125 kg	HS 353	11150353

MARATHON Wired tire

16"	37-349	16 x 1 3/8	Kevlar®Guard	Allround	Reflex	3,0-6,0	45-85	350 g	12 oz	50	75 kg	HS 368	11109500
20"	40-406	20 x 1.50	Kevlar®Guard	Allround	Reflex	3,0-7,0	45-100	470 g	16 oz	50	90 kg	HS 368	11115500
	47-406	20 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	560 g	20 oz	50	85 kg	HS 368	11116500
24"	47-507	24 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	690 g	24 oz	50	100 kg	HS 368	11125500
26"	40-559	26 x 1.50	Kevlar®Guard	Allround	Reflex	3,0-7,0	45-100	660 g	23 oz	50	100 kg	HS 368	11130500
	47-559	26 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	750 g	26 oz	50	125 kg	HS 368	11131500
	50-559	26 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	840 g	30 oz	50	140 kg	HS 368	11132500
	37-590	26 x 1 3/8, 650 x 35A	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	640 g	22 oz	50	100 kg	HS 368	11140500
27"	32-630	27 x 1 1/4	Kevlar®Guard	Allround	Reflex	4,0-6,5	55-95	595 g	21 oz	50	100 kg	HS 368	11157500
28"	25-622	28 x 1.00, 700 x 25C	Kevlar®Guard	Allround	Reflex	5,0-8,0	70-115	500 g	18 oz	50	85 kg	HS 368	11146500
	28-622	28 x 1.10, 700 x 28C	Kevlar®Guard	Allround	Reflex	4,0-7,0	55-100	520 g	18 oz	50	95 kg	HS 368	11147500
	32-622	28 x 1.25, 700 x 32C	Kevlar®Guard	Allround	Reflex	4,0-6,5	55-95	580 g	20 oz	50	100 kg	HS 368	11148500
	37-622	28 x 1.40, 700 x 35C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	650 g	23 oz	50	110 kg	HS 368	11149500
	42-622	28 x 1.60, 700 x 40C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	720 g	25 oz	50	125 kg	HS 368	11150500
	47-622	28 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	840 g	29 oz	50	140 kg	HS 368	11151500
	50-622	28 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	940 g	33 oz	50	150 kg	HS 368	11152500
	40-635	28 x 1 1/2	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	790 g	28 oz	50	130 kg	HS 368	11158500

MARATHON CROSS Wired tire

26"	47-559	26 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	680 g	24 oz	67	120 kg	HS 334	11131934
28"	40-622	28 x 1.50, 700 x 38C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	630 g	22 oz	67	130 kg	HS 334	11150934

flat-less!



Note: It is impossible to guarantee that a flat will never happen, but the Marathon Plus has the best defense against everyday tire wreckers such as glass, flints or metal shards.

STIFTUNG WARENTEST

"The puncture resistance was tested by using as many different sharp objects as possible under normal road conditions, cycling over: Glass – the tire survived. Thorns, granulates, flints – the tire survived. Then the most severe: Thumbtacks- the tire still survived and, despite five thumbtacks lodged in the tread, the Marathon Plus didn't puncture."

STIFTUNG WARENTEST is Germany's most respected, independent test house. Test 7/2003

test


7/2003

www.test.de




## BIG APPLE

**Suspension included.** The Big Apple began the Balloonbike trend back in 2001. Comfortable cycling without the need for expensive technology. At the time it was a revolutionary idea. Today it is a growing trend and there are now a large selection of Balloonbikes with everything designed around the Big Apple.






## SUPER MOTO

**For the beach, dusty trails and of course the road.** These are where it's most at home. It evolved from the comfortable Big Apple city tire to become a great beach and dirt trail tire. And because volume is as important as tread for outstanding control, we used the Evo-carcass and Speedgrip Compound to create a super-fast and fun tire.



## FAT FRANK

**Made for Cruisers with drop-dead looks.** Design concept: Classic scooter tire and cutting-edge BMX tire come together – in this innovative form. Technically one hundred percent equal to the Big Apple.



## RETURNER

**Nostalgia!** Retro design tires for the Cruiser Bike cult.  
**New.** Now in economical, Basic version.





**BIG APPLE** *Wired tire*

	12"	50-203	12 x 2.00	Puncture Protection	SBC	Reflex	1,5-4,0	20-55	325 g	11 oz	24	70 kg	HS 338	11103338
	14"	50-254	14 x 2.00	Puncture Protection	SBC	Reflex	1,5-4,0	20-55	360 g	13 oz	24	70 kg	HS 338	11105338
	16"	50-305	16 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	405 g	14 oz	67	80 kg	HS 338	11107838
	18"	50-355	18 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	495 g	17 oz	67	80 kg	HS 338	11111338
	20"	50-406	20 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	530 g	19 oz	67	85 kg	HS 338	11117838
		60-406	20 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	650 g	23 oz	67	110 kg	HS 338	11118839
	24"	50-507	24 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	705 g	25 oz	67	100 kg	HS 338	11126838
		60-507	24 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	825 g	29 oz	67	135 kg	HS 338	11127338
	26"	50-559	26 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	790 g	28 oz	67	125 kg	HS 338	11132838
NEW		55-559	26 x 2.15	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	850 g	30 oz	67	145 kg	HS 338	11133038
		60-559	26 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	895 g	31 oz	67	150 kg	HS 338	11133838
	28"	50-622	28 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	885 g	31 oz	67	150 kg	HS 338	11152838
		60-622	28 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	995 g	35 oz	67	160 kg	HS 338	11154838

**SUPER MOTO** *Evolution Line, Folding tire*

26"	60-559	26 x 2.35	Evolution	Speedgrip	Black-Skin	2,0-4,0	30-55	690 g	24 oz	67	150 kg	HS 338	11633539
-----	--------	-----------	-----------	-----------	------------	---------	-------	-------	-------	----	--------	--------	----------

**FAT FRANK** *Wired tire*

26"	60-559	26 x 2.35	Kevlar®Guard	Allround	Black-Skin	1,5-4,0	20-55	930 g	32 oz	67	150 kg	HS 375	11133370
	60-559	26 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	940 g	33 oz	67	150 kg	HS 375	11133375
	60-559	26 x 2.35	Kevlar®Guard	Allround	Creme-Reflex	1,5-4,0	20-55	940 g	33 oz	67	150 kg	HS 375	11133372

**RETURNER** *Basic Line, Wired tire*

NEW	26"	57-559	26 x 2.125	Puncture Protection	SBC	Black	2,0-4,5	30-65	890 g	31 oz	24	125 kg	HS 361	11133895
NEW				Puncture Protection	SBC	Whitewall	2,0-4,5	30-65	890 g	31 oz	24	125 kg	HS 361	11133865



**BALLOONBIKE®**

**The concept.** Balloonbikes have distinctive wide tires, so they do not need expensive suspension technology. The pneumatic cushion provided by the tires acts as natural suspension. In tests conducted by Cologne Sports University Balloonbikes achieved a similar level of comfort as that of a full-suspension bike. The "tire suspension" responds very well - an advantage that is much more important in everyday life than long spring travel. Without complicated technology the bike is light and easy to maintain.

**Tips.** Depending upon section width and load, for a safe and comfortable journey we recommend, an air pressure of between 1.5 and 2.5 bar. At these pressures a Balloonbike rolls remarkably easily and with a full suspension effect. A normal City or Trekking bike will only achieve a similarly good rolling resistance if the 37 mm wide, standard tires are inflated to a hard 4 bar.


**!** Balloonbike comfort is also possible with other tires in a Balloonbike-width of 50 mm or more: Marathon Supreme, Marathon XR, Marathon.

[www.balloonbikes.com](http://www.balloonbikes.com)  
For detailed information about Balloonbikes.  
Test results; comfort performance; bicycle  
manufacture and conversions. ...



RACING RALPH

The optimal competition tire. The star of the MTB scene is also the optimum choice for cyclo cross competition: Evo-carcass and triple compound tread for added grip and speed off-road. Also available as a tubular tire.




CYCLO CROSS



CX PRO

High speed cross-country. With unbelievably low weight and excellent grip.




CYCLO CROSS



KOJAK

Kojak makes no compromises. Its home is the road. Although the fast, sporty, tread-less slick weighs just 295 g (35-559) it still has a RaceGuard® protection belt. Who loves ya baby?



New: Version with reflective lines and skin side wall is noticeably lighter.



SMART SAM

Unbeatable allrounder. Also in its 'cross' version: Rolls well, grips well and is durable. Smart Sam feels safe on any terrain and on-road it rolls effortlessly.



HURRICANE

Take a ride on the wild side! The Hurricane rolls fast and quietly and even offers enough traction for occasional off-road use.



CX COMP

Ligh and econo- mical. A cross tire with a low, semi-slick profile. Fast rolling and with good cornering grip.





**RACING RALPH** Evolution Line, Folding tire

28"	35-622	28 x 1.35, 700 x 35C	Evolution	Triple	Black-Skin	3,5-6,0	50-85	340 g	12 oz	67	100 kg	HS 351	11649731
-----	--------	----------------------	-----------	--------	------------	---------	-------	-------	-------	----	--------	--------	----------

**RACING RALPH TUBULAR** Evolution Line, Tubular

28"	35-622	28 x 1.35, 700 x 35C	Evolution	Triple	Black-Skin	2,5-6,0	35-85	385 g	14 oz			HS 351	10100730
-----	--------	----------------------	-----------	--------	------------	---------	-------	-------	-------	--	--	--------	----------

**CX PRO**

Performance Line, Folding tire

28"	30-622	28 x 1.20, 700 x 30C	Light	ORC	Black-Skin	4,0-6,5	55-95	295 g	10 oz	67	90 kg	HS 269	11648269
-----	--------	----------------------	-------	-----	------------	---------	-------	-------	-------	----	-------	--------	----------

Sport Line, Wired tire

26"	35-559	26 x 1.35	Sport	ORC	Black-Skin	4,0-6,5	55-95	405 g	14 oz	50	100 kg	HS 269	11130269
-----	--------	-----------	-------	-----	------------	---------	-------	-------	-------	----	--------	--------	----------

28"	30-622	28 x 1.20, 700 x 30C	Sport	ORC	Black-Skin	4,0-6,5	55-95	450 g	16 oz	50	90 kg	HS 269	11148369
-----	--------	----------------------	-------	-----	------------	---------	-------	-------	-------	----	-------	--------	----------

**KOJAK**

Performance Line, Folding tire

NEW 20"	35-406	20 x 1.35	RaceGuard®	Qualifier	Black-Skin	4,0-6,5	55-95	230 g	8 oz	67	75 kg	HS 385	11614100
---------	--------	-----------	------------	-----------	------------	---------	-------	-------	------	----	-------	--------	----------

26"	35-559	26 x 1.35	RaceGuard®	Qualifier	Black-Skin	4,0-6,5	55-95	295 g	10 oz	67	100 kg	HS 385	11630100
-----	--------	-----------	------------	-----------	------------	---------	-------	-------	-------	----	--------	--------	----------

Sport Line, Wired tire

26"	35-559	26 x 1.35	RaceGuard®	Qualifier	Black-Skin	4,0-6,5	55-95	395 g	14 oz	50	100 kg	HS 385	11130100
-----	--------	-----------	------------	-----------	------------	---------	-------	-------	-------	----	--------	--------	----------

	50-559	26 x 2.00	RaceGuard®	Qualifier	Black-Skin	2,0-5,0	30-70	570 g	20 oz	50	140 kg	HS 385	11132100
--	--------	-----------	------------	-----------	------------	---------	-------	-------	-------	----	--------	--------	----------

28"	35-622	28 x 1.35, 700 x 35C	RaceGuard®	Qualifier	Black-Skin	4,0-6,5	55-95	440 g	15 oz	50	110 kg	HS 385	11149100
-----	--------	----------------------	------------	-----------	------------	---------	-------	-------	-------	----	--------	--------	----------

**SMART SAM** Sport Line, Wired tire

28"	37-622	28 x 1.40, 700 x 35C	Sport	ORC	Black-Skin	3,5-6,0	50-85	430 g	15 oz	50	110 kg	HS 367	11149370
-----	--------	----------------------	-------	-----	------------	---------	-------	-------	-------	----	--------	--------	----------

			Sport	ORC	Reflex	3,5-6,0	50-85	430 g	15 oz	50	110 kg	HS 367	11143377
--	--	--	-------	-----	--------	---------	-------	-------	-------	----	--------	--------	----------

	42-622	28 x 1.60, 700 x 40C	Sport	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 367	11150370
--	--------	----------------------	-------	-----	------------	---------	-------	-------	-------	----	--------	--------	----------

			Sport	ORC	Reflex	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 367	11153377
--	--	--	-------	-----	--------	---------	-------	-------	-------	----	--------	--------	----------

**HURRICANE** Sport Line, Wired tire

28"	42-622	28 x 1.60, 700 x 40C	Sport	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	HS 352	11150371
-----	--------	----------------------	-------	-----	------------	---------	-------	-------	-------	----	--------	--------	----------

			Kevlar®Guard	ORC	Reflex	3,5-6,0	50-85	570 g	19 oz	50	120 kg	HS 352	11150385
--	--	--	--------------	-----	--------	---------	-------	-------	-------	----	--------	--------	----------

**CX COMP** Basic Line, Wired tire

NEW 28"	30-622	28 x 1.20, 700 x 30C	Puncture Protection	SBC	Black-Skin	3,0-5,5	45-80	450 g	16 oz	24	80 kg	HS 369	11148969
---------	--------	----------------------	---------------------	-----	------------	---------	-------	-------	-------	----	-------	--------	----------

	35-622	28 x 1.35, 700 x 35C	Puncture Protection	SBC	Black-Skin	2,5-4,5	35-65	480 g	17 oz	24	100 kg	HS 369	11149369
--	--------	----------------------	---------------------	-----	------------	---------	-------	-------	-------	----	--------	--------	----------

	35-622	28 x 1.35, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	480 g	17 oz	24	100 kg	HS 369	11149979
--	--------	----------------------	---------------------	-----	--------	---------	-------	-------	-------	----	--------	--------	----------



Photo: Team Focus

Our standard tires. Attractive treads at affordable prices. Always with a puncture protection belt.

NEW



A view into the future of tread design.

ADVANCER



Our most popular and biggest selling standard tire. The tread produces low road noise yet has great grip.

ROAD CRUISER

NEW



Dynamic new profile. Looks good on any touring cycle.

DELTA CRUISER



SPEED CRUISER



NEW ADVANCER Wired tire													
28"	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	640 g	22 oz	24	100 kg	HS 394	11152088
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	720 g	25 oz	24	110 kg	HS 394	11154088

ROAD CRUISER Wired tire													
26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	750 g	26 oz	24	100 kg	HS 377	11131601
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	750 g	26 oz	24	100 kg	HS 377	11131691
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	750 g	26 oz	24	100 kg	HS 377	11131671
			Puncture Protection	SBC	Whitewall	2,0-4,5	30-65	750 g	26 oz	24	100 kg	HS 377	11131661
28"	32-622	28 x 1.25, 700 x 32C	Puncture Protection	SBC	Gumwall	3,0-5,5	45-80	570 g	20 oz	24	90 kg	HS 377	11148671
			Puncture Protection	SBC	Whitewall	3,0-5,5	45-80	570 g	20 oz	24	90 kg	HS 377	11148661
	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Black	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 377	11149601
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 377	11149691
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 377	11149671
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 377	11149661
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Black	2,5-4,5	35-65	730 g	26 oz	24	110 kg	HS 377	11150204
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	730 g	26 oz	24	110 kg	HS 377	11150894
	47-622	28 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	830 g	29 oz	24	120 kg	HS 377	11151601
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	830 g	29 oz	24	120 kg	HS 377	11151691
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	830 g	29 oz	24	120 kg	HS 377	11151671
			Puncture Protection	SBC	Whitewall	2,0-4,5	30-65	830 g	29 oz	24	120 kg	HS 377	11151661

NEW DELTA CRUISER Wired tire													
24"	37-540	24 x 1 3/8	Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	520 g	18 oz	24	80 kg	HS 392	11129062
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	520 g	18 oz	24	80 kg	HS 392	11128865
26"	37-590	26 x 1 3/8, 650 x 35A	Puncture Protection	SBC	Black	2,5-4,5	35-65	580 g	20 oz	24	90 kg	HS 392	11140803
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	580 g	20 oz	24	90 kg	HS 392	11140602
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	580 g	20 oz	24	90 kg	HS 392	11140872
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	580 g	20 oz	24	90 kg	HS 392	11140162
			Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	580 g	20 oz	24	90 kg	HS 392	11140712
			Puncture Protection	SBC	Reflex	3,5-6,0	50-85	550 g	19 oz	24	85 kg	HS 392	11149393
28"	28-622	28 x 1.10, 700 x 28C	Puncture Protection	SBC	Gumwall	3,5-6,0	50-85	550 g	19 oz	24	85 kg	HS 392	11149394
			Puncture Protection	SBC	Whitewall	3,5-6,0	50-85	550 g	19 oz	24	85 kg	HS 392	11149395
			Puncture Protection	SBC	Lever-Reflex	3,5-6,0	50-85	550 g	19 oz	24	85 kg	HS 392	11149396
			Puncture Protection	SBC	Reflex	3,0-5,5	45-80	560 g	20 oz	24	90 kg	HS 392	11149493
	32-622	28 x 1.25, 700 x 32C	Puncture Protection	SBC	Gumwall	3,0-5,5	45-80	560 g	20 oz	24	90 kg	HS 392	11149492
			Puncture Protection	SBC	Lever-Reflex	3,0-5,5	45-80	560 g	20 oz	24	90 kg	HS 392	11148396
	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 392	11149892
			Puncture Protection	SBC	Creme	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 392	11149897
			Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 392	11149893
			Puncture Protection	SBC	Lever-Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 392	11149894
	40-635	28 x 1 1/2	Puncture Protection	SBC	Black	2,5-4,5	35-65	770 g	27 oz	24	115 kg	HS 392	11158005
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	770 g	27 oz	24	115 kg	HS 392	11158006
			Puncture Protection	SBC	Creme	2,5-4,5	35-65	770 g	27 oz	24	115 kg	HS 392	11158007
			Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	770 g	27 oz	24	115 kg	HS 392	11158008

SPEED CRUISER Wired tire													
26"	40-559	26 x 1.50	Puncture Protection	SBC	Black-Skin	2,0-6,0	30-85	595 g	20 oz	37	90 kg	HS 321	11130888
28"	30-622	28 x 1.20, 700 x 30C	Puncture Protection	SBC	Black-Skin	4,0-6,5	55-95	425 g	15 oz	37	90 kg	HS 321	11148101
			Puncture Protection	SBC	Reflex	4,0-6,5	55-95	500 g	18 oz	37	90 kg	HS 321	11148191

34



TERRA CRUISER



LAND CRUISER



SILENTO II



SPEEDWAY PRO



CITY JET



CRUISER II



**TERRA CRUISER** *Wired tire*

28"	50-559	26 x 2.00	Puncture Protection	SBC	Reflex	2,0-4,5	30-65	960 g	34 oz	24	120 kg	HS 329	11132002
	37-622	28 x 1 3/8, 700 x 35C	Puncture Protection	SBC	Black	3,0-5,0	45-70	670 g	24 oz	24	100 kg	HS 329	11149029
			Puncture Protection	SBC	Reflex	3,0-5,0	45-70	680 g	24 oz	24	100 kg	HS 329	11149129
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Reflex	3,0-5,0	45-70	730 g	26 oz	24	110 kg	HS 329	11150329

**LAND CRUISER** *Wired tire*

24"	47-507	24 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	710 g	25 oz	24	80 kg	HS 307	11125999
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	720 g	25 oz	24	80 kg	HS 307	11125899
	50-507	24 x 1.90/2.00	Puncture Protection	SBC	Black	2,0-4,5	30-65	810 g	29 oz	24	80 kg	HS 307	11126066
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	820 g	29 oz	24	80 kg	HS 307	11126866
26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	790 g	28 oz	24	100 kg	HS 307	11131999
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	800 g	28 oz	24	100 kg	HS 307	11131899
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	790 g	28 oz	24	100 kg	HS 307	11131979
	50-559	26 x 1.90/2.00	Puncture Protection	SBC	Black	2,0-4,5	30-65	900 g	32 oz	24	120 kg	HS 307	11132099
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	910 g	32 oz	24	120 kg	HS 307	11132899
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	900 g	32 oz	24	120 kg	HS 307	11132074
28"	37-622	28 x 1 3/8, 700 x 35C	Puncture Protection	SBC	Black	2,5-4,5	35-65	640 g	23 oz	24	100 kg	HS 307	11149066
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	HS 307	11149866
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	640 g	23 oz	24	100 kg	HS 307	11149074
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Black	2,5-4,5	35-65	720 g	26 oz	24	110 kg	HS 307	11150066
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	730 g	26 oz	24	110 kg	HS 307	11150866
	47-622	28 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	880 g	31 oz	24	120 kg	HS 307	11151066
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	890 g	31 oz	24	120 kg	HS 307	11151966

**SILENTO II** *Wired tire*

20"	47-406	20 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	560 g	20 oz	24	65 kg	HS 328A	11116315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	570 g	20 oz	24	65 kg	HS 328A	11116915
24"	47-507	24 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	710 g	25 oz	24	80 kg	HS 328A	11125315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	720 g	25 oz	24	80 kg	HS 328A	11125915
26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	720 g	26 oz	24	100 kg	HS 328A	11131015
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	730 g	26 oz	24	100 kg	HS 328A	11131915
	50-559	26 x 1.90	Puncture Protection	SBC	Black	2,0-4,5	30-65	850 g	30 oz	24	120 kg	HS 328A	11132315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	860 g	30 oz	24	120 kg	HS 328A	11132910
28"	37-622	28 x 1 3/8, 700 x 35C	Puncture Protection	SBC	Black	3,0-5,0	45-70	630 g	22 oz	24	100 kg	HS 328A	11149015
			Puncture Protection	SBC	Reflex	3,0-5,0	45-70	640 g	22 oz	24	100 kg	HS 328A	11149915
	40-622	28 x 1.50, 700 x 38C	Puncture Protection	SBC	Reflex	3,0-5,0	45-70	680 g	24 oz	24	110 kg	HS 328A	11150915
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	820 g	29 oz	24	120 kg	HS 328A	11151915

**SPEEDWAY PRO** *Sport Line, Wired tire*

26"	37-590	26 x 1 3/8, 650 x 35A	Sport	ORC	Black	2,0-4,5	30-65	670 g	24 oz	50	90 kg	HS 317	11140317
-----	--------	-----------------------	-------	-----	-------	---------	-------	-------	-------	----	-------	--------	----------

**CITY JET** *Wired tire*

12"	54-203	12 x 1.95	Puncture Protection	SBC	Black	2,0-4,5	30-65	370 g	13 oz	24	70 kg	HS 257	11103257
16"	54-305	16 x 1.95	Puncture Protection	SBC	Black	2,0-4,5	30-65	580 g	20 oz	24	80 kg	HS 257	10107082
26"	40-559	26 x 1.50	Puncture Protection	SBC	Black-Skin	3,0-4,5	45-65	570 g	20 oz	37	90 kg	HS 257	11130257
			Puncture Protection	SBC	Skin	3,0-4,5	45-65	570 g	20 oz	37	90 kg	HS 257	11128082

**CRUISER II** *Wired tire*

12"	47-203	12 1/2 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	290 g	10 oz	24	50 kg	HS 285	11102087
16"	47-305	16 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	445 g	16 oz	24	55 kg	HS 285	11106087
18"	47-355	18 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	500 g	17 oz	24	60 kg	HS 285	11110087
20"	47-406	20 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	580 g	20 oz	24	65 kg	HS 285	11116087





HS 110



HS 113



HS 116



HS 140



HS 159



HS 166



HS 180



HS 315



HS 110 Wired tire

20"	37-438	20 x 1 1/2		SBC	Reflex	2,5-4,0	35-55	410 g	14 oz	24	HS 110	10119007
22"	37-489	22 x 1 3/8		SBC	Whitewall	2,5-4,0	35-55	460 g	16 oz	24	HS 110	11122060

HS 113 Wired tire

28"	40-609	27 x 1 1/2	Puncture Protection	SBC	Black	2,5-3,8	35-55	575 g	20 oz	24	HS 113	11142000
-----	--------	------------	---------------------	-----	-------	---------	-------	-------	-------	----	--------	----------

HS 116 Wired tire

18"	37-390	18 x 1 3/8, 450 x 35A		SBC	Gumwall	2,5-4,0	35-55	370 g	13 oz	24	HS 116	11110571
-----	--------	-----------------------	--	-----	---------	---------	-------	-------	-------	----	--------	----------

HS 140 Wired tire

12"	47-203	12 1/2 x 1.75		SBC	White line	2,0-3,0	30-45	285 g	10 oz	24	HS 140	11102050
14"	37-288	14 x 1 3/8, 350 x 35A		SBC	White line	2,0-3,0	30-45	365 g	13 oz	24	HS 140	11104050

HS 159 Wired tire

12"	62-203	12 1/2 x 2 1/4		SBC	Black	1,5-2,5	25-35	290 g	10 oz	24	HS 159	11214003
				SBC	White line	1,5-2,5	25-35	290 g	10 oz	24	HS 159	11103053
16"	47-305	16 x 1.75		SBC	Black	2,0-3,0	30-45	395 g	14 oz	24	HS 159	11106004
				SBC	White line	2,0-3,0	30-45	395 g	14 oz	24	HS 159	11106053
				SBC	Whitewall	2,0-3,0	30-45	395 g	14 oz	24	HS 159	11106063
18"	47-355	18 x 1.75		SBC	White line	2,5-3,0	35-45	450 g	16 oz	24	HS 159	11110053
				SBC	Whitewall	2,5-3,0	35-45	450 g	16 oz	24	HS 159	11110063
20"	47-406	20 x 1.75		SBC	Black	2,5-3,0	35-45	520 g	18 oz	24	HS 159	11116003
				SBC	Gumwall	2,5-3,0	35-45	520 g	18 oz	24	HS 159	11116073
				SBC	White line	2,5-3,0	35-45	520 g	18 oz	24	HS 159	11116053
				SBC	Whitewall	2,5-3,0	35-45	520 g	18 oz	24	HS 159	11116063
				SBC	Black	2,0-3,0	30-45	610 g	21 oz	24	HS 159	11119100
24"	47-507	24 x 1.75		SBC	Black	2,5-3,0	35-45	600 g	21 oz	24	HS 159	11125003
				SBC	Gumwall	2,5-3,0	35-45	600 g	21 oz	24	HS 159	11125073
				SBC	Whitewall	2,5-3,0	35-45	600 g	21 oz	24	HS 159	11125063
26"	37-584	26 x 1 3/8, 650 STD	Reinforced	23S	Black	2,5-4,5	35-65	580 g	20 oz	50	HS 159	11136103
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	580 g	20 oz	24	HS 159	11136073
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	580 g	20 oz	24	HS 159	11136063
	44-584	26 x 1 5/8, 650 1/2B	Reinforced	23S	Black	2,5-4,5	35-65	645 g	23 oz	50	HS 159	11138103
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	645 g	23 oz	24	HS 159	11138073
27"	28/32-630	27 x 1 1/4	Puncture Protection	SBC	Gumwall	3,5-6,0	50-85	550 g	19 oz	24	HS 159	11157073
			Puncture Protection	SBC	Whitewall	3,5-6,0	50-85	550 g	19 oz	24	HS 159	11157063

HS 166 Wired tire

22"	37-490	22 x 1 3/8, 550 x 35A	Puncture Protection	SBC	Gumwall	2,5-4,0	35-60	450 g	16 oz	24	HS 166	11123070
-----	--------	-----------------------	---------------------	-----	---------	---------	-------	-------	-------	----	--------	----------

HS 180 Wired tire

26"	28/32-590	26 x 1 1/8, 1 1/4, 650 x 28/32A	Puncture Prot.	SBC	Gumwall	3,5-6,0	50-85	500 g	18 oz	24	HS 180	11139170
28"	25-622	700 x 25C	Puncture Protection	SBC	Gumwall	4,0-6,0	60-85	440 g	15 oz	24	HS 180	11146079

HS 315 Wired tire

26"	54-584	26 x 1 1/2 x 2	Puncture Protection	SBC	Black	2,0-3,0	30-45	845 g	30 oz	24	HS 315	11138015
-----	--------	----------------	---------------------	-----	-------	---------	-------	-------	-------	----	--------	----------

All sizes at a glance

The correct tube for each tire size is indicated in the last column.

**RACE**  
Page 2-9

**MTB**  
Page 10-23

**TOUR**  
Page 24-33

**BASIC LINE**  
Page 34-36

	ETRTO	Model	Tube
12"	47-203	HS 140, Cruiser II	1
	50-203	Big Apple	1
	54-203	City Jet	1
	62-203	HS 159	1
14"	50-254	Big Apple	2A
	37-288	HS 140	2
16"	47-305	Mad Mike	3
		HS 159, Cruiser II	
	50-305	Big Apple	3
	54-305	City Jet	3
	57-305	Mad Mike	3
	28-349	Stelvio	4
	35-349	Marathon Plus	4
	37-349	Marathon	4
17"	32-369	Stelvio	5
18"	28-355	Stelvio	4
	35-355	Marathon Plus	4
	40-355	Marathon Racer	5
	47-355	Mad Mike	5
		HS 159, Cruiser II	
	50-355	Big Apple	5
	37-390	HS 116	5
20"	28-406	Stelvio	6, 6A
	35-406	Marathon Plus, Kojak	6, 6A
	40-406	Marathon, Marathon Racer	6, 6A, 7
	42-406	Marathon Winter	7, 7C
	47-406	Mow Joe, Mad Mike, Crazy Bob	7, 7C
		Marathon, Marathon Plus	
		HS 159, Silento II, Cruiser II	
	50-406	Big Apple	7, 7C
		Mow Joe	
	54-406	Crazy Bob, Jumpin' Jack, Dirty Harry, Knobby	7, 7C, 7D
	57-406	Jumpin' Jack, Mad Mike	7, 7C, 7D
	60-406	Big Apple	7, 7C, 7D
	54-428	HS 159	7
	37-438	HS 110	7A
	28-451	Stelvio	7A
22"	37-489	HS 110	8
	37-490	HS 166	8
24"	47-507	Marathon, Marathon Plus	9, 10
		Mow Joe	
		Silento II, Land Cruiser, HS 159	
	50-507	Big Apple	10
		Land Cruiser	
	54-507	Black Jack, Smart Sam	10, 10D
	57-507	Table Top	10, 10D
	60-507	Al Mighty, Space, Crazy Bob	10, 10D
		Big Apple	
	23-520	Stelvio	9C
	37-540	Delta Cruiser	9
25"	57-520	Twenty 5	10
26"	28-559	Stelvio	12A
	35-559	Marathon Plus, Kojak, CX Pro	12A
	40-559	Black Shark Mud	12A, 13, 14, 14A
		Marathon, Marathon Racer	
		City Jet, Speed Cruiser	
	42-559	Marathon XR	13, 14, 14A
	47-559	Black Jack, Nobby Nic, Marathon Winter	12, 13, 14, 14A
		Marathon, Marathon Plus, Marathon Cross	
		Silento II, Land Cruiser, Road Cruiser	
	50-559	Furious Fred, Hurricane, Kojak, Snow Stud, Mountaineer II, CX Comp	13, 14, 14A
		Marathon Supreme, Marathon XR, Marathon, Marathon Plus ATB, Big Apple	
		Silento II, Land Cruiser	

	ETRTO	Model	Tube
26"	54-559	Nobby Nic, Racing Ralph, Little Albert, Smart Sam, Black Jack, Jimmy, Black Shark Mud, Ice Spiker, Ice Spiker Pro	13, 14, 14A , 13D 13F
	55-559	Big Apple	13, 14
	57-559	Nobby Nic, Racing Ralph, Furious Fred, Albert, Smart Sam, Black Shark Mud, Table Top	13, 14, 13D, 13F
		Marathon XR, ReTurner	
	60-559	Muddy Mary, Al Mighty, Fat Albert, Space, Crazy Bob	13, 14, 13D, 13F
		Big Apple, Super Moto, Fat Frank	
	62-559	Nobby Nic, Racing Ralph, Big Betty	13, 13D, 13F
	64-559	Muddy Mary	13D, 13F
	65-559	Al Mighty	13D, 13F
	23-571	Stelvio	11
	37-584	HS 159	12
	44-584	HS 159	12
27"	54-584	HS 315	19
	28-590	HS 180	12
	37-590	Marathon, Marathon Plus	12
		Delta Cruiser, Speedway Pro	
	42-590	Marathon Plus	12
	32-630	Marathon	17
		HS 159	
	40-609	HS 113	17
	19-622	Stelvio Tubular	-
	20-622	Stelvio, Blizzard, Lugano	15, 20, 21
	22-622	Ultrero Tubular, Stelvio Tubular, Milano, Montello	-
28"	23-622	Ultrero, Stelvio, Stelvio Plus, Blizzard, Lugano	15, 20, 21
	25-622	Stelvio, Stelvio Plus, Stelvio Tubular, Blizzard	15, 20, 21
		Marathon Plus, Marathon	
		HS 180	
	28-622	Marathon, Marathon Plus	15, 17, 18
		Stelvio	
		Delta Cruiser	
	30-622	Marathon Racer, CX Pro, CX Comp	17, 18
		Speed Cruiser	
	32-622	Marathon, Marathon Plus, Marathon Supreme	17, 18
		Delta Cruiser, Road Cruiser	
	35-622	Marathon Racer, Racing Ralph, Kojak, CX Comp	17, 18
29"		Marathon Winter	
	37-622	Marathon Supreme, Marathon XR, Marathon Plus, Marathon, Smart Sam	17, 18
		Terra Cruiser, Silento II, Land Cruiser, Road Cruiser, Delta Cruiser, Advancer	
	40-622	Marathon Plus, Marathon Racer, Marathon Cross	17, 18, 19, 19A
		Snow Stud	
		Silento II	
	42-622	Marathon Supreme, Marathon XR, Marathon, Marathon Plus ATB, Hurricane, Smart Sam	17, 18, 19, 19A
		Marathon Winter	
		Land Cruiser, Terra Cruiser, Road Cruiser, Advancer	
	47-622	Marathon, Marathon Plus	17, 19, 19A
		Silento II, Land Cruiser, Road Cruiser	
	50-622	Marathon Supreme, Marathon XR, Marathon, Big Apple	19, 19A
30"	60-622	Big Apple	19, 19A
	40-635	Marathon, Marathon Plus	17, 19
		Delta Cruiser	
31"	54-622	Little Albert	19, 19A
	57-622	Racing Ralph	19, 19A
	62-622	Racing Ralph	19

## THE SCHWALBE TUBE

**A tube is not just a tube.**






**Airtightness.** Apart from the quality of the ingredients, the purity of the rubber mixture is crucial to the quality of the tube. The base material is therefore sieved at enormous pressure through seven filters before being extruded. All tubes are inserted into a mould and inflated for vulcanization to ensure constant wall thickness and high air pressure retention.

**Reliability.** All tubes are inflated and stored for 24 hours in order to test for air pressure retention. Afterwards each, individual tube undergoes a careful visual inspection. This special quality control helps prevent unpleasant surprises and is why, over many years, Schwalbe tubes have become highly respected for outstanding reliability by bicycle dealers.

**Group tube system.** Only high elasticity and good quality allows a tube to cover very many tire sizes. Tube No. 17 can fit tire widths between 28 mm and 47 mm and that is a big advantage to the trade and simultaneously it vouches for the tube's quality. Only an extremely high-quality and reliable tube is up to this requirement.

**Valve.** All valves are nickel plated and threaded and valve inserts are replaceable. Also Schwalbe tubes with the classic bicycle valve are capable of pressure testing thanks to a high pressure valve seal. And it is plain to see as each tube is crowned with a transparent polycarbonate dust cap.

[illegible]

									
22"	8	37-489	22 x 1 3/8 NL		120 g				
		28-490				AV 8	DV 8	RV 8	SV 8
		37-490	22 x 1 3/8	550 x 28A					
		37-501	22 x 1 3/8	550 x 35A		10417310	10417311	10417312	10417313
24"	9	47-507	24 x 1.75		130 g				
		28-540	24 x 1 1/8			AV 9	DV 9	RV 9	SV 9
		37-540	24 x 1 3/8						
		28-541		600 x 28A		10419310	10419311	10419312	10419313
		37-541		600 x 37A					
	9C NEW	18-520	24 x 3/4		90 g				SV 9C
		20-520	24 x 3/4						
		22-520	24 x 7/8						
		23-520	24 x 7/8						
		25-520	24 x 1.00						10418343
		28-520	24 x 1.10						
	10	40-507	24 x 1.50		165 g				
		47-507	24 x 1.75			AV 10	DV 10	RV 10	SV 10
		50-507	24 x 2.00						
		54-507	24 x 2.10			10421310	10421611	10421312	10421313
		57-507	24 x 2.25						
		60-507	24 x 2.35						
		62-507	24 x 2.50						
		57-520	25 x 2.25						
26"	12	47-559	26 x 1.75		140 g				
		47-571	26 x 1 3/4	650 x 45C		AV 12	DV 12	RV 12	SV 12
		37-584	26 x 1 1/2 x 1 3/8	650 x 35B					
		44-584	26 x 1 1/2 x 1 5/8	650 x 42B					
		32-590	26 x 1 1/4	650 x 32A	10423340		10423611	10423342	10423343
		37-590	26 x 1 3/8	650 x 35A			WP		
		44-590	26 x 1 5/8	650 x 42A			10923311		
		32-597	26 x 1 1/4						
	12A	25-559	26 x 1.00		120 g				
		28-559	26 x 1.10			AV 12A		RV 12A	SV 12A
		32-559	26 x 1 1/4			10432340		10432342	10432343
		35-559	26 x 1.35						
		37-559	26 x 1.40						
		40-559	26 x 1.50						
	13	40-559	26 x 1.50		190 g				
		47-559	26 x 1.75			AV 13	DV 13	RV 13	SV 13
		50-559	26 x 2.00						SV extralight 13
		54-559	26 x 2.10			10425340	10425311	10425342	10425343
		57-559	26 x 2.25						
		60-559	26 x 2.35						
		62-559	26 x 2.50						
						WP	WP	WP	
						10925440	10925311	10925443	
28"	15	18-622	28 x 3/4	700 x 18C	105 g				
		20-622	28 x 3/4	700 x 20C		AV 15	DV 15	RV 15	SV 15
		22-622	28 x 7/8	700 x 22C		10427340	10427611	10427342	10427343
		23-622	28 x 7/8	700 x 23C					SV extralight 15
		25-622	28 x 1.00	700 x 25C					
		28-622	28 x 1.10	700 x 28C					
		22-630	27 x 7/8						
		25-630	27 x 1.00				WP	WP	WP
							10927611	10927443	10927063
	16	28-622	28 x 1 5/8 x 1 1/8	700 x 28C	115 g				
		30-622	28 x 1.20	700 x 30C			DV 16	RV 16	SV 16
		32-622	28 x 1 5/8 x 1 1/4	700 x 32C					SV extralight 16
		28-630	27 x 1 1/4, Fifty				10431311	10431312	10431343
		32-630	27 x 1 1/4						10431363
	17	40-609	27 x 1 1/2		150 g				
		28-622	28 x 1 5/8 x 1 1/8	700 x 28C		AV 17	DV 17	RV 17	SV 17
		30-622	28 x 1.20	700 x 30C					SV extralight 17
		32-622	28 x 1 5/8 x 1 1/4	700 x 32C					
		37-622	28 x 1 5/8 x 1 3/8	700 x 35C	10429340		10429311	10429342	10429343
		40-622	28 x 1.50	700 x 38C					
		42-622	28 x 1.60	700 x 40C					
		47-622	28 x 1.75	700 x 45C					
		32-630	27 x 1 1/4			WP	WP	WP	
		40-635	28 x 1 1/2	700 x 38B		10929440	10929311	10929443	
	19	54-584	26 x 1 1/2 x 2		220 g				
		40-622	28 x 1.50	700 x 38C		AV 19	DV 19	SV 19	
		42-622	28 x 1.60	700 x 40C					
		47-622	28 x 1.75	700 x 45C					
		50-622	28 x 2.00		10430340		10430311	10430343	
		60-622	28 x 2.35						
		40-635	28 x 1 1/2	700 x 38B			WP		
							10930311		

WP = Workshop packing (50 tubes rolled in a carton)

Schwalbe tubes are the only bicycle tubes that carry the sought after “VSF-All ride” seal of approval. The VSF is a federation of professional and quality-oriented German bicycle dealers.

“You ride... and we’ll do the rest“. This is the motto that epitomizes the “VSF-All ride” quality seal and by which only the best and most reliable bicycle components are distinguished. An expert committee of the VSF e.V. ([www.vsf.de](http://www.vsf.de)) examines not only the outstanding quality and functionality of the products, but evaluates, among other things, the sustainability of production, the ethics and the service orientation of the manufacturer. Thus “VSF-All ride” certified bicycle components are wholeheartedly selected top products.





EXTRALIGHT

True reliability. Reduced weight that has been proven for many years.  
The No. 13F is new, for really wide Freeride tires.



20"	6A	28-406 32-406 35-406 37-406 40-406	20 x 1 1/8 20 x 1 1/4 20 x 1.35 20 x 1 3/8 20 x 1.50		65 g			SV 6A 10414393
	7C	40-406 47-406 50-406 54-406 57-406 60-406	20 x 1.50 20 x 1.75 20 x 2.00 20 x 2.10 20 x 2.125 20 x 2.35		95 g	AV 7C 10415710		SV 7C 10415713
26"	11	25-559 20-571 23-571	26 x 1.00 26 x 3/4 26 x 7/8	650 x 20C 650 x 23C	60 g	AV 11 10422310		SV 11 10422313
	14	40-559 47-559 50-559 54-559 57-559 60-559	26 x 1.50 26 x 1.75 26 x 2.00 26 x 2.10 26 x 2.25 26 x 2.35		130 g	AV 14 10424340		SV 14 10424343
	13F NEW	54-559 57-559 60-559 62-559 65-559 70-559 75-559	26 x 2.10 26 x 2.25 26 x 2.35 26 x 2.50 26 x 2.60 26 x 2.75 26 x 3.00		185 g	AV 13F 10425790		SV 13F 10425793
28"	18	28-622 30-622 32-622 37-622 40-622 42-622 44-622	28 x 1 5/8 x 1 1/8 28 x 1.20 28 x 1 5/8 x 1 1/4 28 x 1 5/8 x 1 3/8 28 x 1.50 28 x 1.60 28 x 1.625	700 x 28C 700 x 30C 700 x 32C 700 x 35C 700 x 38C 700 x 40C 700 x 42C	105 g			SV 18 10428343
	19A	40-622 42-622 47-622 50-622 60-622	28 x 1.50 28 x 1.60 28 x 1.75 28 x 2.00 28 x 2.35	700 x 38C 700 x 40C 700 x 45C	140 g			SV 19A 10430943
	20	18-622 20-622 22-622 23-622 25-622 22-630 25-630	28 x 3/4 28 x 3/4 28 x 7/8 28 x 7/8 28 x 1.00 27 x 7/8 27 x 1.00	700 x 18C 700 x 20C 700 x 22C 700 x 23C 700 x 25C	65 g			SV 20 10426343
								SV extralong 20 10426363
								SV XLong 20 10426383

DOWNHILL / HEAVY DUTY

Extremely durable. For especially demanding Downhill use.  
A strengthened rubber foot protects the valve against tear-off.



20"	7D	54-406 57-406 60-406 62-406 65-406 70-406 75-406	20 x 2.10 20 x 2.25 20 x 2.35 20 x 2.50 20 x 2.60 20 x 2.75 20 x 3.00		200 g	AV 7D 10415740		
24"	10D	54-507 57-507 60-507 62-507 65-507 70-507 75-507	24 x 2.10 24 x 2.25 24 x 2.35 24 x 2.50 24 x 2.60 24 x 2.75 24 x 3.00		260 g	AV 10D 10420740		
26"	13D	54-559 57-559 60-559 62-559 65-559 70-559 75-559	26 x 2.10 26 x 2.25 26 x 2.35 26 x 2.50 26 x 2.60 26 x 2.75 26 x 3.00		290 g	AV 13D 10425740		

ULTREMO

New 2008

The fastest tube for the fastest tire. Lighter: Weight just 49 g! Faster: Ultra-low rolling resistance. Tougher: Retains air pressure much longer than a latex tube. The Ultremo tube is manufactured using high-precision technology. Precision needs patience, so each tube is extruded very slowly to ensure that the unbelievably thin wall thickness can be maintained. A valve stem extension (1.5 g) for deep profile rims is provided with each tube.



26"	21	20-622	28 x 3/4	700 x 20C
	<b>NEW</b>	22-622	28 x 7/8	700 x 22C
		23-622	28 x 7/8	700 x 23C
		25-622	28 x 1.00	700 x 25C
				49 g

SV 21  
10429603

XXLIGHT

When every gramme counts.




26"	14A	40-559	26 x 1.50	95 g
		47-559	26 x 1.75	
		50-559	26 x 2.00	
		54-559	26 x 2.10	

AV 14A  
10424740


SV 14A  
10424743

SV 14A  
10424763


Valve parts




AV	Valve core	25	3610
	Rim nut	50	3601
	Rim nut (Moped)	50	3614
	Dustcap, transparent	25	6600
	Metal dustcap with valve key	25	3613



DV	Valve core	25	3361
	Rim nut	50	3601
	Top nut	50	3602
	Dustcap, transparent	25	6601



SV	Valve core with valve key	25	3363
	Rim nut	50	3620
	Dustcap, transparent	25	6603
	Aluminium valve extension, twin pack, with valve key	1	3443



	Valve adapter from DV/SV to AV	50	3622
	Valve tool for SV and AV inner cores	1	3450

## DOC BLUE

**The liquid patch.** Works fast and reliably. Doc Blue seals holes in tubes, tubulars or tubeless systems. Use for repair or preventing punctures. Puncture protection liquids have been around for a long time, but all existing products were unable to meet our demanding standards. Doc Blue combines several different principles and is therefore much more effective. Finally, now there is a simple and effective solution for puncture repair and prevention in tubeless systems and tubulars. **Dose:** Approx. 50 ml per tire. For large volume tires (width 57mm or more) increase the dose to 75 ml. 25ml is sufficient for racing cycle tires. Ensures effective puncture protection for around 3 months. Punctures are sealed automatically while riding. Doc Blue is not intended to seal large holes caused by cuts or bursts.

100 ml Bottle, Art-Nr. 3705



## EASY FIT Tire Mounting Fluid

**Special assembly liquid for bicycle tires.** A practical sponge applicator allows the liquid to be applied to the tire bead very simply - without smudging fingers. When inflating, the tire bead slides easily into the correct position on the rim. The liquid evaporates completely after about 10 minutes!

Sponge applicator, 50 ml, Art-Nr. 3700

Refill, 1000 ml, Art-Nr. 3701



## AIRMAX PRO

**The digital pressure gauge** is very precise, measuring pressures up to 11 bar and is suitable for both Auto and Presta valves. It will also function with Schwalbe's 'classic' bicycle valve.

Art.-Nr. 6010

**Tip:** Test tire pressures at least once per month with a pressure gauge. Testing by thumb is completely unreliable as with just half of the required pressure the tire will feel hard. Insufficient air pressure is the most common bicycle problem that results in dramatically increased rolling resistance and premature tire wear.



## TIRE LEVERS

**Tire changing made easy!.** The special shape of the lever reduces the danger of the tube being pinched during installation. When removing a tire, the lever can be snapped onto the spoke – leaving hands free for the second lever. The high-quality plastic is virtually unbreakable. Levers can be clipped together for easy storage.

3 piece set, Art-Nr. 1388



HIGH-PRESSURE-RIM TAPE

The third important factor - beside tube and tire - for puncture protection. The rim tape effectively protects the tube against mechanical damage, for example from spoke heads and metal burrs around the spoke holes.



	ETRTO	Art.-Nr.
16"	22-305	870060
18"	18-355	870061
20"	22-406	870062
24"	20-507	870080
	22-507	870082
	32-507	870084
	16-540	870086
26"	14-559	870094
	20-559	870100
	22-559	870102

Twin-pack

26"	14-559	874094
	20-559	874100
	22-559	874102
28"	14-622	874310

	ETRTO	Art.-Nr.
26"	25-559	870105
	32-559	870106
	16-571	870090
	18-559/571	870200
28"	14-622	870310
	16-622	870300
	18-622	870330
	20-622	870350
	22-622	870352

28"	16-622	874300
	18-622	874330
	20-622	874350
	22-622	874352



HIGH-PRESSURE ADHESIVE RIM TAPE

New 2008

Made from high-quality polyester that is light, yet withstands high pressures. The special adhesive prevents slipping under high loads and temperatures. Each roll has a pre-punched valve hole and is 2 m long, which is enough for all rim sizes. Packed 2 pieces per box.

- Twin-pack
- 2 m x 15 mm, Art-Nr. 880016
  - 2 m x 18 mm, Art-Nr. 880015



ADHESIVE RIM TAPE – 50 m Roll

Practicality for the workshop. The proven polyester tape on a 50 m roll.

- 19 mm, Art-Nr. 880001
- 15 mm, Art-Nr. 880002

Note for all tapes:  
For racing rims (13C, 14C) use only widths 18 or 19mm!





Symbols

- ETRTO size
- Inch size
- Special Feature
- Compound
- Min. / max. Pressure in bar
- Min. / max. Pressure in psi
- Approx. weight  
(Weights given are within +/- 8%)
- EPI (Carcass density)
- Maximum load weight  
(max. Pressure)
- Colorway
- SCHWALBE Tread number
- Article number
- Designation
- Spikes

Colorway

Abbreviation	Tread	Side-wall
Black	Black	Black
Black-Skin	Black	Black-Skin
Billboard	Black	Black with white letters
Blue	Blue	Black-Skin
Blue line	Black	Black with blue line
Creme	Cream	Cream
Creme-Reflex	Cream	Cream with reflex line
Gumwall	Black	Gum
Lever-Reflex	Black	Light vandyke brown with reflex line
Neon-Green	Neon-Green	Black-Skin
Neon-Orange	Neon-Orange	Black-Skin
Red	Red	Black-Skin
Redwall	Black	Brick-Red
Reflex	Black	Black with reflex line
Silver	Silver	Black-Skin
White	White	Black-Skin
White line	Black	Black with white line
Whitewall	Black	White
Yellow	Yellow	Black-Skin

Terminology

**Basic Line:** Schwalbe basic quality.

**EPI:** Ends per Inch (Fäden pro Zoll): Unit for the density of the carcass fabric. the higher the EPI, the denser the carcass and so the higher the quality of the tire.

**ETRTO** (European Tire and Rim Technical Organization): Standards organization for tire and rim sizes. The ETRTO sizing (e.g. 37-622) means that the tire is 37 mm wide and 622 mm diameter bead.

**Evolution Line:** Innovative tire concept for competition use. These tires encapsulate our ideal of the highest levels of quality and innovation.

**Light:** The Light version. When every gram counts.

**Limited Slip Technology (L.S.T.):** The tire bead is specially coated with a rubber mixture that reduces the risk of the tire slipping around the rim.

**Performance Line:** Top quality competition tires.

**Reinforced:** Strengthened.

**Skin:** Skin Tires have light, thin sidewalls. Advantages: Weight saving and reduced rolling resistance.

**SnakeSkin:** A light and flexible carcass makes the tire highly resistant to scrubbing.

**Sport Line:** Attractive treads, great performance and low weight at an affordable price.

**Tubular:** Tire with a tube sewn-in.

**Tubeless:** Engineered for the MAVIC-Tubeless System (UST).

Compounds

**Allround:** The Marathon Compound. It achieves everything expected of a Marathon tire: High durability, low rolling resistance and excellent wet grip.

**Dual:** Two different rubber compounds for optimal performance.

**Endurance:** Compound extremely resistant to friction for maximum mileage (MARATHON XR).

**Goody Gluey:** Extremely soft compound for ultimate control on both hard and loose surfaces (e.g. Muddy Mary).

**ORC:** Offroad Racing Compound. Special rubber mixture for area application on offroad tires.

**Qualifier:** Special rubber mixture, developed specifically for low rolling resistance. (e.g. Stelvio Light).

**Magic:** Our latest rubber compound. For us it is magic, because it combines outstanding wet grip with very good rolling characteristics. Magic Compound is the ultimate on wet, slippery roads.

**SBC:** Schwalbe-Basic-Compound. Versatile quality compound for all applications.

**Silica:** Special filler in the rubber mixture that positively influences the rolling resistance.

**Speedgrip:** Multilevel Dual Compound.

**T45:** Special compound for tubular tires (e.g. Montello).


**Triple:** Three different rubber mixtures in one tire for the best possible performance (e.g. Ultremo).

**Winter:** Special compound for spike tires.

Tire Evaluation

In order for you to compare our tire characteristics more easily and quicker, we evaluated most tires in the categories of: Speed, Grip, Puncture Protection and Durability. You can now select the tire that best suits your purpose at a glance. Different tires within each category; racing, MTB and touring are easily evaluated. However, tires from different categories cannot be compared.

Please note that although some tires have fewer points than in last year's catalog, they are no worse. In fact quite the opposite, because we are constantly improving them. In order to avoid extending the bars and to give more clarity we have distributed the points differently, so the gap between Top tires and others is more clearly recognizable.



= Outstanding

= Very good

= Good

= Average

= Below average

= Poor

= Bad

- Poor

++ Very Good

o Average

+++ Outstanding

+ Good


## Schwalbe- Puncture Protection System

Since developing the first MARATHONS at the beginning of the 80's we have concentrated intensively on advancing tire puncture resistance. Nearly all SCHWALBE tires now feature a puncture protection belt and we only consciously exclude it from special lightweight and sports tires. Here is an overview of the systems that we currently offer:

### Extreme Level


#### High Density Guard

Vectran® fibers are more tear-resistant than titanium, more cut-resistant than Aramid and at the same time extremely flexible and light. NASA used super-dense Vectran® airbags for their Mars lander. Vectran® fibers are woven using patented weaving technology to form our super-strong High Density Guard.



#### SmartGuard®

A substantial, 5 mm thick layer of flexible, special india rubber offers durable protection. SmartGuard® has a crucial advantage especially with objects that lodge in the tread and that can be forced through almost any other protection belt by the rotation of the wheel. Here the SmartGuard® has the advantage of thickness, because a thumbtack, for instance, simply remains in the rubber without damaging the tube.



### Premium Level


#### Kevlar®Guard

We have improved the well known Kevlar belt. The protective layer is stronger and safer, but, at the same time, now more flexible. Result: The protection level is higher and rolling resistance lower.



#### RaceGuard®


This belt was developed specially with racing in mind. A synthesis of special india rubber and several layers of nylon fabric offers very effective protection against penetration punctures. There is only a minimal increase in weight and rolling resistance of these tires.



### Basic Level

#### Puncture Protection

Standard tires have an effective puncture protection belt made of natural rubber.



Jersey / Shorts

New 2008

Jersey, Art-Nr. 1800

Cycling Shorts, Art-Nr. 1801

Sizes: S, M, L, XL, XXL



Tire Bag

**Good-looking and practical.** The Schwalbe Tire Bag made out of real folding tires and truck tarp. The practical details: Main pocket is large enough for a document binder. Separate document compartment. Zippered small article pocket. Back strap secures the bag while riding.

We have particularly strict quality assurance with folding tires. Tires that are too heavy, have run-out defects, or are optically un-round are immediately segregated, but no longer immediately scrapped, rather they are processed into useful Schwalbe Tire Bags.

Art-No. 1618



Saddle Bag / Bike Bottle

**Light and practical.** The Schwalbe saddlebag offers sufficient space for a spare tube and multi-tool. Simply fitted, without tools, using hook and loop straps. Contents are easily accessible even when installed. A separate tube compartment prevents it from being damaged by tools.

Art-No. 1613



**Light PE bottle with a nipple feeder.** Large neck for easy cleaning. 0.75 l. Transparent.

Art-No. 1603



T-Shirt / Beanie

T-Shirt, 100 % Cotton

Art.-Nr. 1709 (Size M), 1710 (L), 1711 (XL)




Beanie, Art.-Nr. 1634



All around the world

Schwalbe brand bicycle tires can be found from the USA to Australia and Japan to South Africa. And in Europe we are the market leaders! We believe there are two reasons for this success. Firstly: We are “tire fanatics”! Absolutely specializing in bicycles and for some years also in wheel-chairs. Secondly: Our tires can’t be found everywhere, but exclusively in the specialized trade! Because to our mind, qualified advice and good service are a must. And we know: Only the specialized trade can ensure both.

Schwalbe is the brand. Bohle is the company and since its establishment in 1922 it has been a family concern. Now a third generation business, it is headed by second generation Ralf Bohle, his son Frank Bohle and son-in-law Holger Jahn.



**Bohle international.** Head office in Germany, subsidiary companies in France, Great Britain, Italy and Holland. Partners in 28 other countries. Partnership production with Korean tire manufacturer Hung-A in Jakarta, Indonesia.

Our Prices

... The price of our tires reflects not just the cost of production – but also the service element costs provided on a local basis by our distribution partners – your specialist dealer.

Only in the specialized trade do you have...

- access to a large choice of tires and can take them away immediately.
- the possibility to test quality for yourself and to know that you have the very latest product.
- answers to technical problems on the spot.
- personal advice and the possibility of hassle-free exchange in case of a problem.





**Ralf Bohle GmbH**  
**Otto-Hahn-Str. 1 · 51580 Reichshof · Germany**  
**+49-2265-1090 · Fax +49-2265-7022**  
**info@ralfbohle.com · www.schwalbe.com**

**FRANCE**

Bohle France SARL  
57, Place de l'Hôtel de Ville  
38510 Morestel  
Tel. +33-4-74805842  
Fax +33-4-74805843  
pierre.dubruc@wanadoo.fr

**GREAT BRITAIN**

Bohle UK LTD  
Unit 113, Condover Ind. Est.  
Condover  
Shropshire SY5 7NH  
Tel. +44-1743-874496  
Fax +44-1743-873018  
info@bohle.co.uk  
www.schwalbe.co.uk

**ITALY**

Bohle Italia s.r.l.  
Via Verdi N. 3  
20041 Agrate Brianza (MI)  
Tel. +39-039-6058078  
Fax +39-039-6056169  
bohle@tiscali.it

**NETHERLANDS**

Anglo Dutch b.v.  
Dirk Storklaan 25  
2132 PX Hoofddorp  
Postbus 116  
2130 AC Hoofddorp  
Tel. +31-23-5555265  
info@anglodutch.nl

**Distribution Partners:**

**AUSTRALIA**

BikeBox  
Moorabbin VIC 3189  
+61-3-95555800  
info@bikebox.com.au

**AUSTRIA**

Thalinger Lange GmbH  
4600 Wels  
+43-7242-4970  
office@bikersbest.com  
www.bikersbest.com

**BELGIUM + LUXEMBOURG**

INTERCYCLE n.v.  
1700 Dilbeek  
+32-2-5691396  
ronny@intercycle.be

**CANADA**

Moser Enterprises Incorporated  
DBA: Schwalbe North America  
+1-888-700-5860  
tireinfo@schwalbetires.com  
www.schwalbetires.com

**CROATIA + BOSNIA-HERCEGOVINA**

Ullmann d.o.o.  
23000 Zadar  
+385-23-244010  
enter@ullmann.hr  
www.ullmann.hr

**CZECH REPUBLIC**

Imexpo spol. s.r.o.  
19000 Praha  
+42-2-66034237  
info@imexpo.cz  
www.imexpo.cz

**DENMARK**

Søndergaard & Sonner A/S  
8260 Viby J  
+45-86-281022  
sond-son@bikesond.dk

**ESTONIA**

Balti Autoosade AS  
10617 Tallin  
+372-6200-600  
ragnars@autoparts.ee  
www.tandem.ee

**FINLAND**

Kari Linnonmaa Sport OY  
00700 Helsinki  
+358-9-6860760  
kari.linnonmaa@linnonmaasport.fi

Velotrade Finland OY

00820 Helsinki  
+358-9-7591033  
mail@velotrade.fi

Tunturi Oy LTD

20361 Turku  
+358-251331  
www.tunturi.com

**HUNGARY**

Velotrade Kft.  
1211 Budapest  
+36-1-4558000  
velotrade@velotrade.hu  
www.velotrade.hu

Schwinn Csepel Rt.

1211 Budapest  
+36-1-2788040  
belker@schwinncsepel.hu  
www.schwinncsepel.hu

**JAPAN**

PR International Inc.  
Nagoya, 465-0028  
+81-52-774-8756  
info@printernational.co.jp  
www.g-style.ne.jp

**LATVIA**

Baltic Autoparts Sia  
1046 Riga  
+371-7062158  
www.bap.lv

**MALTA**

Magri Cycles & Spares  
Mosta MST 9036  
+356-21-414399  
magricyc@nextgen.net.mt

**MEXICO**

Maisterwerk  
Forza Motor Sport S.A. de C.V.  
Guadalajara, Jalisco  
+52-33-38177702  
info@maisterwerk.com  
www.maisterwerk.com

**NEW ZEALAND**

De Grandi Cycle and Sport NZ Ltd  
Christchurch  
+64-3-3891205  
info@degrandi.co.nz

**NORWAY**

CyklOn AS  
4626 Kristiansand  
+47-38047474  
info@cyklon.no

**POLAND**

P.H.P. Unibike sp.j.  
85-758 Bydgoszcz  
+48-52-3489611  
unibike@unibike.pl  
www.unibike.pl

**PORTUGAL**

Castanheira & Castanheira Lda.  
4905-642 Barroselas - Viana do Castelo  
+351-258-971216  
castanheiraecastanheira@sapo.pt

**RUSSIA**

TAN-BOHLE Co. Ltd.  
119606 Moscow  
+7-495-4360672  
tan@schwalbe.ru  
www.schwalbe.ru

**SERBIA + MONTENEGRO**

D.O.O. Jankovic Comp  
24430 Ada  
+381-63-583429  
office@jankovic.co.yu

**SLOVAKIA**

AGF INVEST s.r.o.  
85110 Bratislava-Rusovce  
+421-2-62859549  
info@agfinvest.sk  
www.agfinvest.sk

**SLOVENIA**

Pro Futura  
4220 Skofja Loka  
+386-45127501  
gasper@profutura.si

**SOUTH AFRICA**

Bicicletta  
0169 Centurion  
+27-834078562  
info@bicicletta.co.za  
www.bicicletta.co.za

**SPAIN**

Bike Tech S.L.  
08012 Barcelona  
+34-932-138000  
info@bike-tech.net

Vic Sports Afers s.l.

17179 Riudaura (Girona)  
+34-972-268299  
vicsports@vicsportsafers.es

**SWEDEN**

JOFRAB  
57323 Tranås  
+46-140-385030  
info@jofrab.se  
www.jofrab.se

Skeppshultcykeln AB

333 93 Skeppshult  
+46-37136800  
info@skeppshult.se

**SWITZERLAND**

Trek Fahrrad GmbH  
8600 Dübendorf  
+41-44-8248500  
parts@trek-villiger.ch

Komenda AG  
9014 St. Gallen  
+41-71-2776344  
parts@komenda.ch

**TAIWAN**

Salloy Co. LTD  
40765 Taichung  
+886-4-2463-9891  
salloy@ms72.hinet.net

**USA**

Moser Enterprises Incorporated  
DBA: Schwalbe North America  
+1-888-700-5860  
tireinfo@schwalbetires.com  
www.schwalbetires.com

