

SCHWALBE 2009

**Bike Tires**  
Road / MTB / Tour





## THE R-FACTOR

Within a few short months of its introduction in 2006 the Ultrero became a must have tire for racing cyclists and in 2008 Ultrero was chosen by two ProTour teams. The new top tires are distinguished by large silver and white side wall graphics and the additional red “R” is an important symbol. It signals that new Ultrero R has “Radial Technology” with three advantages: Firstly rolling resistance is radically reduced. Secondly weight has been lowered and thirdly risk of punctures has been minimized. So personal bests can now be beaten by a factor of “R”!

AMO



2010  
2010

ROAD RACE

# ROAD RACE

**NEW ULTREMO R** HS 380, Evolution Line, Folding tire


	ETRTO	SIZE	!	☉	●	Bar	Psi	🍷	🍷	EPI	Art.-No.
26"	<b>23-571</b>	650 x 23C	HD-Ceramic	Triple Nano	Black-Skin	6,0-10,0	85-145	170 g	6 oz	127	11635809
28"	<b>23-622</b>	700 x 23C	HD-Ceramic	Triple Nano	Black-Skin	6,0-10,0	85-145	180 g	6 oz	127	11646809
			HD-Ceramic	Triple Nano	White	6,0-10,0	85-145	180 g	6 oz	127	11646818
			HD-Ceramic	Triple Nano	Silver	6,0-10,0	85-145	180 g	6 oz	127	11646819
			HD-Ceramic	Triple Nano	Yellow	6,0-10,0	85-145	180 g	6 oz	127	11646813
			HD-Ceramic	Triple Nano	Red	6,0-10,0	85-145	180 g	6 oz	127	11646814
			HD-Ceramic	Triple Nano	Blue	6,0-10,0	85-145	180 g	6 oz	127	11646816
			HD-Ceramic	Triple Nano	Pink	6,0-10,0	85-145	180 g	6 oz	127	11646817
	<b>25-622</b>	700 x 23C	HD-Ceramic	Triple Nano	Black-Skin	6,0-8,0	85-115	200 g	7 oz	127	11646909

## R-FACTOR

Using new high tech materials and new construction principles the Ultremo R has charted previously unexplored territory.

**Radial Technology.** For the first time our High Density Technology makes possible to radially, in-build a protection belt into a bicycle tire. The tire retains its shape better. Internal friction and rolling resistance are reduced.

**Triple Nano Compound.** A completely revised nano-sized polymer base and fillers has made our triple compound even better. The filler particles that were formerly 200 nanometers in size now measure a mere 10 nanometers, or 0.00000001 M. This reduction has two crucial advantages: 1. The internal friction within the rubber is reduced, lowering rolling resistance. 2. More, smaller particles have much more surface area than few larger ones meaning the contact area is greater that results in improved grip. Result: An outstanding all-round compound that we use it in the tread center. Beneath this lies the base compound that is light and easy rolling, while the tire shoulders have the now legendary grippy compound.



## HIGH-DENSITY

High Density Guard is a unique puncture protection technology only available from Schwalbe. It has been jointly developed in co-operation with American firm Warwick Mills. Warwick is a specialist maker of high density fabrics and holds 14 international patents for its weaving technology. No other bicycle tire protection belt is as densely woven and this technology makes it possible to make a tire that is both light in weight and with an extraordinary high level of puncture resistance.



**Ceramic.** The addition of a ceramic coating is entirely new. Small pieces of glass that remain embedded in the tire and slowly cut their way through a protection belt are now stopped by the tough, ceramic particles that blunt the edges of the glass preventing its destructive migration.



**NEW**




Team Gerolsteiner,  
Tour de France 2008

**Ultremo R** – Created using new construction principles and with new high tech materials. Rolling resistance and weight have been radically reduced! Improve your personal best by a factor of R.

**R-Factor**


- ↓ Reduced weight: 180 g
- ↓ Reduced Rolling Resistance: Radial Technology
- ↓ Reduced puncture risk: HD Ceramic Guard



**ULTREMO R**

**Ultremo R** – Now available in colors.

Note: Colored rubber compounds are good, but black ones are better. For the very best performance in grip and durability choose the Ultremo R in black.



**ULTREMO R**

**The fastest tube for the fastest tire.** Lighter: Weight just 49 g! Faster: Ultra-low rolling resistance. Tougher: Retains air pressure much longer than a latex tube. The Ultremo tube is manufactured using high-precision technology. Precision needs patience, so each tube is extruded very slowly to ensure that the unbelievably thin wall thickness can be maintained. A valve stem extension (1.5 g) for deep profile rims is provided with each tube.

**SV 21**, for tire sizes 20-622, 23-622, 25-622  
Art.-Nr. 10429603



**ULTREMO TUBE**

# ROAD RACE

## NEW **ULTREMO DD** HS 380, Evolution Line, Folding tire

	ETRTO	Size	!	⊗	●	Bar	Psi	📦	📦	EPI	Art.-No.
28"	<b>23-622</b>	700 x 23C	Double Defense	Triple Nano	Black-Skin	6,0-10,0	85-145	225 g	8 oz	67	11646823
	<b>25-622</b>	700 x 25C	Double Defense	Triple Nano	Black-Skin	6,0-8,0	85-115	245 g	9 oz	67	11646923

## **ULTREMO TUBULAR** HS 380, Evolution Line, Tubular (Road)

NEW 28"	<b>19-622</b>	700 x 19	Latex Tube	Triple Nano	Black-Skin	9,0-15,0	130-220	230 g	8 oz		10100518
	<b>22-622</b>	700 x 22	Latex Tube	Triple Nano	Black-Skin	8,0-14,0	115-205	270 g	9 oz		10100515
<i>Track, Tubular for track use, lighter but without protection!</i>											
NEW 28"	<b>22-622</b>	700 x 22	Latex Tube	Triple Nano	Black-Skin	8,0-14,0	115-205	200 g	7 oz		10100524

## NEW **DURANO** HS 399, Performance Line, Folding tire

20"	<b>28-406</b>	20 x 1.10	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	190 g	7 oz	67	11646976
24"	<b>23-520</b>	24 x 0.90	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	195 g	7 oz	67	11628972
26"	<b>28-559</b>	26 x 1.10	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	260 g	9 oz	67	11646977
28"	<b>23-622</b>	700 x 23C	RaceGuard®	Dual	Black-Skin	6,0-10,0	85-145	235 g	8 oz	67	11646970
	<b>25-622</b>	700 x 25C	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	255 g	9 oz	67	11646980
			RaceGuard®	Dual	Reflex	6,0-8,0	85-115	255 g	9 oz	67	11646981
	<b>28-622</b>	700 x 28C	RaceGuard®	Dual	Black-Skin	6,0-8,0	85-115	275 g	10 oz	67	11646990

### Performance Line, Wired tire

20"	<b>28-406</b>	20 x 1.10	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	230 g	8 oz	67	11146976
	<b>28-451</b>	20 x 1 1/8	RaceGuard®	Dual	Black-Skin	6,0-8,5	85-120	255 g	9 oz	67	11121972


### HS 030, Performance Line, Tubular

28"	<b>22-622</b>	700 x 22	Tubular	Silica	Black-Skin	7,0-14,0	100-205	240 g	8 oz		10100550
-----	---------------	----------	---------	--------	------------	----------	---------	-------	------	--	----------

## DOUBLE DEFENSE TECHNOLOGY

**HD Ceramic Guard.** This unique, high-density fabric offers highly effective protection against penetration punctures. The additional coating of tiny ceramic particles blunts small shards of embedded glass, so that migration through the tire is stalled.


**SnakeSkin.** The addition of "snake skin" protects the tire shoulder and side wall against sharp rocks and broken glass. Although side wall defects are quite rare in road racing, it is still annoying when it happens. And worse, the tire is often not just punctured by a cut, it is frequently completely destroyed. Double Defense is the best prevention against this happening.






Team Columbia,  
Tour de France 2008

**The top competition tire with all around protection.** As well as the HD Ceramic belt it is also protected by a complete SnakeSkin fabric. This additional protection works particularly well on the shoulders and side walls. Cuts by glass shards, or sharp flints are effectively repelled. Weight and rolling resistance remain low. Naturally with Triple Nano Compound.



**ULTREMO DD**


**For pros nothing else will do:** A classic tubular. Genuinely handmade. Great skill and care are needed in the workmanship necessary in assembling the individual parts together. In order to attain perfection several days are needed in between the assembly steps for complete curing. Perfectly combining traditional construction methods with our most modern Triple Nano Compound. Yet another plus is the latex tube that lowers both the rolling resistance and puncture susceptibility.



**ULTREMO TUBULAR**

**For mile eaters.** Durano is the right choice for high mileage purposes, because no other racing tire lasts longer. At the same time the Dual Compound offers great grip for training on wet winter roads. It has the proven RaceGuard protection belt. Folding tire. 235 g.

Under normal conditions – i.e. unladen, on-road and under ordinary braking - expected tread life should be over 6,500 m (10.000 km).



**DURANO**

# ROAD RACE

## **NEW DURANO PLUS** HS 399, Performance Line, Folding tire

	ETRTO	Size	!	☉	●	Bar	Psi	📦	📦	EPI	Art.-No.
28"	<b>23-622</b>	700 x 23C	SmartGuard®	Dual	Black	6,0-10,0	85-145	340 g	12 oz	67	11646968
	<b>25-622</b>	700 x 25C	SmartGuard®	Dual	Black	6,0-8,0	85-115	380 g	13 oz	67	11646969

## **BLIZZARD** HS 363, Performance Line, Folding tire

28"	<b>20-622</b>	700 x 20C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	240 g	8 oz	50	11645835
	<b>23-622</b>	700 x 23C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	250 g	9 oz	50	11646835
			Kevlar®Guard	Silica	Red	6,0-8,0	85-115	250 g	9 oz	50	11646831
			Kevlar®Guard	Silica	Blue	6,0-8,0	85-115	250 g	9 oz	50	11646832
			Kevlar®Guard	Silica	Yellow	6,0-8,0	85-115	250 g	9 oz	50	11646833
<b>25-622</b>	700 x 25C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	275 g	10 oz	50	11646834	

### Performance Line, Wired tire

28"	<b>20-622</b>	700 x 20C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	310 g	11 oz	50	11145835
	<b>23-622</b>	700 x 23C	Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	320 g	11 oz	50	11146835
			Kevlar®Guard	Silica	Blue	6,0-8,0	85-115	320 g	11 oz	50	11146832
			Kevlar®Guard	Silica	Red	6,0-8,0	85-115	320 g	11 oz	50	11146831
			Kevlar®Guard	Silica	Black-Skin	6,0-8,0	85-115	345 g	11 oz	50	11146834
<b>25-622</b>	700 x 25C	Kevlar®Guard	Silica	Reflex	6,0-8,0	85-115	355 g	12 oz	50	11146836	

## **LUGANO** HS 384, Basic Line, Wired tire

28"	<b>20-622</b>	700 x 20C	Puncture Protection	SBC	Black-Skin	6,0-7,5	85-110	305 g	11 oz	37	11146000
	<b>23-622</b>	700 x 23C	Puncture Protection	SBC	Black-Skin	6,0-7,5	85-110	325 g	11 oz	37	11147000
			Puncture Protection	SBC	Beige-Skin	6,0-7,5	85-110	325 g	11 oz	37	11147001
			Puncture Protection	Silica	Blue	6,0-7,5	85-110	325 g	11 oz	37	11147002
			Puncture Protection	Silica	Red	6,0-7,5	85-110	325 g	11 oz	37	11147003
			Puncture Protection	Silica	Yellow	6,0-7,5	85-110	325 g	11 oz	37	11147004

## **MILANO** HS 026, Performance Line, Tubular

28"	<b>22-622</b>	700 x 22	Tubular	Silica	Beige-Skin	6,0-10,0	85-145	250 g	9 oz		10100050
-----	---------------	----------	---------	--------	------------	----------	--------	-------	------	--	----------

## **MONTELLO** Basic Line, Tubular HS 021

<b>NEW</b>	28"	<b>22-622</b>	700 x 22	Tubular	T45	Black-Skin	5,0-7,0	70-100	300 g	11 oz	10100009
------------	-----	---------------	----------	---------	-----	------------	---------	--------	-------	-------	----------

### HS 022

28"			Tubular	T45	Beige-Skin	5,0-7,0	70-100	300 g	11 oz		10100000
-----	--	--	---------	-----	------------	---------	--------	-------	-------	--	----------

## TUBULAR ACCESSORIES

**Tubular Cement.** Schwalbe tubular cement quickly fixes tires to rims. An application brush is integrated into the cap.



180 g Can, Art-Nr. 3708

**NEW** 25 g Tube, Art-Nr. 3709



**Doc Blue.** The liquid patch! Professionals use the breakdown protection liquid regularly, because Doc Blue is extremely reliable, due to the effective combination of different principles. Seals holes fast and effectively. Use for one-off repairs, or pre-race for highly effective prevention.

100 ml bottle, Art-Nr. 3705



**Valve Extention.** Made of aluminum and weighing 1.5 g, it extends a high pressure valve by 31 mm. Suitable for valves with replaceable valve inserts. Valve insert remover included.

2 per Set, Art.-Nr. 3443





# CROSS / SPEED

## RACING RALPH HS 391, Evolution Line, Folding tire

	ETRTO	Size	!			Bar	Psi			EPI	Load	Art.-No.	
<b>NEW</b>	28"	35-622	28 x 1.35, 700 x 35C	Evolution	Triple Nano	Black-Skin	3,5-6,0	50-85	340 g	12 oz	67	100 kg	11649830

## RACING RALPH TUBULAR HS 351, Evolution Line, Tubular

	28"	35-622	28 x 1.35, 700 x 35C	Evolution	Triple	Black-Skin	2,5-6,0	35-85	385 g	14 oz			10100740
--	-----	--------	----------------------	-----------	--------	------------	---------	-------	-------	-------	--	--	----------

## KOJAK HS 385, Performance Line, Folding tire

<b>NEW</b>	16"	32-349	16 x 1 1/4	RaceGuard®	SpeedGrip	Black-Skin	5,0-8,0	70-115	175 g	6 oz	67	75 kg	11610385
<b>NEW</b>	18"	32-355	18 x 1.25	RaceGuard®	SpeedGrip	Black-Skin	5,0-8,0	70-115	185 g	6 oz	67	75 kg	11610386
<b>NEW</b>	17"	32-369	17 x 1 1/4	RaceGuard®	SpeedGrip	Black-Skin	5,0-8,0	70-115	195 g	7 oz	67	75 kg	11610387
	20"	35-406	20 x 1.35	RaceGuard®	SpeedGrip	Black-Skin	4,0-6,5	55-95	230 g	8 oz	67	75 kg	11614102
	26"	35-559	26 x 1.35	RaceGuard®	SpeedGrip	Black-Skin	4,0-6,5	55-95	295 g	10 oz	67	100 kg	11630102
<b>NEW</b>		50-559	26 x 2.00	RaceGuard®	SpeedGrip	Black-Skin	2,0-5,0	30-70	460 g	16 oz	67	140 kg	11632385
<b>NEW</b>	28"	35-622	28 x 1.35, 700 x 35C	RaceGuard®	SpeedGrip	Black-Skin	4,0-6,5	55-95	330 g	12 oz	50	110 kg	11621385

### Performance Line, Wired tire

<b>NEW</b>	16"	32-349	16 x 1 1/4	RaceGuard®	SpeedGrip	Black-Skin	5,0-8,0	70-115	230 g	8 oz	50	75 kg	11109385
<b>NEW</b>	20"	35-406	20 x 1.35	RaceGuard®	SpeedGrip	Black-Skin	4,0-6,5	55-95	285 g	10 oz	50	75 kg	11115385
	26"	35-559	26 x 1.35	RaceGuard®	SpeedGrip	Black-Skin	4,0-6,5	55-95	395 g	14 oz	50	100 kg	11130386
		50-559	26 x 2.00	RaceGuard®	SpeedGrip	Black-Skin	2,0-5,0	30-70	570 g	20 oz	50	140 kg	11132385

## **NEW** DURANO HS 399, Performance Line, Wired tire

	26"	35-559	26 x 1.35	RaceGuard®	Dual	Black-Skin	4,0-6,5	55-95	395 g	14 oz	50	100 kg	11130399
	28"	32-622	28 x 1.25, 700 x 32C	RaceGuard®	Dual	Black-Skin	4,0-6,5	55-95	395 g	14 oz	50	100 kg	11148399

## CX PRO HS 269, Performance Line, Folding tire

	28"	30-622	28 x 1.20, 700 x 30C	Performance	ORC	Black-Skin	4,0-6,5	55-95	295 g	10 oz	67	90 kg	11648268
--	-----	--------	----------------------	-------------	-----	------------	---------	-------	-------	-------	----	-------	----------

### Performance Line, Wired tire

	26"	35-559	26 x 1.35	Performance	ORC	Black-Skin	4,0-6,5	55-95	405 g	14 oz	50	100 kg	11130268
	28"	30-622	28 x 1.20, 700 x 30C	Performance	ORC	Black-Skin	4,0-6,5	55-95	450 g	16 oz	50	90 kg	11148268

## SMART SAM HS 367, Performance Line, Wired tire

	28"	37-622	28 x 1.40, 700 x 35C	Performance	ORC	Black-Skin	3,5-6,0	50-85	430 g	15 oz	50	110 kg	11149368
Performance				ORC	Reflex	3,5-6,0	50-85	430 g	15 oz	50	110 kg	11149371	
<b>NEW</b>		42-622	28 x 1.60, 700 x 40C	Performance	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	11150372
				Performance	ORC	Reflex	3,5-6,0	50-85	540 g	19 oz	50	120 kg	11150367
	47-622	28 x 1.75	Performance	ORC	Black-Skin	3,0-5,0	45-70	610 g	21 oz	50	140 kg	11151367	

## HURRICANE HS 352, Performance Line, Wired tire

	28"	42-622	28 x 1.60, 700 x 40C	Performance	ORC	Black-Skin	3,5-6,0	50-85	540 g	19 oz	50	120 kg	11150354
				Kevlar®Guard	ORC	Reflex	3,5-6,0	50-85	570 g	20 oz	50	120 kg	11150355

## CX COMP HS 369, Basic Line, Wired tire

	28"	30-622	28 x 1.20, 700 x 30C	Puncture Protection	SBC	Black-Skin	3,0-5,5	45-80	450 g	16 oz	24	80 kg	11148969		
				35-622	28 x 1.35, 700 x 35C	Puncture Protection	SBC	Black-Skin	2,5-4,5	35-65	480 g	17 oz	24	100 kg	11149369
						Puncture Protection	SBC	Reflex	2,5-4,5	35-65	480 g	17 oz	24	100 kg	11149979
<b>NEW</b>		40-622	28 x 1.50, 700 x 40C	Puncture Protection	SBC	Black-Skin	2,5-4,5	35-65	550 g	19 oz	24	110 kg	11150369		
<b>NEW</b>				Puncture Protection	SBC	Reflex	2,5-4,5	35-65	550 g	19 oz	24	110 kg	11150368		



**The optimal competition tire.** Still hungry for success it has a new tread design and Triple Nano Compound. Cuts like a knife through the toughest terrain. More aggressive too: Holds a tight line in curves with its new „sharks-tooth“ U-Blocks.

Also available as a tubular tire with the proven HS351 tread.



Speed	Grip	Protection	Durability
 Rolling ++ Weight ++	 Hardpack + Loose + Soft +	 Puncture o Sidewall o	

### RACING RALPH

**Kojak makes no compromises.** Its home is the road. Although the fast, sporty, tread-less slick weighs just 295 g (35-559) it still has a RaceGuard protection belt.

Who loves ya baby?



Speed	Grip	Protection	Durability
 Rolling ++ Weight ++	 Wet + Off-road - Winter -	 Puncture + Sidewall -	

### KOJAK

**The new race tire.** Also in 32 mm width, for extra-fast racing bikes. Runs like fun and looks cool.



Speed	Grip	Protection	Durability
 Rolling ++ Weight +	 Wet + Off-road - Winter -	 Puncture + Sidewall -	

### DURANO



High speed cross-country. With unbelievably low weight and excellent grip.

### CX PRO



Unbeatable all rounder. Also in a Cross version: Rolls well, grips well, hard wearing.

### SMART SAM



Hurricane rolls fast and noiselessly, offering sufficient traction for short offroad excursions.

### HURRICANE



Light and economical. A cross tire with a low, semi-slick profile. Fast rolling and with good cornering grip.

### CX COMP



## 1999 // 2009

It all began in 1999 and with it the ascent of Schwalbe to "Best Brand". It became the father of a whole tire family and now fans of the legendary Fat Albert have something to cheer about. The new Fat Albert Evolution has doubled - as an All Mountain twin pack with maximum performance for front & rear.



# ALL MOUNTAIN

## NEW **FAT ALBERT FRONT** HS 400, Evolution Line, Folding tire

	ETRTO	Size	!	⊗	●	Bar	Psi	🍷	🍷	EPI	Load	Art.-No.
26"	57-559	26 x 2.25	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	650 g	23 oz	67	145 kg	11633777
			Evo, Double Defense	Triple Nano	Black-Skin	2,0-4,0	30-55	695 g	24 oz	67	145 kg	11633778
			Evo, SnakeSkin, Tubeless	Triple Nano	Black-Skin	2,0-4,0	30-55	840 g	29 oz	67	145 kg	11733777
62-559	26 x 2.40	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	750 g	26 oz	67	150 kg	11633979	
		Evo, SnakeSkin, Tubeless	Triple Nano	Black-Skin	2,0-4,0	30-55	960 g	34 oz	67	150 kg	11733979	

## NEW **FAT ALBERT REAR** HS 401, Evolution Line, Folding tire

26"	57-559	26 x 2.25	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	650 g	23 oz	67	145 kg	11633779
			Evo, Double Defense	Triple Nano	Black-Skin	2,0-4,0	30-55	695 g	24 oz	67	145 kg	11633783
			Evo, SnakeSkin, Tubeless	Triple Nano	Black-Skin	2,0-4,0	30-55	840 g	29 oz	67	145 kg	11733779
62-559	26 x 2.40	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	750 g	26 oz	67	150 kg	11633980	
		Evo, SnakeSkin, Tubeless	Triple Nano	Black-Skin	2,0-4,0	30-55	960 g	34 oz	67	150 kg	11733980	

## **SMART SAM** HS 367, Evolution Line, Folding tire

NEW	26"	54-559	26 x 2.10	Evo	Triple Nano	Black-Skin	2,5-4,0	35-55	495 g	17 oz	67	140 kg	11632070
NEW				Evo-Tubeless	Triple Nano	Black-Skin	2,5-4,0	35-55	625 g	22 oz	67	140 kg	11732070
NEW		57-559	26 x 2.25	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633071
NEW				Evo, Double Defense	Triple Nano	Black-Skin	2,0-4,0	30-55	660 g	23 oz	67	145 kg	11633070


## FAT ALBERT - TECHNOLOGY INSIDE

**SnakeSkin.** One of our most effective inventions for Mountainbikes. SnakeSkin fabric adds only ca. 40-50 g per tire. This makes it the most practical protection against sharp rocks that can easily cut the side wall of light racing tires. SnakeSkin - in rocky terrain it is a great call!


Option!



**Double Defense.** This version is additionally protected against penetration punctures by HD Ceramic Guard that is a really useful safeguard in thorny country.



**Triple Nano Compound.** The optimal three-way rubber compound: Fast, grippy, hard wearing. Nano particles improve grip and rolling resistance - particularly effective on the dynamic center compound.



**U-Blocks.** Shoulder lugs with a special trick. U-blocks "lift" themselves due to their special arrangement and spread cornering forces.



**Albert-Tubeless.** Albert has its own Tubeless version. Somewhat heavier, but much tougher. Pressure loss is protected by a butyl layer on the inside of the tire (instead of integrating butyl into the tire compound). Advantages: Even if there are large cuts in the tread rubber the tire will remain airtight. SnakeSkin fabric protects the side walls. Patch repair is possible.



Vertriders,  
La Palma



It is almost ten years ago that Fat Albert took mountain biking into a new era. It was the first tire that provided both lightness and large volume. Now there is a completely new Fat Albert. Its core competences remain though: Large volume. Low weight. Strong SnakeSkin side wall.

**FAT ALBERT FRONT.** A new, special front only version is designed for safe handling and braking grip. And with U-Blocks on the shoulders the Fat Albert Front tackles curves precisely.

**FAT ALBERT REAR.** On the rear Fat Albert provides reliable power transfer. The Rear version has U-Blocks specially positioned to optimize traction and give more control in curves. Fat Albert has tough, resilient lugs, because durability counts more than saving the last gram.

The Tubeless version is particularly strong. A butyl layer covers the inside of the tire, while on the outside SnakeSkin fabric covers the side walls.

Fat Albert. Front & Rear. The best combination for Alpencross.



FRONT



REAR



**FAT ALBERT**  
Front & Rear 2.4  
Art.-Nr. 16633200

Speed	Grip	Protection	Durability
■■■■ □ Rolling ○ Weight ○	■■■■■■ Hardpack + Loose +++ Soft ++	■■■■ □ Puncture ○ Snake bite + Sidewall ++	■■■■ □
<b>Double Defense</b> ■■■■ □	■■■■■■	■■■■ ■	■■■■ □

**FAT ALBERT FRONT & REAR**

**Unbeatable allrounder.** Smart Sam goes well on any terrain and even on the road it rolls effortlessly. New. Now available with Evolution carcass and Triple Nano Compound. Rolls and grips even better. Double Defense version hangs tough.

Speed	Grip	Protection	Durability
■■■■ □ Rolling + Weight ○	■■■■ □ Hardpack + Loose + Soft +	■■■■ □ □ Puncture ○ Snake bite + Sidewall ○	■■■■ ■
<b>Double Defense</b> ■■■■ □	■■■■ □	■■■■ ■	■■■■ ■

**SMART SAM**



# X-COUNTRY

## NOBBY NIC HS 365, Evolution Line, Folding tire

	ETRTO	Size	!	☉	●	Bar	Psi	🏠	🏠	EPI	Load	Art.-No.
26"	47-559	26 x 1.80	Evo	Triple Nano	Black-Skin	3,0-5,0	45-70	410 g	14 oz	67	125 kg	11631565
			Evo-Tubeless	Triple Nano	Black	3,0-4,0	45-55	540 g	19 oz	67	125 kg	11731466
NEW	54-559	26 x 2.10	Evo	Triple Nano	Black-Skin	2,5-4,5	35-65	495 g	17 oz	67	140 kg	11632565
			Evo-Tubeless	Triple Nano	Black	2,5-4,0	35-55	625 g	22 oz	67	140 kg	11732466
NEW	57-559	26 x 2.25	Evo, Double Defense	Triple Nano	Black-Skin	2,5-4,0	35-55	575 g	20 oz	67	140 kg	11632748
			Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633565
NEW	62-559	26 x 2.40	Evo	Triple Nano	White	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633577
NEW			Evo	Triple Nano	Silver	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633578
NEW	62-559	26 x 2.40	Evo	Triple Nano	Red	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633576
NEW			Evo-Tubeless	Triple Nano	Black	2,0-4,0	30-55	695 g	24 oz	67	145 kg	11733466
NEW	62-559	26 x 2.40	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	610 g	21 oz	67	145 kg	11633357
			Evo, Double Defense	Triple Nano	Black-Skin	2,0-4,0	30-55	660 g	23 oz	67	145 kg	11633462
NEW	62-559	26 x 2.40	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	675 g	24 oz	67	150 kg	11633466
			Evo-Tubeless	Triple Nano	Black	2,0-4,0	30-55	760 g	27 oz	67	150 kg	11733465

## RACING RALPH HS 391, Evolution Line, Folding tire

26"	54-559	26 x 2.10	Evo	Triple Nano	Black-Skin	2,5-4,0	35-55	460 g	16 oz	67	140 kg	11632820	
			Evo-Tubeless	Triple Nano	Black	2,5-4,0	35-55	590 g	21 oz	67	140 kg	11732727	
NEW	57-559	26 x 2.25	Evo, Double Defense	Triple Nano	Black-Skin	2,5-4,0	35-55	535 g	19 oz	67	140 kg	11632742	
NEW			Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	520 g	18 oz	67	145 kg	11633830	
NEW	62-559	26 x 2.40	Evo	Triple Nano	White	2,0-4,0	30-55	520 g	18 oz	67	145 kg	11633836	
NEW			Evo	Triple Nano	Silver	2,0-4,0	30-55	520 g	18 oz	67	145 kg	11633837	
NEW	62-559	26 x 2.40	Evo	Triple Nano	Red	2,0-4,0	30-55	520 g	18 oz	67	145 kg	11633835	
NEW			Evo-Tubeless	Triple Nano	Black	2,0-4,0	30-55	650 g	23 oz	67	145 kg	11733727	
NEW	62-559	26 x 2.40	Evo, SnakeSkin	Triple Nano	Black-Skin	2,0-4,0	30-55	570 g	20 oz	67	145 kg	11633728	
			Evo, Double Defense	Triple Nano	Black-Skin	2,0-4,0	30-55	610 g	21 oz	67	145 kg	11633932	
NEW	27 1/2	57-584	27 1/2 x 2.25	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	555 g	19 oz	67	145 kg	11633584
29er	29"	57-622	29 x 2.25	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	580 g	20 oz	67	145 kg	11634000
		62-622	29 x 2.40	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	640 g	22 oz	67	150 kg	11634001

## FURIOUS FRED HS 395, Evolution Line, Folding tire

26"	50-559	26 x 2.00	Evo	Triple Nano	Black-Skin	2,5-5,0	35-70	295 g	10 oz	127	125 kg	11632495	
			Evo-Tubeless	Triple Nano	Black	2,5-4,0	35-55	425 g	15 oz	127	125 kg	11732496	
NEW	57-559	26 x 2.25	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	395 g	14 oz	127	145 kg	11632595	
			Evo, RaceGuard	Triple Nano	Black-Skin	2,0-4,0	30-55	435 g	15 oz	127	145 kg	11632596	
NEW	62-559	26 x 2.40	Evo	Triple Nano	Black-Skin	2,0-4,0	30-55	440 g	15 oz	127	150 kg	11633585	
NEW	29"	50-622	29 x 2.00	Evo	Triple Nano	Black-Skin	2,0-4,0	35-70	335 g	12 oz	127	125 kg	11652585

## 3-TIRES-RACE-SYSTEM

Our answer to: "Which would be the best tire?"

! Note: Even more speed if you replace Nobby Nic with Rocket Ron. But increased puncture risk!





Sabine Spitz,  
European  
XC-Champion

**Devilish grip!** Nobby Nic has truly great grip, cornering speed and defies wash-out, which is why so many riders love it! And pros are surprised how it has been possible to have so much grip with such low rolling resistance. The secret is 3 +s: Hi-tech manufacture + an Evo-carcass + triple compound + U-blocks.



Now also with colored shoulders.  
Nobby Nic + Racing Ralph.



Speed	Grip	Protection	Durability
Rolling + Weight + SnakeSkin	Hardpack + Loose ++ Soft ++	Puncture ○ Snake bite ○ Sidewall ○	
Double Defense®			

### NOBBY NIC

**The most successful competition tire.** We made it even more merciless – lower weight, lower rolling resistance, better grip. It slices through terrain with its ‘sharks-tooth’ U-Blocks that make it grip much more aggressively, particularly in curves.



Speed	Grip	Protection	Durability
Rolling ++ Weight ++ SnakeSkin	Hardpack + Loose + Soft ○	Puncture ○ Snake bite ○ Sidewall ○	
Double Defense®			

"Schwalbe's Racing Ralph sets the benchmark. The brand-new Tubeless variant achieves the lowest ever value of 19,8 Watts, measured by BIKE, with even better durability in comparison to its predecessor."

### RACING RALPH

**No question - you want to win!** Is the track drying out? Can you risk a puncture? Is your technical riding skill excellent? OK - you are ready for Furious Fred. Never before has there been an MTB tire that ran so fast. We re-wrote the technical handbook: Tread design optimized for speed, minimal material, 127-epi-Evo-carcass, triple nano compound. And for maximum off-road speed 2.25 wide!

**Warning!** To anyone who wants everything. Furious Fred is the fastest MTB tire - Ever! But be aware: It is not an allrounder. Grip is limited and risk of puncturing is high.

Speed	Grip	Protection	Durability
Rolling +++ Weight +++ RaceGuard®	Hardpack + Loose ○ Soft -	Puncture - Snake bite ○ Sidewall -	

### FURIOUS FRED



# X-COUNTRY

## EVOLUTION LINE

Evolution is the process of continual improvement. Because, step by step even the 'best' can still be improved. The continuing Schwalbe Evolution has created innovations that today make our tires so unique.



### EVO-Carcass

Steeper angle of carcass threads. It provides the essential structure of the tire, increasing flexibility and reducing rolling resistance. Much more difficult and complex to make than a regular carcass.



### U-Blocks

Shoulder lugs with a half-open design. Arranged in a way that defies logic – it looks so different to a conventional arrangement because it is completely opposite! But U-Blocks 'lift' themselves up during cornering and so counter the tendency of the tire to step out in curves. During inclined cornering when the tire shoulder is fully loaded it has unmistakably more control. The surprising effect: Less under steer, more stability – "controlled" cornering!



### Triple Nano Compound

In mass production, no other bicycle tire maker in the world can combine rubber mixtures so purposefully. Only this complex differentiation of compounds in just one tire makes new benchmarks possible: Lighter rolling, more stability, more grip!



NEW!

New: Nano particles improve grip and rolling resistance - particularly effective in the dynamic center compound.



### Limited Slip Technology (L.S.T.)


The tire bead has a special rubber layer, which clearly reduces tire slip on the rim. This danger is particularly exacerbated during violent braking (in extreme cases causing valve tear off). Our tires stick - to the ground and the rim!



Option!

### Double Defense

The twin protector. HD Ceramic Guard + SnakeSkin. More safety for light offroad tires is impossible.



Option!

### SnakeSkin

Light and flexible fabric layer on the side wall. Makes tires almost impervious to sidewall defects.

## TUBELESS

There are tubeless versions of most Schwalbe MTB tires. Advantages: Lower inflation pressures are possible, giving more offroad grip. Less chance of punctures. No catastrophic air loss. No valve tear off. Disadvantages: Special rims required. Special assembly. Locating of puncture holes often problematic.



### ALBERT-TUBELESS

Fat Albert has its own Tubeless version. Somewhat heavier, but much tougher. Pressure loss protected by a butyl layer on the inside of the tire (instead of integrating butyl into the tire compound). Advantages: Even if there are large cuts in the tread rubber the tire will remain airtight. SnakeSkin fabric protects the side walls. Patch repair is possible.

### EVO-TUBELESS

Weight and rolling resistance are much lower. Inflation pressure stability and strengthened side walls are integrated into the tire structure. Attention: Patch repair is not possible. Simply use Doc Blue.



Team Bulls




**Racers' dreams come true.** This super light 'Rocket' answers almost every demand at one time: Incredible grip with extremely low weight and fully loaded with all the latest technology – 127-Evo-carcass, Triple Nano Compound, U-Blocks forming an open tread that has exceptional self-cleaning properties. Countdown begins!



Karl Platt:

„This tire has awesome grip, both straight line and in curves. It works as well in wet conditions as it does in dry. The blocks are further apart than on the Racing Ralph, yet it runs just as well.“

**!** Note: Out and out competition tire! Puncture protection and durability are limited.



## ROCKET RON

**NEW ROCKET RON** HS 406, Evolution Line, Folding tire

	ETRTO	Size	!	⊗	●	Bar	Psi	🏠	🏠	EPI	Load	Art.-No.
26"	54-559	26 x 2.10	Evo	Triple Nano	Black-Skin	2,5-4,0	35-55	410 g	14 oz	127	140 kg	11632105
			Evo-Tubeless	Triple Nano	Black	2,5-4,0	35-55	530 g	19 oz	127	140 kg	11732105
	57-559	26 x 2.25	Evo	Triple Nano	Black-Skin	2,0-4,0	35-55	445 g	16 oz	127	145 kg	11633105
			Evo-Tubeless	Triple Nano	Black	2,0-4,0	35-55	580 g	20 oz	127	145 kg	11733105
62-559	26 x 2.40	Evo	Triple Nano	Black-Skin	2,5-4,0	35-55	530 g	19 oz	127	150 kg	11633115	

## RECOMMENDED USE

	Cross-Country	Marathon	Tour/ All Mountain	Enduro	Freeride	Downhill	
FURIOUS FRED 2.00	█	█					●
FURIOUS FRED 2.25	█	█					●
RACING RALPH 2.10	█	█					●
RACING RALPH 2.25	█	█					●
RACING RALPH 2.40	█	█					●
ROCKET RON 2.10	█	█					●
ROCKET RON 2.25	█	█					●
ROCKET RON 2.40	█	█					●
NOBBY NIC 1.80	█						●
NOBBY NIC 2.10	█						●
NOBBY NIC 2.25		█					●
NOBBY NIC 2.40			█				●
SMART SAM 2.10		█					●
SMART SAM 2.25		█					●
FAT ALBERT 2.25			█				●
FAT ALBERT 2.40			█				●
MUDDY MARY 2.35				█			●
MUDDY MARY 2.50				█			●
BIG BETTY 2.40				█			●

also in a tubeless version ●

# PERFORMANCE

## NEW ROCKET RON HS 406, Performance Line, Folding tire

	ETRTO	Size	!			Bar	Psi			EPI	Load	Art.-No.
26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	480 g	17 oz	50	140 kg	11632106
	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	510 g	18 oz	50	145 kg	11633106

## NEW FAT ALBERT FRONT HS 400, Performance Line, Folding tire

26"	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	670 g	24 oz	50	145 kg	11633787
	62-559	26 x 2.40	Performance	ORC	Black-Skin	2,0-4,0	30-55	770 g	27 oz	50	150 kg	11633989

## NEW FAT ALBERT REAR HS 400, Performance Line, Folding tire

26"	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	670 g	24 oz	50	145 kg	11633789
	62-559	26 x 2.40	Performance	ORC	Black-Skin	2,0-4,0	30-55	770 g	27 oz	50	150 kg	11633990

## SMART SAM HS 367, Performance Line, Folding tire

26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	550 g	19 oz	50	140 kg	11632467
	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	630 g	22 oz	50	145 kg	11633267
<i>Performance Line, Wired tire</i>												
24"	54-507	24 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	580 g	20 oz	50	100 kg	11126367
26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	650 g	23 oz	50	140 kg	11132370
			Kevlar®Guard	ORC	Reflex	2,5-4,0	35-55	700 g	25 oz	50	140 kg	11132372
	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	815 g	29 oz	50	145 kg	11133371

## ALBERT HS 317, Performance Line, Folding tire

29er	29"	54-622	29 x 2.10	Performance	ORC	Black-Skin	2,5-4,5	36-65	590 g	21 oz	50	140 kg	11652417
<i>Performance Line, Wired tire</i>													
26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,5	35-65	595 g	21 oz	50	140 kg	11132317	
	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,5	30-65	690 g	24 oz	50	145 kg	11133317	
	60-559	26 x 2.35	Performance	ORC	Black-Skin	2,0-4,5	30-65	795 g	24 oz	50	150 kg	11133417	

## MUDDY MARY HS 381, Performance Line, Wired tire

26"	60-559	26 x 2.35	Performance	ORC	Black	2,0-4,0	30-55	930 g	33 oz	50	150 kg	11133381
	64-559	26 x 2.50	Performance	ORC	Black	1,5-3,5	20-50	1050 g	37 oz	50	160 kg	11133382

## BIG BETTY HS 358, Performance Line, Wired tire

26"	62-559	26 x 2.40	Performance	ORC	Black	2,0-4,0	30-55	930 g	33 oz	50	150 kg	11133358
-----	--------	-----------	-------------	-----	-------	---------	-------	-------	-------	----	--------	----------

## HURRICANE HS 352, Performance Line, Folding tire

26"	50-559	26 x 2.00	RaceGuard®	ORC	Black-Skin	2,5-5,0	35-70	570 g	20 oz	67	125 kg	11632461
<i>Performance Line, Wired tire</i>												
26"	50-559	26 x 2.00	Performance	ORC	Black-Skin	2,5-5,0	35-70	650 g	23 oz	50	125 kg	11132352
			Kevlar®Guard	ORC	Reflex	2,5-5,0	35-70	690 g	24 oz	50	125 kg	11132354

## JIMMY HS 327, Performance Line, Folding tire

26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	495 g	17 oz	67	140 kg	11632991
			Tubeless	ORC	Black-Skin	2,5-4,0	35-55	665 g	23 oz	67	140 kg	11732991
<i>Wired tire</i>												
26"	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	635 g	22 oz	50	140 kg	11132756
			Puncture Protection	SBC	Black	2,5-4,0	35-55	875 g	31 oz	24	120 kg	11132327

## BLACK SHARK MUD HS 325, Performance Line, Folding tire

26"	40-559	26 x 1.50	Performance	ORC	Black-Skin	3,0-6,0	45-85	395 g	14 oz	67	100 kg	11630317
	54-559	26 x 2.10	Performance	ORC	Black-Skin	2,5-4,0	35-55	570 g	20 oz	67	140 kg	11632217

## CX COMP HS 369, Basic Line, Wired tire

26"	50-559	26 x 2.00	Puncture Protection	SBC	Black-Skin	2,0-4,5	30-65	660 g	23 oz	24	120 kg	11139369
NEW			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	660 g	23 oz	24	120 kg	11139979

## BLACK JACK HS 340, Basic Line, Wired tire

24"	54-507	24 x 2.10	Puncture Protection	SBC	Black	2,5-4,0	35-55	850 g	30 oz	24	80 kg	11126800
26"	47-559	26 x 1.90	Puncture Protection	SBC	Black	2,5-5,0	35-70	800 g	28 oz	24	100 kg	11131602
	54-559	26 x 2.10	Puncture Protection	SBC	Black	2,5-4,0	33-55	950 g	33 oz	24	120 kg	11132600

## SPACE HS 326, Basic Line, Wired tire

24"	60-507	24 x 2.35	Puncture Protection	SBC	Black	2,0-4,0	30-55	980 g	34 oz	24	110 kg	11127329
26"	60-559	26 x 2.35	Puncture Protection	SBC	Black	2,0-4,0	30-55	1060 g	37 oz	24	130 kg	11133328

## MOUNTAINEER II HS 282, Basic Line, Wired tire

26"	50-559	26 x 1.90	Puncture Protection	SBC	Billboard	2,0-4,5	30-65	990 g	35 oz	24	120 kg	11132411
-----	--------	-----------	---------------------	-----	-----------	---------	-------	-------	-------	----	--------	----------



## PERFORMANCE LINE

Looking for honest performance?  
 Want good quality and low weight? Don't  
 need anything too extreme, or the latest  
 technology? Then try the Performance  
 version of our MTB tires.



**ROCKET RON**      **FAT ALBERT FRONT**      **FAT ALBERT REAR**



**SMART SAM**      **ALBERT**      **MUDDY MARY**      **BIG BETTY**

## MTB CLASSICS

Classic favorites - MTB treads from Schwalbe.



**HURRICANE**      **JIMMY**      **BLACK SHARK MUD**

## MTB BASICS

Schwalbe basic quality



**CX COMP**      **BLACK JACK**      **SPACE**      **MOUNTAINEER II**



## CHAMPIONS



**MARKUS KLAUSMANN,**  
German Downhill Champion



**ANTJE KRAMER,**  
German Downhill Champion



**JOHANNES FISCHBACH,**  
German 4X Champion



**STEFFI MARTH,**  
German 4X Champion



TIMO



TIMO PRITZEL

# GRAVITY

## MUDDY MARY HS 381, Freeride, Folding tire

	ETRTO	Size	!	☉	●	Bar	Psi	🍷	🍷	EPI	Load	Art.-No.
26"	60-559	26 x 2.35	Freeride	Triple Nano	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	11633781
			Freeride	Goopy Gluey	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	11633661
			Freeride, Tubeless	Triple Nano	Black	2,0-4,0	30-55	980 g	34 oz	67	150 kg	11733781
64-559	26 x 2.50	Freeride	Triple Nano	Black-Skin	1,5-3,5	20-50	980 g	34 oz	67	160 kg	11633782	
		Freeride	Goopy Gluey	Black-Skin	1,5-3,5	20-50	980 g	34 oz	67	160 kg	11633003	

## Downhill, Double Carcass, Wired tire

26"	60-559	26 x 2.35	Downhill	Triple Nano	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	11133660
			Downhill	Goopy Gluey	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	11133661
64-559	26 x 2.50	Downhill	Triple Nano	Black-Skin	1,5-3,5	20-50	1270 g	45 oz	2 x 67	160 kg	11133000	
		Downhill	Goopy Gluey	Black-Skin	1,5-3,5	20-50	1270 g	45 oz	2 x 67	160 kg	11133001	

## BIG BETTY HS 358, Freeride, Folding tire

24"	62-507	24 x 2.40	Freeride	Triple Nano	Black-Skin	2,0-4,0	30-55	780 g	27 oz	67	135 kg	11626920
26"	62-559	26 x 2.40	Freeride	Triple Nano	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	11633941
			Freeride	Goopy Gluey	Black-Skin	2,0-4,0	30-55	850 g	30 oz	67	150 kg	11633942
			Freeride, Tubeless	Triple Nano	Black	2,0-4,0	30-55	980 g	34 oz	67	150 kg	11733941

## Downhill, Double Carcass, Wired tire

26"	62-559	26 x 2.40	Downhill	Triple Nano	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	11133921
			Downhill	Goopy Gluey	Black-Skin	2,0-4,0	30-55	1150 g	40 oz	2 x 67	150 kg	11133922

## FREERIDE


All of our Freeride tires enjoy this technology.



**SnakeSkin:** A clearly visible feature of our Freeride tires. The outer side wall coating consists of a SnakeSkin fabric instead of heavy rubber. Just as durable, but clearly lighter.



**Snake Bite Protection:** Side pinch-puncture protection provides safety and stability.



**NEW**

**Triple Nano Compound:** The three-way optimal rubber mixture. Light rolling base. Durable center. Grippy shoulders. Nano particles improve grip and rolling resistance - particularly effective in the dynamic center compound.



**Limited Slip Technology (L.S.T.):** The tire bead has a special rubber coating that effectively reduces the tire slipping on the rim.

## DOWNHILL

The extra-strong Downhill version. It has all of the Freeride features plus a double carcass and particularly strong Snake Bite protection. It all adds up to more stability at the lowest pressure.



Double Carcass!

## OPTIONS

**Tubeless version.** No tube means an end to tube replacement.

**Goopy Gluey.** Best control on stony ground and wet conditions from the super-grippy Goopy-Gluey compound.



Markus Klausmann



**Our Grip Monster.** The aggressive 'intermediate' profile grips in on any terrain. Racer's are inspired. Outstanding control in all weathers and ground conditions. In addition it has great self-cleaning ability in sticky conditions. Muddy Mary's extremely broad spectrum of use covers 90 % of all circumstances.

Developed in cooperation with twelve-times German Downhill Champion - Markus Klausmann.

Speed	Grip	Protection	Durability
Rolling ○ Weight ○	Hardpack ++ Loose ++ Soft ++	Puncture + Snake bite ++ Sidewall +	
<b>Downhill</b> ■ ■ □ □	■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ □ □



"Not only the best puncture protection, but also in curves and under braking the tire was the first over the winning line".



6/2008: „If you are looking for a dependable tire with outstanding grip you will find a partner for life in Schwalbe's Muddy Mary".



**MUDDY MARY**

**For the tough jobs.** Big Betty is the card to play on stony or dry conditions with outstanding grip and ccsc rolling characteristics. The profile is adapted for optimum braking performance and accurate steering.

Speed	Grip	Protection	Durability
Rolling ○ Weight ○	Hardpack ++ Loose ++ Soft +	Puncture + Snake bite ++ Sidewall +	
<b>Downhill</b> ■ ■ □ □	■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ ■ ■ ■ ■	■ ■ ■ ■ □ □



"With just a single rubber compound Big Betty took the world of Enduro riders by storm. Now the new Triple Compound version not only grips better, it has improved safety features that are confirmed by test lab results. The Big Betty gets seven stars."



**BIG BETTY**

# DIRT / BMX

## TABLE TOP HS 373, Performance Line, Folding tire

	ETRTO	Size	!			Bar	Psi			EPI	Load	Art.-No.
24"	57-507	24 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	560 g	20 oz	67	130 kg	11626372
26"	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	590 g	21 oz	67	145 kg	11633376

## Performance Line, Wired tire

24"	57-507	24 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	605 g	21 oz	67	130 kg	11126300
26"	57-559	26 x 2.25	Performance	ORC	Black-Skin	2,0-4,0	30-55	670 g	24 oz	67	145 kg	11133373

## TWENTY 5 HS 398, Evolution Line, Folding tire

25"	57-520	25 x 2.25	Evolution	Dual	Black-Skin	2,5-4,0	35-55	560 g	20 oz	50	135 kg	11633639
-----	--------	-----------	-----------	------	------------	---------	-------	-------	-------	----	--------	----------

## MOW JOE HS 371, Performance Line, Folding tire

NEW	20"	47-406	20 x 1.85	Performance	ORC	Black-Skin	3,0-5,0	45-70	330 g	12 oz	67	85 kg	11616372
		50-406	20 x 2.00	Performance	ORC	Black-Skin	3,0-5,0	45-70	380 g	13 oz	67	85 kg	11617372
		37-451	20 x 1 3/8	Performance	ORC	Black-Skin	3,5-6,0	50-85	320 g	11 oz	67	80 kg	11621371
	24"	47-507	24 x 1.85	Performance	ORC	Black-Skin	3,0-5,0	45-70	420 g	15 oz	67	90 kg	11625372

## CRAZY BOB HS 356, Performance Line, Wired tire

20"	47-406	20 x 1.85	Performance	ORC	Black	4,5-7,0	65-100	630 g	22 oz	50	85 kg	11116355
			Performance	ORC	White	4,5-7,0	65-100	630 g	22 oz	50	85 kg	11116354
	54-406	20 x 2.10	Performance	ORC	Black	4,5-7,0	65-100	720 g	25 oz	50	85 kg	11117355
24"	60-507	24 x 2.35	Performance	ORC	Black	2,0-4,5	30-65	950 g	33 oz	50	135 kg	11127356
26"	60-559	26 x 2.35	Performance	ORC	Black	2,0-4,5	30-65	995 g	35 oz	50	150 kg	11133355

## JUMPIN' JACK HS 331, Performance Line, Wired tire

20"	54-406	20 x 2.10	Performance	ORC	Black	2,0-4,5	35-65	640 g	22 oz	50	80 kg	11117331
	57-406	20 x 2.25	Performance	ORC	Black	2,0-4,5	35-65	770 g	27 oz	50	80 kg	11117332

## MAD MIKE HS 137, Basic Line, Wired tire

16"	47-305	16 x 1.75		SBC	Black	2,5-3,0	35-45	470 g	16 oz	24	55 kg	11106400
	57-305	16 x 2.125		SBC	Black	2,5-3,0	35-45	580 g	20 oz	24	60 kg	11107400
18"	47-355	18 x 1.75		SBC	Black	2,5-3,0	35-45	550 g	19 oz	24	60 kg	11110400
20"	47-406	20 x 1.75		SBC	Black	2,5-4,0	35-55	610 g	21 oz	24	65 kg	11116400
	57-406	20 x 2.125		SBC	Black	2,5-4,0	35-55	760 g	27 oz	24	70 kg	11117400

## DIRTY HARRY HS 311, Basic Line, Wired tire

20"	54-406	20 x 2.10	Puncture Protection	SBC	Black	2,5-4,5	35-65	650 g	23 oz	24	75 kg	11117111
-----	--------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	-------	----------

## KNOBBY HS 160, Basic Line, Wired tire

20"	54-406	20 x 2.00	Puncture Protection	SBC	Black	2,5-4,5	35-65	750 g	26 oz	24	75 kg	11117028
-----	--------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	-------	----------



Timo Pritzel



Tobias Wicke



Steffi Marth



**Timo Pritzel Series.** Closed block tread is the outstanding basis for sophisticated tricks. We developed this tire together with Timo Pritzel. It is extremely light, in order to give Timo maximum momentum for record jumps.



*Timo Pritzel: "It puzzled me how heavily and badly other tires ran. Makers obviously thought that Dirt Jumping riders didn't care about rolling resistance and light weight, but it is exactly the opposite. Schwalbe converted my feedback into the superb Table Top tire!"*



**TABLE TOP**

**Super-fast tire for BMX racing.** It is fast on track and tenacious in curves.



**MOW JOE**

**The Urban Cross Cycle tire – UXC.** This bike concept has been promoted by car maker Suzuki, following its "Urban Cross Car". Twenty 5 is the world's first 25 inch tire, developed in order to combine the compactness and direct handling of a BMX bike with the strength of a mountainbike.



**TWENTY 5**

**Born to jump in the dirt.** Designed for "Dirt" riding, large regular lugs give outstanding grip in sand and dirt. Special strengthening protects the sidewalls.



**JUMPIN' JACK**

**Chilled on wild tricks and steep ramps.** The wraparound tread has great grip in half-pipes. Special strengthening



**CRAZY BOB**

Proven BMX profiles in an affordable standard version.



**MAD MIKE**



**DIRTY HARRY**



**KNOBBY**

**BMX-CLASSICS**

# SPIKES

## ICE SPIKER PRO HS 379, Evolution Line, Folding tire

	ETRTO	Size	!	Spikes	🌀	🌑	Bar	Psi	📦	📦	EPI	Load	Art.-No.
26"	54-559	26 x 2.10	Evolution	361	Winter	Black-Skin	2,5-4,0	35-55	695 g	24 oz	67	140 kg	11632609

## ICE SPIKER HS 333, Performance Line, Wired tire

26"	54-559	26 x 2.10	Kevlar®Guard	304	Winter	Black-Skin	2,0-4,5	30-65	980 g	34 oz	50	140 kg	11132801
-----	--------	-----------	--------------	-----	--------	------------	---------	-------	-------	-------	----	--------	----------

## MARATHON WINTER HS 396, Performance Line, Wired tire


20"	42-406	20 x 1.60	Kevlar®Guard	168	Winter	Reflex	2,0-5,0	30-70	640 g	22 oz	67	80 kg	11116448
<b>NEW</b> 24"	47-507	24 x 1.75	Kevlar®Guard	184	Winter	Reflex	2,0-5,0	30-70	920 g	32 oz	67	100 kg	11125444
26"	47-559	26 x 1.75	Kevlar®Guard	200	Winter	Reflex	2,0-5,0	30-70	995 g	35 oz	67	125 kg	11136448
28"	35-622	28 x 1.35, 700 x 35C	Kevlar®Guard	240	Winter	Reflex	2,5-6,0	35-85	890 g	31 oz	67	110 kg	11126448
	42-622	28 x 1.60, 700 x 40C	Kevlar®Guard	240	Winter	Reflex	2,0-5,0	30-70	930 g	33 oz	67	120 kg	11156448

## SNOW STUD HS 268 + HS 264, Performance Line, Wired tire


26"	50-559	26 x 1.90	Kevlar®Guard	100	Winter	Reflex	2,0-4,5	30-65	980 g	34 oz	50	125 kg	11132223
28"	40-622	28 x 1.50, 700 x 38C	Kevlar®Guard	120	Winter	Reflex	2,0-5,0	30-70	915 g	32 oz	50	120 kg	11150334

## SPIKES

Schwalbe spikes generally have a core made of extremely hardwearing tungsten carbide. The base is fully galvanized steel.




For more grip the spikes of the Ice Spiker Pro have an even stronger core made of Wolfram Carbide, one of the hardest known materials. For reasons of weight reduction spike bases and cladding are of light weight aluminum.



Note: In order to ensure spikes are not dislodged from the tire, avoid riding more than 40 km on asphalt, hard braking and hard acceleration.




**Lighter, grippier, faster.** The 'turbo' of spike tires. With 361 spikes it bites firmly into icy roads. The tungsten carbide core of each spike is clad in weigh-saving aluminum. The scales stop at 695 g., yet the tire remains agile and sporty.




### ICE SPIKER PRO

**Freeriding in snow.** Why not? With the ICE SPIKER you're properly prepared for extreme winter riding. 304 specially long spikes offer maximum purchase on snow and ice.




### ICE SPIKER

**For a safer journey.** You have full control on icy roads with the Marathon Winter. Even in tight bends and under violent braking everything remains under control. The spikes work best on ice when running at minimum pressure, while at maximum pressure the tires can be ridden on ice-free roads with minimal road noise.



### MARATHON WINTER

**Perfect winter tire.** The spikes are not on the tread center, but arranged on the sides in the area of greatest contact pressure. When properly inflated the tire can also be used under normal, ice and snow-free, road conditions. By lowering the air pressure the tire gains optimum grip on icy roads.



### SNOW STUD



## THE WORLD NEEDS BICYCLES.

Ride the World. Take a bicycle and do it! For everyone who shares this sense of adventure there is a new Marathon and its name is a promise: Extreme.

The world needs intelligent mobility, so the bicycle has a big future. We have tires that make cycling safer and more comfortable than ever before, because we want more and more people to enjoy the pleasure of cycling.



# MARATHON EVO

## NEW **MARATHON EXTREME** HS 402, Evolution Line, Folding tire

	ETRTO	Size	!	☼	●	Bar	Psi	📦	📦	EPI	Load	Art.-No.
26"	50-559	26 x 2.00	Double Defense	Triple Nano	Reflex	2,0-5,0	30-70	570 g	20 oz	67	140 kg	11631402
	57-559	26 x 2.25	Double Defense	Triple Nano	Reflex	2,0-4,5	30-65	660 g	23 oz	67	145 kg	11633402
28"	37-622	28 x 1.40	Double Defense	Triple Nano	Reflex	3,5-6,0	50-85	490 g	17 oz	67	115 kg	11649402
	42-622	28 x 1.60	Double Defense	Triple Nano	Reflex	3,5-6,0	50-85	525 g	18 oz	67	130 kg	11650402

## **MARATHON SUPREME** HS 382, Evolution Line, Folding tire

NEW	20"	42-406	20 x 1.60	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	325 g	11 oz	67	80 kg	11613382
NEW	26"	42-559	26 x 1.60	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	440 g	15 oz	67	110 kg	11630382
		50-559	26 x 2.00	HD Ceramic	Triple Nano	Reflex	2,0-5,0	30-70	565 g	20 oz	67	140 kg	11632483
	28"	32-622	28 x 1.25, 700 x 32C	HD Ceramic	Triple Nano	Reflex	4,0-6,5	55-95	375 g	13 oz	67	100 kg	11647483
		37-622	28 x 1.40, 700 x 35C	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	440 g	15 oz	67	110 kg	11649484
		42-622	28 x 1.60, 700 x 40C	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	495 g	17 oz	67	130 kg	11650483
		50-622	28 x 2.00	HD Ceramic	Triple Nano	Reflex	2,0-5,0	30-70	645 g	23 oz	67	150 kg	11652483

### Evolution Line, Wired tire

NEW	26"	50-559	26 x 2.00	HD Ceramic	Triple Nano	Reflex	2,0-5,0	30-70	635 g	22 oz	67	140 kg	11132383
NEW	28"	37-622	28 x 1.40, 700 x 35C	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	520 g	18 oz	67	115 kg	11149384
NEW		42-622	28 x 1.60, 700 x 40C	HD Ceramic	Triple Nano	Reflex	3,5-6,0	50-85	570 g	20 oz	67	130 kg	11150383

## **MARATHON XR** HS 359, Evolution Line, Folding tire

26"	42-559	26 x 1.60	HD Ceramic	Endurance	Reflex	3,5-6,0	50-85	595 g	21 oz	67	110 kg	11630469
	50-559	26 x 2.00	HD Ceramic	Endurance	Reflex	2,0-5,0	30-70	790 g	28 oz	67	140 kg	11631469
	57-559	26 x 2.25	HD Ceramic	Endurance	Reflex	2,0-4,5	30-65	890 g	31 oz	67	145 kg	11633469
28"	37-622	28 x 1.40, 700 x 35C	HD Ceramic	Endurance	Reflex	3,5-6,0	50-85	590 g	21 oz	67	115 kg	11649469
	42-622	28 x 1.60, 700 x 40C	HD Ceramic	Endurance	Reflex	3,5-6,0	50-85	670 g	24 oz	67	130 kg	11650469
	50-622	28 x 2.00	HD Ceramic	Endurance	Reflex	2,0-5,0	30-70	880 g	31 oz	67	150 kg	11652469

### Evolution Line, Wired tire

26"	50-559	26 x 2.00	HD Ceramic	Endurance	Reflex	2,0-5,0	30-70	860 g	30 oz	67	140 kg	11131469
28"	37-622	28 x 1.40, 700 x 35C	HD Ceramic	Endurance	Reflex	3,5-6,0	50-85	670 g	24 oz	67	115 kg	11149469
	42-622	28 x 1.60, 700 x 40C	HD Ceramic	Endurance	Reflex	3,5-6,0	50-85	750 g	26 oz	67	130 kg	11150469

## MARATHON EXTREME

**High Densty.** High Density Guard is a unique puncture protection technology only available from Schwalbe. It has been jointly developed in co-operation with American firm Warwick Mills. Warwick is a specialist maker of high density fabrics and holds 14 international patents for its weaving technology. No other bicycle tire protection belt is as densely woven and this technology makes it possible to make a tire that is both light in weight and with an extraordinary high level of puncture resistance.

**Ceramic.** The addition of a ceramic coating is entirely new. Small pieces of glass that remain embedded in the tire and slowly cut their way through a protection belt are now stopped by the tough, ceramic particles that blunt the edges of the glass preventing its destructive migration.

**SnakeSkin.** The additional "Snakeskin" protects tire shoulders and side walls against sharp rocks and glass. It is far lighter than a full rubber side wall, but nevertheless just as sturdy.




SnakeSkin +  
HD Ceramic Guard  
= Double Defense



**Designed for expedition and rough terrain.** Only by riding can the easy rolling ability of the Marathon Extreme be experienced. The light, yet at the same time, solid construction is made possible by the all-around SnakeSkin fabric layer. The HighDensity belt protects against punctures and is made even more efficient in this latest version with the addition of ceramic coating.

SnakeSkin + HD Ceramic Guard = Double Defense


Additionally the tire uses the latest compound. Triple Nano Compound ensures safe grip on wet roads, low rolling resistance and remarkable durability.



### MARATHON EXTREME

**Exceptional. Outstanding. The best.** A touring tire that can do everything. That was the goal of our development team. For 2009 we have completely revised our : HD Ceramic Guard, Triple Nano Compound, LiteSkin side wall. The Marathon Supreme is now even lighter and faster. Puncture resistance has also been improved and its grip on wet roads remains outstanding!

 Note: Marathon Supreme has no dynamo lighting track.



### MARATHON SUPREME



**The ultimate expedition tire!** An extremely versatile tread with an incomparably friction resistant rubber compound. The High Density Guard protection belt offers excellent puncture protection at an extremely low weight. A special chafer around the bead prevents the tire scrubbing out on the rim under extreme loads. Made as a folding tire to pack easily in luggage.



### MARATHON XR



# MARATHON PLUS

## NEW MARATHON PLUS TOUR HS 404, Wired tire

	ETRTO	Size	!	☉	●	Bar	Psi	📦	📦	EPI	Load	Art.-No.
26"	47-559	26 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	980 g	34 oz	67	125 kg	11131404
	50-559	26 x 2.00	SmartGuard®	Allround	Reflex	2,0-5,0	30-70	1100 g	39 oz	67	140 kg	11132404
28"	37-622	28 x 1.40	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	890 g	31 oz	67	110 kg	11149404
	42-622	28 x 1.60	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	940 g	33 oz	67	125 kg	11150405

## MARATHON PLUS HS 348, Wired tire

16"	35-349	16 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	480 g	17 oz	67	75 kg	11109348
18"	35-355	18 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	510 g	18 oz	67	75 kg	11111348
20"	35-406	20 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	580 g	20 oz	67	80 kg	11115348
	47-406	20 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	710 g	25 oz	67	85 kg	11116348
24"	47-507	24 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	940 g	33 oz	67	100 kg	11125348
26"	35-559	26 x 1.35	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	830 g	29 oz	67	100 kg	11130348
	47-559	26 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	980 g	34 oz	67	125 kg	11131348
	37-590	26 x 1 3/8, 650 x 35A	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	860 g	30 oz	67	100 kg	11140348
	42-590	26 x 1 5/8, 650 x 40A	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	980 g	34 oz	67	110 kg	11141348
28"	25-622	28 x 1.00, 700 x 25C	SmartGuard®	Allround	Reflex	5,0-8,0	70-115	580 g	20 oz	67	90 kg	11146348
	28-622	28 x 1 1/8, 700 x 28C	SmartGuard®	Allround	Reflex	4,0-7,0	55-100	740 g	26 oz	67	95 kg	11147348
	32-622	28 x 1 1/4, 700 x 32C	SmartGuard®	Allround	Reflex	4,0-6,5	55-95	800 g	28 oz	67	100 kg	11148348
	37-622	28 x 1 3/8, 700 x 35C	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	890 g	31 oz	67	110 kg	11149348
	40-622	28 x 1.50, 700 x 38C	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	940 g	33 oz	67	125 kg	11150348
	47-622	28 x 1.75	SmartGuard®	Allround	Reflex	3,0-5,0	45-70	1070 g	38 oz	67	140 kg	11151348
	40-635	28 x 1 1/2	SmartGuard®	Allround	Reflex	3,5-6,0	50-85	1010 g	35 oz	67	130 kg	11158348

## MARATHON PLUS ATB HS 353, Wired tire

26"	50-559	26 x 2.00	SmartGuard®	Allround	Reflex	2,5-5,0	50-85	1100 g	34 oz	67	140 kg	11132353
28"	42-622	28 x 1.60, 700 x 40C	SmartGuard®	Allround	Reflex	3,5-6,0	35-70	970 g	39 oz	67	125 kg	11150353

## WHAT DOES THE PRODUCT MANAGER RIDE?

**I like riding Evo-Tires the best:** Both the latest Marathon Extreme and Marathon Supreme. Every time I ride them I'm amazed at just how light the tires are and how well they accelerate. I ride every day and it's often rainy where we are, yet even so I feel really safe when cornering on these tires. Although I regularly ride light tires I cannot recall the last time I suffered a puncture. That's the benefit of High Density puncture protection.

**But for the ultimate in puncture protection my choice of absolute safest to ride is clear: Marathon Plus!** It is the best protected everyday bicycle tire. Even Flat-less. Of course it is heavy, but rolling resistance is low despite the SmartGuard layer. Because of this we patented this rolling resistant neutral puncture protection.

**Also on the subject of durability** Marathon Plus leads all other tires. For circumnavigating the world, loaded up with luggage like a packhorse, it's also a reliable option. It has been proven many times to last more than 6,500 miles (10,000 km), even putting the legendary Marathon XR in the shade.




**Carsten Zahn**

Schwalbe Product-Manager since 1998. Rides to work each day - through hilly terrain. Vacation: Bicycle expeditions, or cycle touring with the family. Five bicycles. Annually rides ~ 6,500 miles (10,000 km).




**The new Flat-less tire.** A heavy-duty trekking tread for asphalt, or offroad allows this versatile tire to always feel at home, whether in everyday use, or on long tours. The robust structure is an effective damage defense that is twinned with SmartGuard, the most effective puncture protection belt for bicycle tires.



**MARATHON PLUS TOUR**



**Punctures are a memory.** The SmartGuard layer made from a flexible, special rubber offers particular resistance to shards of glass and flints. Even a thumbtack cannot penetrate this protective layer. The SmartGuard belt does not increase rolling resistance. The MARATHON PLUS rolls as easily as a tire without protection.




**MARATHON PLUS**



**The Flat-less ATB tire.** Popular center rib tread for noiseless running on pavement. The sturdy outer blocks make occasional offroad excursions easy.

**!** Note: Use a pressure gauge to adjust tire pressures as the common 'thumb check' is insufficient due to the special construction of the Marathon Plus.



**MARATHON PLUS ATB**



**!** Note: It is impossible to guarantee that a flat will never happen, but the Marathon Plus has the best defense against everyday tire wreckers such as glass, flints or metal shards.



**Stiftung Warentest 7/2003:** "The puncture resistance was tested by using as many different sharp objects as possible under normal road conditions, cycling over: Glass – the tire survived. Thorns, granulates, flints – the tire survived. Then the most severe: Thumbtacks- the tire still survived and, despite five thumbtacks lodged in the tread, the Marathon Plus didn't puncture."

STIFTUNG WARENTEST is Germany's most respected, independent test house.

# MARATHON

## MARATHON HS 368, Wired tire

	ETRTO	Size	!	⊗	●	Bar	Psi	🏠	🏠	EPI	Load	Art.-No.	
<b>NEW</b>	16"	47-305	16 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	460 g	16 oz	50	75 kg	11106368
		37-349	16 x 1 3/8	Kevlar®Guard	Allround	Reflex	3,0-6,0	45,85	350 g	12 oz	50	75 kg	11109500
20"	40-406	20 x 1.50	Kevlar®Guard	Allround	Reflex	3,0-7,0	45-100	470 g	16 oz	50	90 kg	11115500	
	47-406	20 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	560 g	20 oz	50	85 kg	11116500	
24"	47-507	24 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	690 g	24 oz	50	100 kg	11125500	
26"	40-559	26 x 1.50	Kevlar®Guard	Allround	Reflex	3,0-7,0	45-100	660 g	23 oz	50	100 kg	11130500	
	47-559	26 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	750 g	26 oz	50	125 kg	11131500	
	50-559	26 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	840 g	29 oz	50	140 kg	11132500	
<b>NEW</b>	42-584	26 x 1.60, 650 x 40B	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	675 g	24 oz	50	110 kg	11130368	
	37-590	26 x 1 3/8, 650 x 35A	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	640 g	22 oz	50	100 kg	11140500	
27"	32-630	27 x 1 1/4	Kevlar®Guard	Allround	Reflex	4,0-6,5	55-95	595 g	21 oz	50	100 kg	11157500	
28"	25-622	28 x 1.00, 700 x 25C	Kevlar®Guard	Allround	Reflex	5,0-8,0	70-115	500 g	18 oz	50	85 kg	11146500	
	28-622	28 x 1.10, 700 x 28C	Kevlar®Guard	Allround	Reflex	4,0-7,0	55-100	520 g	18 oz	50	95 kg	11147500	
	32-622	28 x 1.25, 700 x 32C	Kevlar®Guard	Allround	Reflex	4,0-6,5	55-95	580 g	20 oz	50	100 kg	11148500	
	37-622	28 x 1.40, 700 x 35C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	650 g	23 oz	50	110 kg	11149500	
	42-622	28 x 1.60, 700 x 40C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	720 g	25 oz	50	125 kg	11150500	
	47-622	28 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	840 g	29 oz	50	140 kg	11151500	
	40-635	28 x 1 1/2	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	790 g	28 oz	50	130 kg	11158500	

## MARATHON RACER HS 366, Folding tire

20"	40-406	20 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	290 g	10 oz	67	80 kg	11615375
26"	40-559	26 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	390 g	14 oz	67	100 kg	11631375
28"	30-622	28 x 1.20, 700 x 30C	RaceGuard®	Speedgrip	Reflex	4,0-7,0	55-100	330 g	12 oz	67	100 kg	11650375
	35-622	28 x 1.35, 700 x 35C	RaceGuard®	Speedgrip	Reflex	4,0-6,5	55-95	360 g	13 oz	67	110 kg	11650376
	40-622	28 x 1.50, 700 x 38C	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	430 g	15 oz	67	125 kg	11650377

### Wired tire

<b>NEW</b>	16"	40-305	16 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	235 g	8 oz	67	70 kg	11105366
	18"	40-355	18 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	260 g	9 oz	67	70 kg	11111975
<b>NEW</b>	20"	40-406	20 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	330 g	12 oz	67	80 kg	11115466
	26"	40-559	26 x 1.50	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	450 g	16 oz	67	100 kg	11131975
	28"	35-622	28 x 1.35, 700 x 35C	RaceGuard®	Speedgrip	Reflex	3,5-6,0	50-85	420 g	15 oz	67	110 kg	11151975

## MARATHON CROSS HS 334, Wired tire

26"	47-559	26 x 1.75	Kevlar®Guard	Allround	Reflex	3,0-5,0	45-70	575 g	20 oz	67	120 kg	11131434
28"	40-622	28 x 1.50, 700 x 38C	Kevlar®Guard	Allround	Reflex	3,5-6,0	50-85	560 g	20 oz	67	130 kg	11150434

## MARATHON TIRES

Safety  
Durability

MARATHON PLUS  
MARATHON PLUS ATB  
MARATHON PLUS TOUR

MARATHON XR

MARATHON EXTREME

MARATHON SUPREME

MARATHON


MARATHON CROSS

MARATHON RACER

Lighter, Faster, Sportier



**The legend.** 25 years ago it was a quantum leap: The first high-quality touring tire that functioned reliably in both everyday use and touring. With these characteristics it fast became Europe's most ridden tire and it still is, even today. In the latest version with KevlarGuard and Allround Compound it inexorably achieves everything expected of a Marathon: Effective puncture protection, durability and excellent handling characteristics.




### MARATHON



**The fastest Marathon ever.** Again! Now even lighter. Now even faster. Pure skin side walls and the new Speedgrip compound have further reduced weight and rolling resistance. Everything is optimized for speed. Pure dynamics: The low weight is noticeable every time you pull away. A RaceGuard belt protects against punctures.


**!** Note: Skin side walls are fast but sensitive. Always be certain to check for correct air pressure.



### MARATHON RACER



**A tire for all seasons.** It rolls easily on the road and performs well off-road too. It is hardwearing and has puncture protection exactly as you would expect from a member of the Marathon family. The robust profile, grippy compound and 3M-Scotchlite™ reflective lines make it suitable for year-round use.



### MARATHON CROSS



"You ride... and we'll do the rest". This is the motto that epitomizes the "VSF-All ride" quality seal and by which only the best and most reliable bicycle components are distinguished.

Awarded to: Marathon family, Big Apple, Schwalbe Tube, Fabric rim tape.

# BALLOONBIKES

## **BIG APPLE** HS 338, Wired tire

	ETRTO	Size	!	☿	●	Bar	Psi	🍷	🍷	EPI	Load	Art.-No.
12"	50-203	12 x 2.00	Puncture Protection	SBC	Reflex	1,5-4,0	20-55	325 g	11 oz	50	70 kg	11103538
14"	50-254	14 x 2.00	Puncture Protection	SBC	Reflex	1,5-4,0	20-55	360 g	13 oz	50	70 kg	11105538
16"	50-305	16 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	405 g	14 oz	67	80 kg	11107838
18"	50-355	18 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	495 g	17 oz	67	80 kg	11111338
20"	50-406	20 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	530 g	19 oz	67	85 kg	11117838
	60-406	20 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	650 g	23 oz	67	110 kg	11118839
24"	50-507	24 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	705 g	25 oz	67	100 kg	11126838
	60-507	24 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	825 g	29 oz	67	135 kg	11127338
26"	50-559	26 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	790 g	28 oz	67	125 kg	11132838
	55-559	26 x 2.15	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	850 g	30 oz	67	145 kg	11133038
	60-559	26 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	895 g	31 oz	67	150 kg	11133838
28"	50-622	28 x 2.00	Kevlar®Guard	Allround	Reflex	2,0-5,0	30-70	885 g	31 oz	67	150 kg	11152838
	60-622	28 x 2.35	Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	995 g	35 oz	67	160 kg	11154838

## **NEW** **BIG APPLE LITESKIN** HS 338, Folding tire

26"	50-559	26 x 2.00	Kevlar®Guard	SpeedGrip	Reflex	2,0-5,0	30-70	630 g	22 oz	67	125 kg	11632239
	55-559	26 x 2.15	Kevlar®Guard	SpeedGrip	Reflex	1,5-4,0	20-55	675 g	24 oz	67	145 kg	11632339
	60-559	26 x 2.35	Kevlar®Guard	SpeedGrip	Reflex	1,5-4,0	20-55	710 g	25 oz	67	150 kg	11633439
28"	50-622	28 x 2.00	Kevlar®Guard	SpeedGrip	Reflex	2,0-5,0	30-70	700 g	25 oz	67	150 kg	11652338
	60-622	28 x 2.35	Kevlar®Guard	SpeedGrip	Reflex	1,5-4,0	20-55	790 g	28 oz	67	160 kg	11653939

## **SUPER MOTO** HS 338, Evolution Line, Folding tire

26"	60-559	26 x 2.35	Evolution	Speedgrip	Black-Skin	2,0-4,0	30-55	690 g	24 oz	67	150 kg	11633539
-----	--------	-----------	-----------	-----------	------------	---------	-------	-------	-------	----	--------	----------

## **FAT FRANK** HS 375, Wired tire

26"	60-559	26 x 2.35	Kevlar®Guard	Allround	Black-Skin	1,5-4,0	20-55	790 g	28 oz	67	150 kg	11133370
			Kevlar®Guard	Allround	Reflex	1,5-4,0	20-55	940 g	33 oz	67	150 kg	11133375
			Kevlar®Guard	Allround	Creme-Reflex	1,5-4,0	20-55	940 g	33 oz	67	150 kg	11133372
			Kevlar®Guard	Allround	Brown-Reflex	1,5-4,0	20-55	940 g	33 oz	67	150 kg	11133376



## BALLOONBIKE®

**The concept.** Balloonbikes have distinctive wide tires, so they do not need expensive suspension technology. The pneumatic cushion provided by the tires acts as natural suspension. In tests conducted by Cologne Sports University Balloonbikes achieved a similar level of comfort as that of a full-suspension bike. The "tire suspension" responds very well - an advantage that is much more important in everyday life than long spring travel. Without complicated technology the bike is light and easy to maintain.

**Tips.** Depending upon section width and load, for a safe and comfortable journey we recommend, an air pressure of between 1,5 and 2.5 bar. At these pressures a Balloonbike rolls remarkably easily and with a full suspension effect. A normal City or Trekking bike will only achieve a similarly good rolling resistance if the 37 mm wide, standard tires are inflated to a hard 4 bar.

**!** Balloonbike comfort is also available in our Evo-tires with widths of 50 mm and more: Marathon Extreme, Marathon Supreme, Marathon XR.

[www.balloonbikes.com](http://www.balloonbikes.com)

For detailed information about Balloonbikes. Test results; comfort performance; bicycle manufacture and conversions ...





**Suspension included.** The Big Apple began the Balloonbike trend back in 2001. Comfortable cycling without the need for expensive technology. At the time it was a revolutionary idea. Today it is a growing trend and there are now a large selection of Balloonbikes with everything designed around the Big Apple.

**NEW**

**BIG APPLE LITESKIN.** Feather light Balloonbike comfort. Depending upon size the LiteSkin version is ca. 150 to 200 g lighter than a conventional Big Apple tire. The weight reduction has been made possible using folding tire technology and the specially light LiteSkin side wall. There is no reduction in puncture protection!

Speed	Grip	Protection	Durability
Rolling + Weight ○	Wet + Off-road ○ Winter ○	Puncture + Sidewall +	
<b>Liteskin</b>			

**aktiv Radfahren**  
www.radfahren.de  
**TIPP**  
**Komfort**  
03/2008



**BIG APPLE**

**For the beach, dusty trails and of course the road.** These are where it's most at home. It evolved from the comfortable Big Apple city tire to become a great beach and dirt trail tire. And because volume is as important as tread for outstanding control, we used the Evo-carcass and Speedgrip Compound to create a super-fast and fun tire.

Speed	Grip	Protection	Durability
Rolling +++ Weight +	Wet + Off-road ○ Winter ○	Puncture - Sidewall -	

**SUPER MOTO**



**Made for Cruisers with drop-dead looks.** Design concept: Classic scooter tire and cutting-edge BMX tire come together – in this innovative form. Technically one hundred percent equal to the Big Apple..

**NEW** Now also in brown

Speed	Grip	Protection	Durability
Rolling ++ Weight -	Wet + Off-road ○ Winter ○	Puncture + Sidewall +	

**FAT FRANK**



# WHEELCHAIR

## MARATHON PLUS HS 348, Wired tire

	ETRTO	Size	!	☉	●	Bar	Psi	🏠	🏠	EPI	Art.-No.		
22"	25-489	22 x 1.00	SmartGuard®	Black'n Roll	Reflex	6,0-10,0	85-145	470 g	16 oz	67	10275448		
24"	25-540	24 x 1.00	SmartGuard®	GRC	Grey	6,0-10,0	85-145	500 g	18 oz	67	10282548		
			SmartGuard®	Black'n Roll	Black	6,0-10,0	85-145	500 g	18 oz	67	10282248		
			SmartGuard®	Black'n Roll	Reflex	6,0-10,0	85-145	500 g	18 oz	67	10282448		
26"	37-540	24 x 1 3/8	SmartGuard®	GRC	Grey	3,5-6,0	50-85	780 g	27 oz	67	10281348		
			25-559	26 x 1.00	SmartGuard®	GRC	Grey	6,0-10,0	85-145	520 g	18 oz	67	10231348
			25-590	26 x 1.00	SmartGuard®	Black'n Roll	Black	6,0-10,0	85-145	520 g	18 oz	67	10231248
			SmartGuard®	GRC	Grey	6,0-10,0	85-145	570 g	20 oz	67	10284348		
			SmartGuard®	Black'n Roll	Black	6,0-10,0	85-145	570 g	20 oz	67	10284248		

## RIGHTRUN HS 387, Wired tire

22"	25-489	22 x 1.00	Puncture Protection	Black'n Roll	Grey	6,0-10,0	85-145	320 g	11 oz	37	10275387	
			Light	Black'n Roll	Grey	6,0-10,0	85-145	230 g	8 oz	67	10275386	
			Light	Black'n Roll	Blue	6,0-10,0	85-145	230 g	8 oz	67	10275388	
			Light	Black'n Roll	Red	6,0-10,0	85-145	230 g	8 oz	67	10275389	
24"	25-501	22 x 1.00 B.S	Puncture Protection	Black'n Roll	Grey	6,0-10,0	85-145	330 g	12 oz	37	10277387	
			Puncture Protection	Black'n Roll	Grey	6,0-10,0	85-145	350 g	12 oz	37	10282387	
			Puncture Protection	Black'n Roll	Blue	6,0-10,0	85-145	350 g	12 oz	37	10282388	
			Puncture Protection	Black'n Roll	Red	6,0-10,0	85-145	350 g	12 oz	37	10282389	
	26"	25-540	24 x 1.00	Puncture Protection	Black'n Roll	Yellow	6,0-10,0	85-145	350 g	12 oz	37	10282390
				Puncture Protection	Black'n Roll	Grey	6,0-10,0	85-145	270 g	9 oz	67	10282386
				Light	Black'n Roll	Grey	6,0-10,0	85-145	350 g	12 oz	37	10283387
				Light	Black'n Roll	Grey	6,0-10,0	85-145	380 g	13 oz	67	10285387

## DOWNTOWN HS 342, Wired tire

24"	25-540	24 x 1.00	Puncture Protection	GRC	Grey	6,0-10,0	85-145	420 g	15 oz	67	10282645
	37-540	24 x 1 3/8	Puncture Protection	GRC	Grey	3,5-5,0	50-70	520 g	18 oz	24	10281642

## SPEEDRUN HS 390, Folding tire

24"	23-540	24 x 7/8	RaceGuard®	Black'n Roll	Silver	6,0-10,0	85-145	180 g	6 oz	67	10630005
26"	23-559	26 x 7/8	RaceGuard®	Black'n Roll	Silver	6,0-10,0	85-145	190 g	7 oz	67	10630010

## SPEEDAIR HS 343, Wired tire

24"	20-540	24 x 3/4		Silica	Blue	6,0-10,0	85-145	310 g	11 oz	67	10281343
26"	20-559	26 x 3/4		Silica	Blue	6,0-10,0	85-145	320 g	11 oz	67	10231343
	20-590	26 x 3/4		Silica	Blue	6,0-10,0	85-145	340 g	12 oz	67	10285343
28"	23-622	700 x 23C		Silica	Blue	6,0-10,0	85-145	340 g	12 oz	67	10290343

## WHEELCHAIR TIRES

Schwalbe is the only maker to design pneumatic tires specifically for wheelchair users. Our solutions:

### 2Grip

Hand-friendly tires. The side walls are completely smooth, so the tires glide silkily past the hands. Patent protected and standard on all Schwalbe wheelchair tires.

### Flat-less

SmartGuard puncture protected wheelchair tires combine the comfort and light running of pneumatic tires with the puncture protection of PU tires.



### Black'n Roll

Wheelchairs with black tires? Schwalbe has made it possible. We developed a special Black'n Roll compound that does not leave unsightly marks on indoor floors. Additionally it is far more robust and much longer lasting.

### Reflex

New. Wheelchair tires with reflective lines. The lines light up in headlight beams and the resulting large circles of reflected light are easily visible on even the darkest night.

NEW





**Punctures are a thing of the past.** Flat-less wheelchair tires combine the comfort and easy running of a pneumatic tire with the puncture free convenience of a PU tire. The black version lasts considerably longer than the conventional gray color and this unique Black'n Roll compound leaves no unsightly black tire marks on indoor floors. All versions have the completely smooth and hand-friendly 2Grip side walls.

New! Make yourself visible with optional reflective lines.



### MARATHON PLUS

**Our entry level tire, but packed with features:** Effective puncture protection layer, hand-friendly 2Grip side walls, and attractive two color compound. Robust Black'n Roll tread center compound that is non-marking neatly completes the feature list.



**An allrounder with grip and comfort.** With a puncture protection layer and hand-friendly 2Grip side walls..



### RIGHTRUN

**The world's first folding wheelchair tire.** Extremely light: 190 g. with RaceGuard puncture protection. Suitable for Handbikes, Indoor-sport and everyday use. Can be conveniently stored in a small bag, always ready in case of emergencies.



### DOWNTOWN

**The Indoor sports specialist.** Exceptionally nimble and easy running. The center tread is asymmetrically designed to match the wheel camber angle of indoor wheelchairs.



### SPEEDRUN

### SPEEDAIR

# BASIC LINE

Our standard tires. Attractive treads at affordable prices. Always with a puncture protection belt.



**ENERGIZER**

**NEW**

Specially developed for E-Bikes. Reliable, KevlarGuard puncture protection. LiteSkin side wall and Energizer compound keep weight and rolling resistance low that ensures prolonged battery life.



**TYRAGO**

**NEW**

Dynamic trekking tread. The perfect successor to the Terra Cruiser.



**ROAD CRUISER**

Our most popular and biggest selling standard tire. The tread produces low road noise yet has great grip.

**NEW ENERGIZER** HS 403, Wired tire

	ETRTO	Size	!	⊗	●	Bar	Psi	🏠	🏠	EPI	Load	Art.-No.
28"	37-622	28 x 1.40, 700 x 35C	Kevlar®Guard	Energizer	Reflex	2,5-4,5	35-65	620 g	22 oz	24	100 kg	11149403

**NEW TYRAGO** HS 405, Wired tire

28"	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	640 g	22 oz	24	100 kg	11149405
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	730 g	26 oz	24	110 kg	11150407

**ROAD CRUISER** HS 377, Wired tire

NEW	22"	44-484	22 x 1 1/2	Puncture Protection	SBC	Reflex	2,0-4,5	30-65	610 g	21 oz	24	80 kg	11131603	
	26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	750 g	26 oz	24	100 kg	11131601	
Puncture Protection				SBC	Reflex	2,0-4,5	30-65	750 g	26 oz	24	100 kg	11131691		
Puncture Protection				SBC	Gumwall	2,0-4,5	30-65	50 g	26 oz	24	100 kg	11131671		
Puncture Protection				SBC	Whitewall	2,0-4,5	30-65	750 g	26 oz	24	100 kg	11131661		
28"	32-622	28 x 1.25, 700 x 32C	Puncture Protection	SBC	Gumwall	3,0-5,5	45-80	570 g	20 oz	24	90 kg	11148671		
			Puncture Protection	SBC	Whitewall	3,0-5,5	45-80	570 g	20 oz	24	90 kg	11148661		
	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Black	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149601		
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149691		
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149671		
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149661		
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Black	2,5-4,5	35-65	730 g	26 oz	24	110 kg	11150204		
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	730 g	26 oz	24	110 kg	11150894		
			47-622	28 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	830 g	29 oz	24	120 kg	11151601
					Puncture Protection	SBC	Reflex	2,0-4,5	30-65	830 g	29 oz	24	120 kg	11151691
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	830 g	29 oz	24	120 kg	11151671		
			Puncture Protection	SBC	Whitewall	2,0-4,5	30-65	830 g	29 oz	24	120 kg	11151661		

**ADVANCER** HS 394, Wired tire

28"	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	640 g	22 oz	24	100 kg	11152088
NEW	42-622	28 x 1.60, 700 x 40C	Kevlar®Guard	Allround	Reflex	2,5-4,5	35-65	640 g	22 oz	50	100 kg	11149961
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	720 g	25 oz	24	110 kg	11154088

**DELTA CRUISER** HS 392, Wired tire

24"	37-540	24 x 1 3/8	Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	520 g	18 oz	24	80 kg	11129062
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	520 g	18 oz	24	80 kg	11128865
26"	37-590	26 x 1 3/8, 650 x 35A	Puncture Protection	SBC	Black	2,5-4,5	35-65	580 g	20 oz	24	90 kg	11140602
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	580 g	20 oz	24	90 kg	11140803
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	580 g	20 oz	24	90 kg	11140872
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	580 g	20 oz	24	90 kg	11140162
			Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	580 g	20 oz	24	90 kg	11140712
28"	28-622	28 x 1.10, 700 x 28C	Puncture Protection	SBC	Reflex	3,5-6,0	50-85	550 g	19 oz	24	85 kg	11149393
			Puncture Protection	SBC	Gumwall	3,5-6,0	50-85	550 g	19 oz	24	85 kg	11149394
			Puncture Protection	SBC	Whitewall	3,5-6,0	50-85	550 g	19 oz	24	85 kg	11149395
			Puncture Protection	SBC	Lever-Reflex	3,5-6,0	50-85	550 g	19 oz	24	85 kg	11149396
	32-622	28 x 1.25, 700 x 32C	Puncture Protection	SBC	Reflex	3,0-5,5	45-80	560 g	20 oz	24	90 kg	11149493
			Puncture Protection	SBC	Gumwall	3,0-5,5	45-80	560 g	20 oz	24	90 kg	11149492
			Puncture Protection	SBC	Lever-Reflex	3,0-5,5	45-80	560 g	20 oz	24	90 kg	11148396
	37-622	28 x 1.40, 700 x 35C	Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149892
			Puncture Protection	SBC	Creme	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149897
			Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149893
Puncture Protection			SBC	Lever-Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149894	
40-635	28 x 1 1/2	Puncture Protection	SBC	Black	2,5-4,5	35-65	770 g	27 oz	24	115 kg	11158005	
		Puncture Protection	SBC	Reflex	2,5-4,5	35-65	770 g	27 oz	24	115 kg	11158006	
		Puncture Protection	SBC	Creme	2,5-4,5	35-65	770 g	27 oz	24	115 kg	11158007	
		Puncture Protection	SBC	Creme-Reflex	2,5-4,5	35-65	770 g	27 oz	24	115 kg	11158008	



**ADVANCER DELTA CRUISER SPEED CRUISER TERRA CRUISER LAND CRUISER SILENTO II RETURNER SPEEDWAY PRO**

**SPEED CRUISER** HS 321, Wired tire

	ETRTO	Size	!	⊗	●	Bar	Psi	📦	📦	EPI	Load	Art.-No.
26"	40-559	26 x 1.50	Puncture Protection	SBC	Black-Skin	2,0-6,0	30-85	595 g	21 oz	37	90 kg	11130888
28"	30-622	28 x 1.20, 700 x 30C	Puncture Protection	SBC	Black-Skin	4,0-6,5	55-95	425 g	15 oz	37	90 kg	11148101
			Puncture Protection	SBC	Reflex	4,0-6,5	55-95	500 g	18 oz	37	90 kg	11148191

**TERRA CRUISER** HS 329, Wired tire

26"	50-559	26 x 2.00	Puncture Protection	SBC	Reflex	2,0-4,5	30-65	960 g	25 oz	24	120 kg	11132002
-----	--------	-----------	---------------------	-----	--------	---------	-------	-------	-------	----	--------	----------

**LAND CRUISER** HS 307, Wired tire

24"	47-507	24 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	710 g	25 oz	24	80 kg	11125999
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	720 g	25 oz	24	80 kg	11125899
	50-507	24 x 1.90/2.00	Puncture Protection	SBC	Black	2,0-4,5	30-65	810 g	28 oz	24	80 kg	11126066
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	820 g	29 oz	24	80 kg	11126866
26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	790 g	28 oz	24	100 kg	11131999
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	800 g	28 oz	24	100 kg	11131899
	50-559	26 x 1.90/2.00	Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	790 g	28 oz	24	100 kg	11131979
			Puncture Protection	SBC	Black	2,0-4,5	30-65	900 g	32 oz	24	120 kg	11132099
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	910 g	32 oz	24	120 kg	11132899
			Puncture Protection	SBC	Gumwall	2,0-4,5	30-65	900 g	32 oz	24	120 kg	11132074
28"	37-622	28 x 1 3/8, 700 x 35C	Puncture Protection	SBC	Black	2,5-4,5	35-65	640 g	22 oz	24	100 kg	11149066
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	650 g	23 oz	24	100 kg	11149866
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	640 g	22 oz	24	100 kg	11149074
	42-622	28 x 1.60, 700 x 40C	Puncture Protection	SBC	Black	2,5-4,5	35-65	720 g	25 oz	24	110 kg	11150066
			Puncture Protection	SBC	Reflex	2,5-4,5	35-65	730 g	26 oz	24	110 kg	11150866
			47-622	28 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	35-65	880 g	31 oz	24
Puncture Protection	SBC	Reflex			2,0-4,5	35-65	890 g	31 oz	24	120 kg	11151966	

**SILENTO II** HS 328A, Wired tire

20"	47-406	20 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	560 g	20 oz	24	65 kg	11116315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	570 g	20 oz	24	65 kg	11116915
24"	47-507	24 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	710 g	25 oz	24	80 kg	11125315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	720 g	25 oz	24	80 kg	11125915
26"	47-559	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	720 g	25 oz	24	100 kg	11131015
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	730 g	26 oz	24	100 kg	11131915
	50-559	26 x 1.90	Puncture Protection	SBC	Black	2,0-4,5	30-65	850 g	30 oz	24	120 kg	11132315
			Puncture Protection	SBC	Reflex	2,0-4,5	30-65	860 g	30 oz	24	120 kg	11132910
28"	37-622	28 x 1 3/8, 700 x 35C	Puncture Protection	SBC	Black	3,0-5,0	45-70	630 g	22 oz	24	100 kg	11149015
			Puncture Protection	SBC	Reflex	3,0-5,0	45-70	640 g	22 oz	24	100 kg	11149915
	40-622	28 x 1.50, 700 x 38C	Puncture Protection	SBC	Reflex	3,0-5,0	45-70	680 g	24 oz	24	110 kg	11150915
47-622	28 x 1.75	Puncture Protection	SBC	Reflex	2,0-4,5	30-65	820 g	29 oz	24	120 kg	11151915	

**RETURNER** HS 361, Wired tire

26"	57-559	26 x 2.125	Puncture Protection	SBC	Black	2,0-4,5	30-65	890 g	31 oz	24	125 kg	11133895
			Puncture Protection	SBC	Whitewall	2,0-4,5	30-65	890 g	31 oz	24	125 kg	11133865

**SPEEDWAY PRO** HS 317, Performance Line, Wired tire

26"	37-590	26 x 1 3/8, 650 x 35A	Performance	ORC	Black	2,0-4,5	30-65	670 g	24 oz	50	90 kg	11140417
-----	--------	-----------------------	-------------	-----	-------	---------	-------	-------	-------	----	-------	----------

# BASIC LINE



**CITY JET**



**CRUISER II**



**HS 110**



**HS 113**



**HS 116**



**HS 127**

## **CITY JET** HS 257, Wired tire

	ETRTO	Size	!	⊗	●	Bar	Psi	📖	📖	EPI	Art.-No.
12"	<b>54-203</b>	12 x 1.95	Puncture Protection	SBC	Black	2,0-4,5	30-65	370 g	13 oz	24	11103257
16"	<b>54-305</b>	16 x 1.95	Puncture Protection	SBC	Black	2,0-4,5	30-65	580 g	20 oz	24	10107082
26"	<b>40-559</b>	26 x 1.50	Puncture Protection	SBC	Black-Skin	3,0-4,5	45-65	570 g	20 oz	37	11130257
			Puncture Protection	SBC	Skin	3,0-4,5	45-65	570 g	20 oz	37	11128082

## **CRUISER II** HS 285, Wired tire

12"	<b>47-203</b>	12 1/2 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	290 g	10 oz	24	11102087
16"	<b>47-305</b>	16 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	445 g	16 oz	24	11106087
18"	<b>47-355</b>	18 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	500 g	18 oz	24	11110087
20"	<b>47-406</b>	20 x 1.90	Puncture Protection	SBC	Black	2,0-3,0	30-45	580 g	20 oz	24	11116087

## **HS 110** Wired tire

20"	<b>37-438</b>	20 x 1 3/8		SBC	Reflex	2,5-4,0	35-55	410 g	14 oz	24	10119007
22"	<b>37-489</b>	22 x 1 3/8		SBC	Whitewall	2,5-4,0	35-55	460 g	16 oz	24	11122060
			Puncture Protection	GRC	Grey	2,5-4,0	35-55	460 g	16 oz	24	10276620
			Puncture Protection	GRC	Grey	2,5-4,0	35-55	480 g	17 oz	24	10277690

## **HS 113** Wired tire

27"	<b>40-609</b>	27 x 1 1/2	Puncture Protection	SBC	Black	2,5-3,8	35-55	575 g	20 oz	24	11142000
-----	---------------	------------	---------------------	-----	-------	---------	-------	-------	-------	----	----------

## **HS 116** Wired tire

18"	<b>37-390</b>	18 x 1 3/8, 450 x 35A		SBC	Gumwall	2,5-4,0	35-55	370 g	13 oz	24	11110571
-----	---------------	-----------------------	--	-----	---------	---------	-------	-------	-------	----	----------

## **HS 127** Wired tire

24"	<b>37-540</b>	24 x 1 3/8	Puncture Protection	GRC	Grey	2,5-4,5	35-65	495 g	17 oz	24	10281620
-----	---------------	------------	---------------------	-----	------	---------	-------	-------	-------	----	----------

## **HS 140** Wired tire

12"	<b>47-203</b>	12 1/2 x 1.75		SBC	White line	2,0-3,0	30-45	285 g	10 oz	24	11102050
14"	<b>37-288</b>	14 x 1 3/8, 350 x 35A		SBC	White line	2,0-3,0	30-45	365 g	13 oz	24	11104050

## **HS 158** Wired tire

12"	<b>62-203</b>	12 1/2 x 2 1/4	Reinforced	GRC	Grey	1,5-2,5	25-35	650 g	23 oz	24	10213622
-----	---------------	----------------	------------	-----	------	---------	-------	-------	-------	----	----------

## **HS 159** Wired tire

12"	<b>62-203</b>	12 1/2 x 2 1/4		SBC	Black	1,5-2,5	25-35	290 g	10 oz	24	11214003
				SBC	White line	1,5-2,5	25-35	290 g	10 oz	24	11103053
16"	<b>47-305</b>	16 x 1.75		SBC	Black	2,0-3,0	30-45	395 g	14 oz	24	11106004
				SBC	White line	2,0-3,0	30-45	395 g	14 oz	24	11106053
				SBC	Whitewall	2,0-3,0	30-45	395 g	14 oz	24	11106063
			Puncture Protection	GRC	Grey	2,0-3,0	30-45	395 g	14 oz	24	10215623
18"	<b>47-355</b>	18 x 1.75		SBC	White line	2,5-3,0	35-45	450 g	16 oz	24	11110053
				SBC	Whitewall	2,5-3,0	35-45	450 g	16 oz	24	11110063
20"	<b>47-406</b>	20 x 1.75		SBC	Black	2,5-3,0	35-45	520 g	18 oz	24	11116003
				SBC	Gumwall	2,5-3,0	35-45	520 g	18 oz	24	11116073
				SBC	White line	2,5-3,0	35-45	520 g	18 oz	24	11116053
				SBC	Whitewall	2,5-3,0	35-45	520 g	18 oz	24	11116063
			Puncture Protection	GRC	Grey	2,5-3,0	35-45	520 g	18 oz	24	10270620
			<b>54-428</b>	20 x 2.00		SBC	Black	2,0-3,0	35-45	610 g	21 oz
24"	<b>47-507</b>	24 x 1.75		SBC	Black	2,5-3,0	35-45	600 g	21 oz	24	11125003
				SBC	Gumwall	2,5-3,0	35-45	600 g	21 oz	24	11125073
				SBC	Whitewall	2,5-3,0	35-45	600 g	21 oz	24	11125063
26"	<b>37-584</b>	26 x 1 3/8, 650 STD	Reinforced	23S	Black	2,5-4,5	35-65	580 g	20 oz	50	11136103
			Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	580 g	20 oz	24	11136073
			Puncture Protection	SBC	Whitewall	2,5-4,5	35-65	580 g	20 oz	24	11136063
			<b>44-584</b>	26 x 1 5/8, 650 1/2 B	Puncture Protection	SBC	Gumwall	2,5-4,5	35-65	645 g	23 oz
27"	<b>28/32-630</b>	27 x 1 1/4	Puncture Protection	SBC	Gumwall	3,5-6,0	50-85	550 g	19 oz	24	11157073
			Puncture Protection	SBC	Whitewall	3,5-6,0	50-85	550 g	19 oz	24	11157063



**HS 140**      **HS 158**      **HS 159**      **HS 166**      **HS 180**      **HS 187**      **HS 228**      **HS 312**      **HS 315**

**HS 166** *Wired tire*

ETRTO	Size	!			Bar	Psi			EPI	Art.-No.
22" <b>37-490</b>	22 x 1 3/8, 550 x 35A	Puncture Protection	SBC	Gumwall	2,5-4,0	35-60	450 g	16 oz	24	11123070

**HS 180** *Wired tire*

26" <b>28/32-590</b>	26 x 1 1/8, 1 1/4, 650 x 28/32A	Puncture Protection	SBC	Gumwall	3,5-6,0	50-85	500 g	18 oz	24	11139170
28" <b>25-622</b>	700 x 25C	Puncture Protection	SBC	Gumwall	4,0-6,0	60-85	440 g	15 oz	24	11146079

**HS 187** *Wired tire*

22" <b>25-501</b>	22 x 1.00 B.S.	Puncture Protection	GRC	Grey	6,0-7,5	85-110	330 g	12 oz	37	10277637
-------------------	----------------	---------------------	-----	------	---------	--------	-------	-------	----	----------

**HS 228** *Wired tire*

22" <b>25-489</b>	22 x 1.00	Puncture Protection	GRC	Grey	6,0-7,5	85-110	270 g	9 oz	37	10275671
24" <b>37-540</b>	24 x 1 3/8	Puncture Protection	GRC	Grey-Skin	2,5-5,0	35-70	445 g	16 oz	37	10282691

**HS 312** *Wired tire (Alter Roadcruiser)*

<b>NEW</b> 26" <b>47-559</b>	26 x 1.75	Puncture Protection	SBC	Black	2,0-4,5	30-65	730 g	26 oz	24	11131002
------------------------------	-----------	---------------------	-----	-------	---------	-------	-------	-------	----	----------

**HS 315** *Wired tire*

26" <b>54-584</b>	26 x 1 1/2 x 2	Puncture Protection	SBC	Black	2,0-3,0	30-45	845 g	30 oz	24	11138015
-------------------	----------------	---------------------	-----	-------	---------	-------	-------	-------	----	----------

These tires cannot be purchased through a dealer, but because they are often used exclusively by bicycle makers here is some information.

## CITY PLUS

Standard tire with extra safe puncture protection. The PunctureGuard protection belt is based on the SmartGuard principle as in the Marathon Plus. However, the City Plus uses a basic version where the layer is not quite so elastic and a little thinner (ca. 3 mm). When a replacement is required we suggest either the Marathon, or Marathon Plus.



## CITY LITE

Extra light standard tire. Recommended replacement: Marathon Racer.

# TUBES



	No.	ETRTO	Size	!		Valves					
12"	1	47-203	12 1/2 x 1.75		80 g						
		54-203	12 x 2.10			10405320	10405310	10405311	10405312	10405313	
		62-203	12 1/2 x 2 1/4								
14"	2A	47-254	14 x 1.75		80 g						
		50-254	14 x 2.00								
		54-254	14 x 2.10								
		57-254	14 x 2.25								
		60-254	14 x 2.35								
14"	2	37-288	14 x 1 7/8	350 x 35A	85 g						
		44-288	14 x 1 7/8	350 x 42A							
		32-298	14 x 1 1/4	350 x 32A							
		37-298	14 x 1 3/8								
		40-305	16 x 1.50								
16"	3	47-305	16 x 1.75		115 g						
		50-305	16 x 2.00								
		54-305	16 x 2.10								
		57-305	16 x 2.125								
		62-305	16 x 2.50								
16"	4	37-340	16 x 1 7/8	400 x 35A	85 g						
		28-349	16 x 1 1/8								
		37-349	16 x 1 1/8								
		28-355	18 x 1 1/8								
		35-355	18 x 1.35								
18"	5	40-355	18 x 1.50		95 g						
		47-355	18 x 1.75								
		32-369	17 x 1 1/4	450 x 35A							
		37-390	18 x 1 3/8								
		37-400	18 x 1 7/8								
18"	5A	47-355	18 x 1.75		95 g						
		50-355	18 x 2.00								
		54-355	18 x 2.10								
		57-355	18 x 2.25								
		60-355	18 x 2.35								
20"	6	28-406	20 x 1 1/8		95 g						
		32-406	20 x 1 1/4								
		35-406	20 x 1.35								
		37-406	20 x 1 3/8								
		40-406	20 x 1.50								
	20"	7	40-406	20 x 1.50		145 g					
			47-406	20 x 1.75							
			50-406	20 x 2.00							
			54-406	20 x 2.10							
			57-406	20 x 2.125							
20"	7A	37-438	20 x 1 3/8	500 x 28A	105 g						
		28-440	20 x 1 1/8	500 x 35A							
		37-440	20 x 1 1/8								
		28-451	20 x 1 1/8								
		37-451	20 x 1 3/8								
20"	7B	25-451	20 x 1.00		85 g						
						10516290					
22"	8	37-489	22 x 1 3/8 NL		120 g						
		28-490	22 x 1 7/8	550 x 28A							
		37-490	22 x 1 3/8	550 x 35A							
		37-501	22 x 1 3/8								
22"	8A	25-489	22 x 1.00		80 g						
		28-489	22 x 1 1/8								
		25-501	22 x 1.00 B.S.								
		28-501	22 x 1 1/8 B.S.								
24"	9	47-507	24 x 1.75		130 g						
		28-540	24 x 1 1/8								
		37-540	24 x 1 3/8								
		28-541	24 x 1 1/8	600 x 28A							
		37-541	24 x 1 3/8	600 x 37A							
24"	9A	20-540	24 x 3/4		95 g						
		25-540	24 x 1.00								
		28-540	24 x 1 1/8								
		25-541	600 x 25A								
		28-541	600 x 28A								
24"	9C	18-520	24 x 3/4		90 g						
		20-520	24 x 3/4								
		22-520	24 x 7/8								
		23-520	24 x 7/8								
		25-520	24 x 1.00								
		25-520	24 x 1.00								
		28-520	24 x 1.10								
24"	10	40-507	24 x 1.50		165 g						
		47-507	24 x 1.75								
		50-507	24 x 2.00								
		54-507	24 x 2.10								
		57-507	24 x 2.25								
		62-507	24 x 2.50								
		57-520	25 x 2.25								

## THE SCHWALBE TUBE

**A tube is not just a tube.**

**Airtightness.** Apart from the quality of the ingredients, the purity of the rubber mixture is crucial to the quality of the tube. The base material is therefore sieved at enormous pressure through seven filters before being extruded. All tubes are inserted into a mould and inflated for vulcanization to ensure constant wall thickness and high air pressure retention.

**Reliability.** All tubes are inflated and stored for 24 hours in order to test for air pressure retention. Afterwards each, individual tube undergoes a careful visual inspection. This special quality control helps prevent unpleasant surprises and is why, over many years, Schwalbe tubes have become highly respected for outstanding reliability by bicycle dealers.

**Group tube system.** Only high elasticity and great quality allows a tube to cover very many tire sizes. Tube No. 17 can fit tire widths between 28 mm and 47 mm and that is a big advantage to the trade and simultaneously it vouches for the tube's quality. Only an extremely high-quality and reliable tube is up to this requirement.

**Valve.** All valves are nickel plated and threaded and valve inserts are replaceable. Also Schwalbe tubes with the classic bicycle valve are capable of pressure testing thanks to a high pressure valve seal. And it is plain to see as each tube is crowned with a transparent polycarbonate dust cap.




! Schwalbe tubes are the only bicycle tubes that carry the sought after "VSF-All ride" seal of approval. The VSF is a federation of professional and quality-oriented German bicycle dealers.



### SCHWALBE tubes retain pressure longer.

In comparative tests against other tubes with a 2007 production date (including named brands, own-label brands and "No Name" products). The result was clear. Over a period of 30 days the other tubes lost nearly twice as much pressure than Schwalbe tubes. Possible reasons: Less butyl content, or lower quality of butyl. Schwalbe is uncompromising in its standards – despite ever increasing world market prices of butyl.



All tubes were tested on the same rim with the same tire. Tire size 28" x 1.75" (47-622). Start pressure 5 bar. Loss after 30 days.

# TUBES

	No.	ETRTO	Size	!	🔩		Valves					
26"	11A	20-559	26 x 3/4									
		25-559	26 x 1.00									
		20-571	650 x 20C									
		23-571	650 x 23C				10522240				10522213	
	12	47-559	26 x 1.75			140 g						
		47-571	26 x 1 1/4	650 x 45C								
		37-584	26 x 1 1/2 x 1 3/8	650 x 35B								
		44-584	26 x 1 1/2 x 1 3/8	650 x 42B								
		32-590	26 x 1 1/4	650 x 32A				10423340	10423611	10423342	10423343	
		37-590	26 x 1 3/8	650 x 35A								
44-590		26 x 1 3/8	650 x 42A									
	32-597	26 x 1 1/4					10923311					
12A	25-559	26 x 1.00			120 g							
	28-559	26 x 1.10										
	32-559	26 x 1 1/4										
	35-559	26 x 1.35										
	37-559	26 x 1.40					10432340		10432342	10432343		
	40-559	26 x 1.50										
12B	20-590	26 x 3/4	650 x 20A		90 g							
	25-590	26 x 1.00	650 x 25A								10523213	
28"	15	18-622	28 x 3/4	700 x 18C	105 g							
		20-622	28 x 3/4	700 x 20C								
		22-622	28 x 7/8	700 x 22C				10427340	10427611	10427342	10427343	10427363
		23-622	28 x 7/8	700 x 23C								
		25-622	28 x 1.00	700 x 25C								
		28-622	28 x 1.10	700 x 28C								
		22-630	27 x 7/8									
		25-630	27 x 1.00									
16	28-622	28 x 1 1/8 x 1 1/8	700 x 28C		115 g							
	30-622	28 x 1.20	700 x 30C									
	32-622	28 x 1 1/8 x 1 1/4	700 x 32C									
	28-630	27 x 1 1/4, Fifty						10431311	10431312	10431343	10431363	
	32-630	27 x 1 1/4										
17	40-609	27 x 1 1/2			150 g							
	28-622	28 x 1 1/8 x 1 1/8	700 x 28C									
	30-622	28 x 1.20	700 x 30C									
	32-622	28 x 1 1/8 x 1 1/4	700 x 32C									
	37-622	28 x 1 1/8 x 1 3/8	700 x 35C									
	40-622	28 x 1.50	700 x 38C				10429340	10429311	10429342	10429343	10429363	
	42-622	28 x 1.60	700 x 40C									
	47-622	28 x 1.75	700 x 45C									
	32-630	27 x 1 1/4										
	40-635	28 x 1 1/2	700 x 38B									
19	54-584	26 x 1 1/2 x 2			220 g							
	40-622	28 x 1.50	700 x 38C									
	42-622	28 x 1.60	700 x 40C									
	47-622	28 x 1.75	700 x 45C									
	50-622	28 x 2.00										
	60-622	28 x 2.35										
	40-635	28 x 1 1/2	700 x 38B									

WP: Workshop packing (50 tubes rolled in a carton)

## EXTRALIGHT

20"	6A	28-406	20 x 1 1/8		65 g							
		32-406	20 x 1 1/4									
		35-406	20 x 1.35									
		37-406	20 x 1 3/8									
		40-406	20 x 1.50									10414393
7C	40-406	20 x 1.50			95 g							
	47-406	20 x 1.75										
	50-406	20 x 2.00										
	54-406	20 x 2.10										
	57-406	20 x 2.125					10415710				10415713	
	60-406	20 x 2.35										
24"	9B	20-540	24 x 3/4		65 g							
		25-540	24 x 1.00									
		28-540	24 x 1 1/4									
		25-541	600 x 25A									10519293
		28-541	600 x 28A									
26"	11	25-559	26 x 1.00		60 g							
		20-571	26 x 3/4	650 x 20C								
		23-571	26 x 7/8	650 x 23C								
14	40-559	26 x 1.50			130 g							
	47-559	26 x 1.75										
	50-559	26 x 2.00										
	54-559	26 x 2.10										
	57-559	26 x 2.25										
	60-559	26 x 2.35										
13F FREERIDE	54-559	26 x 2.10			185 g							
	57-559	26 x 2.25										
	60-559	26 x 2.35										
	62-559	26 x 2.50										
	65-559	26 x 2.60										
	70-559	26 x 2.75										
	75-559	26 x 3.00										

## EXTRALIGHT

True reliability. Reduced weight that has been proven for many years.



## XXLIGHT

When every gram counts.



## DOWNHILL

Extremely durable. For especially demanding Downhill use. A strengthened rubber foot protects the valve against tear-off.



## EXTRALIGHT

	No.	ETRTO	Size	!	🏠	Valves
28"	18	28-622	28 x 1 5/8 x 1 1/8	700 x 28C	105 g	 10428343
		30-622	28 x 1.20	700 x 30C		
		32-622	28 x 1 1/8 x 1 1/4	700 x 32C		
		37-622	28 x 1 5/8 x 1 3/8	700 x 35C		
		40-622	28 x 1.50	700 x 38C		
		42-622	28 x 1.60	700 x 40C		
	44-622	28 x 1.625	700 x 42C			
	19A	40-622	28 x 1.50	700 x 38C	140 g	 10430943
		42-622	28 x 1.60	700 x 40C		
		47-622	28 x 1.75	700 x 45C		
		50-622	28 x 2.00			
	20	18-622	28 x 3/4	700 x 18C	65 g	 10426343 10426363 10426383
		20-622	28 x 3/4	700 x 20C		
		22-622	28 x 7/8	700 x 22C		
23-622		28 x 7/8	700 x 23C			
25-622		28 x 1.00	700 x 25C			
22-630		27 x 7/8				
25-630		27 x 1.00				

## XXLIGHT

26"	14A	40-559	26 x 1.50	95 g	 10424740	 10424743 10424763
		47-559	26 x 1.75			
		50-559	26 x 2.00			
		54-559	26 x 2.10			

## DOWNHILL

20"	7D	54-406	20 x 2.10	200 g	 10415740
		57-406	20 x 2.25		
		60-406	20 x 2.35		
		62-406	20 x 2.50		
		65-406	20 x 2.60		
		70-406	20 x 2.75		
75-406	20 x 3.00				
24"	10D	54-507	24 x 2.10	260 g	 10420740
		57-507	24 x 2.25		
		60-507	24 x 2.35		
		62-507	24 x 2.50		
		65-507	24 x 2.60		
		70-507	24 x 2.75		
75-507	24 x 3.00				
26"	13D	54-559	26 x 2.10	290 g	 10425740
		57-559	26 x 2.25		
		60-559	26 x 2.35		
		62-559	26 x 2.50		
		65-559	26 x 2.60		
		70-559	26 x 2.75		
75-559	26 x 3.00				

## ULTRIMO

28"	21	20-622	28 x 3/4	700 x 20C	49 g	 10429603	
		22-622	28 x 7/8				700 x 22C
		23-622	28 x 7/8				700 x 23C
		25-622	28 x 1.00				700 x 25C

## ULTRIMO

The fastest tube for the fastest tire. Lighter: Weight just 49 g! Faster: Ultra-low rolling resistance. Tougher: Retains air pressure much longer than a latex tube. The Ultrimo tube is manufactured using high-precision technology. Precision needs patience, so each tube is extruded very slowly to ensure that the unbelievably thin wall thickness can be maintained. A valve stem extension (1.5 g) for deep profile rims is provided with each tube.



## DOC BLUE

**The liquid patch.** Works fast and reliably. Doc Blue seals holes in tubes, tubulars or tubeless systems. Use for repair or preventing punctures. Puncture protection liquids have been around for a long time, but all existing products were unable to meet our demanding standards. Doc Blue combines several different principles and is therefore much more effective. Finally, now there is a simple and effective solution for puncture repair and prevention in tubeless systems and tubulars.

**Dose:** ca. 50 ml per tire. For road racing tires 25 ml is plenty. Functions as a preventative for up to 3 months and thereafter dries out leaving a protective rubber film. Can be re-dosed several times.

100 ml Bottle, Art.-Nr. 3705

! Will not protect against cuts or tube bursts. Only suitable for tubes with a replaceable valve core.



## EASY FIT

**Special assembly liquid for bicycle tires.** A practical sponge applicator allows the liquid to be applied to the tire bead very simply - without smudging fingers. When inflating, the tire bead slides easily into the correct position on the rim. The liquid evaporates completely after about 10 minutes!

Sponge applicator, 50 ml, Art.-Nr. 3700  
Refill, 1000 ml, Art.-Nr. 3701



## AIRMAX PRO

**The digital pressure gauge** is very precise, measuring pressures up to 11 bar and is suitable for both Auto and Presta valves. It will also function with Schwalbe's 'classic' bicycle valve.

Art.-Nr. 6010

**Tip:** Test tire pressures at least once per month with a pressure gauge. Testing by thumb is completely unreliable as with just half of the required pressure the tire will feel hard. Insufficient air pressure is the most common bicycle problem that results in dramatically increased rolling resistance and premature tire wear.



## TIRE LEVERS

**Tire changing made easy!** The special shape of the lever reduces the danger of the tube being pinched during installation. When removing a tire, the lever can be snapped onto the spoke - leaving hands free for the second lever. The high-quality plastic is virtually unbreakable. Levers can be clipped together for easy storage.

3 piece set, Art.-Nr. 1388



## HIGH-PRESSURE-FELGENBAND

**The third important factor** - beside tube and tire - for puncture protection. The rim tape effectively protects the tube against mechanical damage, for example from spoke heads and metal burrs around the spoke holes.



	ETRTO	Art.-No.
16"	22-305	870060
18"	18-355	870061
20"	22-406	870062
24"	20-507	870080
	22-507	870082
	32-507	870084
	16-540	870086
26"	14-559	870094
	20-559	870100
	22-559	870102

	ETRTO	Art.-No.
26"	25-559	870105
	32-559	870106
	16-571	870090
	18-559/571	870200
28"	14-622	870310
	16-622	870300
	18-622	870330
	20-622	870350
	22-622	870352
	25-622	870355

### Twin-pack

26"	14-559	874094
	20-559	874100
	22-559	874102
28"	14-622	874310

28"	16-622	874300
	18-622	874330
	20-622	874350
	22-622	874352



## FABRIC-RIM TAPE

Made from high-quality polyester that is light, yet withstands high pressures. The special adhesive prevents slipping under high loads and temperatures. Each roll has a pre-punched valve hole and is 2 m long, which is enough for all rim sizes.

Packed 2 pieces per box.

2 m x 15 mm, Art-Nr. 880016

2 m x 18 mm, Art-Nr. 880015



## FABRIC RIM TAPE - 50-m-Roll

**Practicality for the workshop.** The proven polyester tape on a 50 m roll.

19 mm, Art-Nr. 880001

15 mm, Art-Nr. 880002



**Note for all tapes:** For racing rims (13C, 14C) use only widths 18 or 19 mm!

## Symbols

-  ETRTO size
-  Other sizes
-  Version
-  Compound
-  Colorway
-  Min./Max. Pressure in bar
-  Min./Max. Pressure in psi
-  Approx. weight (Weights given are within +/- 8%)
-  EPI (Carcass density)
-  Maximum Load (at max. pressure)

## Colorway

COLORWAY	TREAD	SIDE WALL
<b>Beige-Skin</b>	Black	Beige-Skin
<b>Billboard</b>	Black	Black with white letters
<b>Black</b>	Black	Black
<b>Black-Skin</b>	Black	Black-Skin
<b>Blue</b>	Blue	Black-Skin
<b>Brown-Reflex</b>	Brown	Brown with reflective lines
<b>Creme</b>	Cream	Cream
<b>Creme-Reflex</b>	Cream	Cream with reflex line
<b>Gumwall</b>	Black	Gum
<b>Grey</b>	Grey	Black (or Black-Skin)
<b>Lever-Reflex</b>	Black	Light vandyke brown with reflex line
<b>Pink</b>	Pink	Black-Skin
<b>Red</b>	Red	Black-Skin
<b>Redwall</b>	Black	Brick-Red
<b>Reflex</b>	Black	Black with reflex line
<b>Skin</b>	Black	Skin (Beige)
<b>White</b>	White	Black-Skin
<b>White line</b>	Black	Black with white line
<b>Whitewall</b>	Black	White
<b>Yellow</b>	Yellow	Black-Skin

## Terminology

- Basic Line:** Schwalbe basic quality.
- EPI:** Ends per Inch (Fäden pro Zoll): Unit for the density of the carcass fabric. The higher the EPI, the denser the carcass and so the higher the quality of the tire.
- ETRTO** (European Tire and Rim Technical Organization): Standards organization for tire and rim sizes. The ETRTO sizing (e.g. 37-622) means that the tire is 37 mm wide and 622 mm diameter bead.
- Evolution Line:** Innovative tire concept for competition use. These tires encapsulate our ideal of the highest levels of quality and innovation.
- Light:** The Light version. When every gram counts.
- Limited Slip Technology (L.S.T.):** The tire bead is specially coated with a rubber mixture that reduces the risk of the tire slipping around the rim.
- LiteSkin:** Skin tires have light, thin side walls. Benefit: lighter weight and lower rolling resistance.
- Performance Line:** Top quality competition tires.
- Reinforced:** Strengthened.
- SnakeSkin:** A light and flexible carcass makes the tire highly resistant to scrubbing.
- Tubular:** Tire with a tube sewn-in.
- Tubeless:** Engineered for the MAVIC-Tubeless System (UST).


## Compounds

- Allround:** The Marathon Compound. It achieves everything expected of a Marathon tire: High durability, low rolling resistance and excellent wet grip.
- Black'n Roll:** Special rubber mixture for wheelchairs. Does not leave unsightly skid marks on indoor floors and sports halls. Last longer than a traditional gray wheelchair tire.
- Dual:** Two different rubber compounds for optimal performance.
- Endurance:** Compound extremely resistant to friction for maximum mileage (MARATHON XR).
- Energizer:** Extremely light running compound especially for E-bikes.
- Goody Gluey:** Extremely soft compound for ultimate control on both hard and loose surfaces (e.g. Muddy Mary).
- GRC:** Gray rubber compound for wheelchair tires.
- ORC:** Offroad Racing Compound. Special rubber mixture for area application on offroad tires.
- SBC:** Schwalbe-Basic-Compound. Versatile quality compound for all applications.
- Silica:** Special filler in the rubber mixture that positively influences the rolling resistance.
- Speedgrip:** Multilevel Dual Compound.
- T45:** Special compound for tubular tires (e. g. Montello).
- Triple Nano:** Our best rubber compounds. Three distinct compounds in one tire for outstanding performance. (e.g. used in Evo tires). New: Nano particles improve both grip and rolling resistance especially when used in the dynamic tread center.
- Winter:** Special compound for spike tires.

## TIRE EVALUATION

In order for you to compare our tire characteristics more easily and quicker, we evaluated most tires in the categories of: Speed, Grip, Puncture Protection and Durability. You can now select the tire that best suits your purpose at a glance.

Different tires within each category; racing, MTB and touring are easily evaluated. However, tires from different categories cannot be compared.




- ■ ■ ■ ■ ■ = Outstanding
  - ■ ■ ■ ■ = Very good
  - ■ ■ ■ □ = Good
  - ■ ■ □ □ = Average
  - ■ □ □ □ = Below average
  - □ □ □ □ = Poor
  - □ □ □ □ = Bad
- Poor      o Average      + Good  
 ++ Very Good      +++ Outstanding

# SCHWALBE-PUNCTURE PROTECTION SYSTEM

Since developing the first MARATHONS at the beginning of the 80's we have concentrated intensively on advancing tire puncture resistance. Nearly all SCHWALBE tires now feature a puncture protection belt and we only consciously exclude it from special lightweight and sports tires. Here is an overview of the systems that we currently offer:

## EXTREME LEVEL

**High Density.** High Density Guard is a unique puncture protection technology only available from Schwalbe. It has been jointly developed in co-operation with American firm Warwick Mills. Warwick is a specialist maker of high density fabrics and holds 14 international patents for its weaving technology. No other bicycle tire protection belt is as densely woven and this technology makes it possible to make a tire that is both light in weight and with an extraordinary high level of puncture resistance.



**Ceramic.** The addition of a ceramic coating is entirely new. Small pieces of glass that remain embedded in the tire and slowly cut their way through a protection belt are now stopped by the tough, ceramic particles that blunt the edges of the glass preventing its destructive migration.

### SmartGuard®

The most effective protection belt for bicycle tires. Flat-less. A substantial, 5 mm thick layer of flexible, special india rubber offers durable protection. SmartGuard has a crucial advantage especially with objects that lodge in the tread and that can be forced through almost any other protection belt by the rotation of the wheel. Here the SmartGuard has the advantage of thickness, because a thumbtack, for instance, simply remains in the rubber without damaging the tube.



## PREMIUM LEVEL

### Kevlar® Guard

We have improved the well known Kevlar belt. The protective layer is stronger and safer, but, at the same time, now more flexible. Result: The protection level is higher and rolling resistance lower.



### RaceGuard®

This belt was developed specially with racing in mind. A synthesis of special india rubber and several layers of nylon fabric offers very effective protection against penetration punctures. There is only a minimal increase in weight and rolling resistance of these tires.



## BASIC LEVEL

### Puncture Protection

Standard tires have an effective puncture protection belt made of natural rubber.



All sizes at a glance. The correct tube for each tire size is indicated in the last column.

**RACE** P. 4-11

**MTB** P. 12-29

**TOUR** P. 30-39

**WHEELCHAIR** P. 40-41


**BASIC LINE** P. 42-45

	ETRTO	Modell	Tube		ETRTO	Modell	Tube			
12"	47-203	HS 140, Cruiser II	1	26"	50-559	Marathon Extreme, Marathon Supreme, Marathon XR, Marathon, Marathon Plus Tour, Marathon Plus ATB, Big Apple, Silento II, Land Cruiser, Terra Cruiser	13, 14, 14A			
	50-203	Big Apple	1		54-559	Rocket Ron, Nobby Nic, Racing Ralph, Albert, Smart Sam, Black Jack, Jimmy, Black Shark Mud, Ice Spiker, Ice Spiker Pro	13, 14, 14A, 13D, 13F			
	54-203	City Jet	1			55-559	Big Apple	13, 14		
	62-203	HS 159, HS 158	1			57-559	Rocket Ron, Fat Albert, Nobby Nic, Racing Ralph, Furious Fred, Albert, Smart Sam, Table Top, Marathon Extreme, Marathon XR, ReTurner	13, 14, 13D, 13F		
14"	50-254	Big Apple	2A			60-559	Muddy Mary, Albert, Space, Crazy Bob, Big Apple, Super Moto, Fat Frank	13, 14, 13D, 13F		
	37-288	HS 140	2		62-559		Rocket Ron, Fat Albert, Nobby Nic, Racing Ralph, Big Betty	13, 13D, 13F		
	40-305	Marathon Racer	2				64-559	Muddy Mary	13D, 13F	
16"	47-305	Marathon, Mad Mike, HS 159, Cruiser II	3			23-571	Ultremo R	11		
	50-305	Big Apple	3		37-584	HS 159	12			
	54-305	City Jet	3		42-584	Marathon	12			
	57-305	Mad Mike	3		44-584	HS 159	12			
	32-349	Kojak	4		54-584	HS 315	19			
	35-349	Marathon Plus	4		20-590	Speedair	12 B			
	37-349	Marathon	4		25-590	Marathon Plus, Rightrun	12 B			
	17"	32-369	Kojak		5	28-590	HS 180	12		
		18"	32-355		Kojak	4	37-590	Marathon, Marathon Plus, Delta Cruiser, Speedway Pro	12	
	35-355		Marathon Plus		4	42-590	Marathon Plus	12		
40-355	Marathon Racer		5		57-584	Racing Ralph	19, 19 A			
47-355	Mad Mike, HS 159, Cruiser II		5		32-630	Marathon, HS 159	17			
20"	50-355		Big Apple		5	28"	40-609	HS 113	17	
	37-390		HS 116		5		19-622	Ultremo Tubular	-	
	28-406		Durano		6, 6A		20-622	Blizzard, Lugano	15, 20, 21	
	35-406		Marathon Plus, Kojak		6, 6A		22-622	Ultremo Tubular, Durano, Milano, Montello	-	
	40-406		Marathon, Marathon Racer		6, 6A, 7		23-622	Ultremo R, Ultremo DD, Durano, Durano Plus, Blizzard, Lugano, Speedair	15, 20, 21	
	42-406		Marathon Supreme, Marathon Winter		7, 7C		25-622	Ultremo R, Ultremo DD, Durano, Durano Plus, Blizzard	15, 20, 21	
	47-406	Mow Joe, Mad Mike, Crazy Bob, Marathon, Marathon Plus, HS 159, Silento II, Cruiser II	7, 7C		28-622			Marathon Plus, Marathon, HS 180	15, 17, 18	
	50-406	Big Apple, Mow Joe	7, 7C					30-622	Marathon Racer, CX Pro, CX Comp, Speed Cruiser	17, 18
	54-406	Crazy Bob, Jumpin' Jack, Dirty Harry, Knobby	7, 7C, 7D				32-622		Marathon, Marathon Plus, Marathon Supreme, Delta Cruiser, Road Cruiser	17, 18
	57-406	Jumpin' Jack, Mad Mike	7, 7C, 7D		35-622				Marathon Racer, Racing Ralph, Kojak, CX Comp, Marathon Winter	17, 18
60-406	Big Apple	7, 7C, 7D	37-622			Marathon Supreme, Marathon XR, Marathon Plus, Marathon, Smart Sam, Terra Cruiser, Silento II, Land Cruiser, Road Cruiser, Delta Cruiser, Advancer		17, 18, 19A		
54-428	HS 159	7				40-622	Marathon Plus, Marathon Racer, Marathon Cross, Snow Stud, Silento II	17, 18, 19, 19A		
37-438	HS 110	7A			42-622		Marathon Supreme, Marathon XR, Marathon, Marathon Plus ATB, Hurricane, Smart Sam, Marathon Winter, Land Cruiser, Terra Cruiser, Road Cruiser, Advancer	17, 18, 19, 19A		
28-451	Durano	7A					47-622	Marathon, Marathon Plus, Smart Sam, Silento II, Land Cruiser, Road Cruiser	17, 19, 19A	
37-451	Mow Joe	7A				50-622		Marathon Supreme, Marathon XR, Marathon, Big Apple	19, 19A	
22"	44-484	Road Cruiser			8			60-622	Big Apple	19, 19A
	25-489	Marathon Plus, Rightrun, HS 228			8A		40-635	Marathon, Marathon Plus, Delta Cruiser	17, 19	
	37-489	HS 110			8	29"	54-622	Albert	19, 19A	
	37-490	HS 166			8		57-622	Racing Ralph	19, 19A	
	25-501	Right Run, HS 187			8A		62-622	Racing Ralph	19	
	24"	37-501	HS 110		8	25"	57-520	Twenty 5	10	
		47-507	Marathon, Marathon Plus, Mow Joe, Marathon Winter, Silento II, Land Cruiser, HS 159		9, 10		26"	20-559	Speedair	11A
		50-507	Big Apple, Land Cruiser		10			23-559	Rightrun, Speedrun	11A
		54-507	Black Jack, Smart Sam		10, 10D			25-559	Marathon Plus	11A
		57-507	Table Top		10, 10D			28-559	Durano	12A
60-507		Space, Crazy Bob, Big Apple	10, 10D		35-559			Marathon Plus, Kojak, CX Pro	12A	
23-520		Durano	9C	40-559				Black Shark Mud, Marathon, Marathon Racer, City Jet, Speed Cruiser	12A, 13, 14, 14A	
20-540		Speedair	9A	42-559				Marathon Supreme, Marathon XR	13, 14, 14A	
23-540		Speedrun	9A	47-559				Black Jack, Nobby Nic, Marathon Winter, Marathon, Marathon Plus, Marathon Plus Tour, Marathon Cross	12, 13, 14, 14A	
25-540		Marathon Plus, Rightrun, Downtown	9A	50-559				Silento II, Land Cruiser, Road Cruiser, HS 312	13, 14, 14A	
37-540	Marathon Plus, Downtown, Delta Cruiser, HS 127, HS 228	9	Hurricane, Kojak, CX Comp, Furious Fred, Mountaineer II, Snow Stud			13, 14, 14A				

## All around the world

SCHWALBE brand bicycle tires can be found from the USA to Australia and Japan to South Africa. And in Europe we are the market leaders! We believe there are two reasons for this success. Firstly: We are "tire fanatics"! Absolutely specializing in bicycles and for some years also in wheelchairs. Secondly: Our tires can't be found everywhere, but exclusively in the specialized trade! Because to our mind, qualified advice and good service are a must. And we know: Only the specialized trade can ensure both.

SCHWALBE is the brand. Bohle is the company and since its establishment in 1922 it has been a family concern. Now a third generation business, it is headed by second generation Ralf Bohle, his son Frank Bohle and son-in-law Holger Jahn.



**Bohle international.** Head office in Germany, subsidiary companies in France, Great Britain, Italy and Holland. Partners in 28 other countries. Partnership production with Korean tire manufacturer Hung-A in Jakarta, Indonesia.

## OUR PRICES

The price of our tires reflects not just the cost of production – but also the service element costs provided on a local basis by our distribution partners – your specialist dealer.

Only in the specialized trade do you have...

- access to a large choice of tires and can take them away immediately
- the possibility to test quality for yourself and to know that you have the very latest product.
- answers to technical problems on the spot.
- personal advice and the possibility of hassle-free exchange in case of a problem.

**Ralf Bohle GmbH**  
**Otto-Hahn-Str. 1 · 51580 Reichshof · Germany**  
**+49-2265-1090 · Fax +49-2265-7022**  
**info@ralfbohle.com · www.schwalbe.com**

**FRANCE**

Bohle France SARL  
 57, Place de l'Hôtel de Ville  
 38510 Morestel  
 Tel. +33-4-74805842  
 Fax +33-4-74805843  
 pierre.dubruc@wanadoo.fr

**GREAT BRITAIN**

Bohle UK Limited  
 Schwalbe Centre  
 Hortonwood 30  
 Telford  
 Shropshire TF1 7ET  
 Tel +44-1952- 602680  
 Fax +44-1952- 605603  
 www.bohle.co.uk  
 www.schwalbe.co.uk

**ITALY**

Bohle Italia s.r.l.  
 Via Verdi N. 3  
 20041 Agrate Brianza (MI)  
 Tel. +39-039-6058078  
 Fax +39-039-6056169  
 bohle@tiscali.it

**NETHERLANDS**

Anglo Dutch b.v.  
 Dirk Storklaan 25  
 2132 PX Hoofddorp  
 Postbus 116  
 2130 AC Hoofddorp  
 Tel. +31-23-5555265  
 info@anglodutch.nl

**Distribution Partners:**

**AUSTRALIA**

BikeBox  
 Moorabbin VIC 3189  
 +61-3-95555800  
 info@bikebox.com.au

**AUSTRIA**

Thalinger Lange GmbH  
 4600 Wels  
 +43-7242-4970  
 office@bikersbest.com  
 www.bikersbest.com

**BELGIUM + LUXEMBOURG**

INTERCYCLE n.v.  
 1700 Dilbeek  
 +32-2-5691396  
 ronny@intercycle.be

**CANADA**

Moser Enterprises Incorporated  
 DBA: Schwalbe North America  
 +1-888-700-5860  
 tireinfo@schwalbetires.com  
 www.schwalbetires.com

**CZECH REPUBLIC**

Imexpo spol. s.r.o.  
 19000 Praha  
 +42-2-66034237  
 info@imexpo.cz  
 www.imexpo.cz

**DENMARK**

Søndergaard & Sønner A/S  
 8260 Viby J  
 +45-86-281022  
 sond-son@bikesond.dk

**ESTONIA**

Balti Autoosade AS  
 75306 Lehmja Küla  
 +372-6200-600  
 ragnars@autoparts.ee  
 www.tandem.ee

**FINLAND**

Kari Linnonmaa Sport Oy  
 00700 Helsinki  
 +358-9-6860760  
 kari.linnonmaa@linnonmaasport.fi

Velotrade Finland Oy

00820 Helsinki  
 +358-9-7591033  
 mail@velotrade.fi

Tunturi Oy LTD

20361 Turku  
 +358-251331  
 www.tunturi.com

**HUNGARY**

Paul Lange Kft.  
 1211 Budapest  
 +36-1-4558000  
 info@paul-lange.hu  
 www.paul-lange.hu

Schwinn Csepel Rt.

1211 Budapest  
 +36-1-2738040  
 belker@schwinncsepel.hu  
 www.schwinncsepel.hu

**JAPAN**

PR International Inc.  
 Nagoya, 465-0028  
 +81-52-774-8756  
 info@printernational.co.jp  
 www.g-style.ne.jp

**LATVIA**

Baltic Autoparts Sia  
 1046 Riga  
 +371-7062158  
 www.bap.lv

**MALTA**

Magri Cycles & Spares  
 Mosta MST 9036  
 +356-21-414399  
 magricyc@nextgen.net.mt

**MEXICO**

Maisterwerk  
 Forza Motor Sport S.A. de C.V.  
 Guadalajara, Jalisco  
 +52-33-38177702  
 info@maisterwerk.com  
 www.maisterwerk.com

**NEW ZEALAND**

De Grandi Cycle and Sport NZ Ltd  
 Christchurch  
 +64-3-3891205  
 info@degrandi.co.nz

**NORWAY**

CyklOn AS  
 4626 Kristiansand  
 +47-38047474  
 info@cyklon.no

**POLAND**

P.H.P. Unibike sp.j.  
 85-758 Bydgoszcz  
 +48-52-3489611  
 unibike@unibike.pl  
 www.unibike.pl

**PORTUGAL**

Castanheira & Castanheira Lda.  
 4905-642 Barroselas - Viana do Castelo  
 +351-258-971216  
 castanheiraecastanheira@sapo.pt

**RUSSIA**

TAN-BOHLE Co. Ltd.  
 119606 Moscow  
 +7-495-4360672  
 tan@schwalbe.ru  
 www.schwalbe.ru

**SERBIA + MONTENEGRO**

D.O.O. Jankovic Comp  
 24430 Ada  
 +381-63-583429  
 office@jankovic.co.yu

**SLOVAKIA**

AGF INVEST s.r.o.  
 85110 Bratislava-Rusovce  
 +421-2-62859549  
 info@agfinvest.sk  
 www.agfinvest.sk

**SLOVENIA + CROATIA**

Pro Futura  
 4220 Skofja Loka  
 +386-45127501  
 gasper@profutura.sl

**SOUTH AFRICA**

Bicicletta  
 0169 Centurion  
 +27-834078562  
 info@bicicletta.co.za  
 www.bicicletta.co.za

**SPAIN**

Bike Tech S.L.  
 08012 Barcelona  
 +34-932-138000  
 info@bike-tech.net

Vic Sports Afers s.l.

17179 Riudaura (Girona)  
 +34-972-268299  
 vicsports@vicsportsafers.es

**SWEDEN**

JOFRAB  
 57323 Tranås  
 +46-140-385030  
 info@jofrab.se  
 www.jofrab.se

Skeppshultcykeln AB

333 93 Skeppshult  
 +46-37136800  
 info@skeppshult.se  
 www.skeppshult.se

**SWITZERLAND**

Trek Fahrrad GmbH  
 8600 Dübendorf  
 +41-44-8248500  
 parts@trek-villiger.ch

Komenda AG

9014 St. Gallen  
 +41-71-2776344  
 parts@komenda.ch

**TAIWAN**

Salloy Co. LTD  
 40765 Taichung  
 +886-4-2463-9891  
 salloy@ms72.hinet.net

**UNITED ARAB EMIRATES**

Wolfis Bike Shop  
 72327 Dubai  
 +971 339 4453  
 www.wbs.ae

**USA**

Moser Enterprises Incorporated  
 DBA: Schwalbe North America  
 +1-888-700-5860  
 tireinfo@schwalbetires.com  
 www.schwalbetires.com

