

ONE DOLLAR





OUR PASSION FOR EXCELLENCE.

In Trek's second decade of building high-performance cycling machines, the craftsmanship and attention to detail that was once the sole province of the custom framebuilder has given way to more precise and sophisticated manufacturing techniques.

The work that began in a small shop in rural Waterloo, Wisconsin now continues in the most advanced bicycle production facility in the world.

The materials themselves have evolved—from advanced steel alloys to the most exotic aluminum and carbon fiber composites.


While times have changed, one thing won't. Trek's commitment to excellence and quality, and the feeling you get when you ride a Trek.




Trek engineers use computer technology to enhance the bicycle's Function Specific™ performance. Designing in greater strength-to-weight ratios, response, and rider comfort.



Chromoly frames are silver brazed using a set of investment-cast lugs, shells, and dropouts, to ensure that every Trek will be stiffer, stronger, and aligned to perfection.




In building Trek's unique aluminum frames, internal cast lugs and lightweight tubing are bonded together using aerospace adhesives. The process of bonding retains all the strength of these advanced, heat-treated alloys.



Not just another carbon copy, Trek's midsize "bias woven" carbon tubing is the product of analysis that pinpoints the optimal dimension and fiber orientation inside each individual frame section. Tubes are butted with a special insulator to increase strength and prevent galvanic corrosion.



Performance with a sense of proportion. Trek's unique midsize diameter aluminum tube sets crafted by leaders Easton and Alcoa, exceed standards set by the best steel alloy bicycles, at a weight savings of up to twenty percent.



In our steel-alloy road frames, the finest butted True Temper RC-1 and Reynolds 531 tubing is silver-brazed using magnetically-induced low temperatures into a rigidly unitized geometry.



After handfinishing every joint, Trek frames are corrosion-proofed, painted with coats of primer, color and polyurethane clear-coat. Then oven cured to form a lustrous and durable finish.



Your Trek comes fully equipped with the most exciting new component groups to be found, like indexed "click" shifting, linear response brakes, and biomechanically efficient drivetrains.



Rounding out the componentry is a pair of heat-treated Matrix wheels, built strong and true. New sealed hubs, lightweight alloy rims, and high-performance tires make Matrix the fastest name on wheels.



You'll find serious cyclists where you see this sign. Your nearby Trek dealer is ready to help you choose the bike that fits your needs perfectly. And ready with the service and accessories to back it up.

YOUR PASSION FOR PERFORMANCE.

Trek's commitment to quality through Function Specific™ design assures that you will get the outstanding performance you expect from America's finest bicycles.

TREK KIT BICYCLES

Trek kit bikes incorporate the finest Trek frames with the most refined components available in the world. Ask your dealer about having the ultimate custom Trek built for you.

2500 COMPOSITE FRAMESET

The finest Carbon composite frame available. Computer designed lug system bonds together bias woven double butted composite tubing and heat treated tapered aluminum stays.



You can purchase a Trek frameset with or without your choice of groups shown.

2000 ALUMINUM FRAMESET

Rated "The finest all around racing bike we've tested" by "Bicycling" magazine, you'll love riding the 2000. Trek bonded aluminum is lighter, handles better, and goes faster than you'd think possible. Available in teal blue with magenta decals as shown. Also available in bright white with red decals.



CAMPAGNOLO CHORUS GROUP
Group includes alloy stem and bar, Suntour freewheel, Vetta saddle, and Sedisport chain.



SUNTOUR SUPERBE PRO GROUP
Group includes alloy stem and bar, Matrix hubs, American Classic seat post, Vetta saddle, and Suntour chain. Pedals not supplied.

770 REYNOLDS 531 FRAMESET

The classic full Reynolds 531 racing frame. More winners of the Tour de France raced full Reynolds frames than any other. Reynolds 531 built with Trek's unique cast lugs and low temperature silver brazing process gives you the most advanced steel alloy racing frameset. Available in yellow with blue decals as shown.



SHIMANO SANTE GROUP
Group includes alloy stem and bar, American Classic seat post, Vetta saddle, and Shimano chain. Pedals not supplied.



All groups supplied as shown and include Matrix ISO-C hard anodized aero rims and Matrix CD-5 high pressure Kevlar bead tires.



TREK CHROMOLY BICYCLES. AT LOWER BRAZING TEMPERATURES, THE PERFORMANCE HEATS UP.

While fine butted steel alloy tubes are a traditional favorite for high-performance bicycles, Trek has not stopped with tradition.

The use of precise investment-cast lugs and controlled low temperature brazing techniques allows Trek's master builders to retain maximum structural strength in high performance bicycle frames.

Our Function Specific design philosophy also means that racing, touring, and sport geometries are better suited to meet the needs of individual riders.



The use of unique investment cast lugs enables Trek to build frames with stronger, more precisely aligned joints.



Electromagnetic induction brazing techniques are used to silver braze frame joints at controlled low temperatures. This results in a stronger frame than conventional high temperature brazing.



Working in conjunction with Trek engineers, True Temper is producing the highest quality chromoly alloy tubing available, including their newest RC-1 "Gold Label" in customized wall thicknesses.

When built by Trek's low temperature silver brazing process, these frames are light, strong and resilient. You get the performance and handling you'd expect from America's finest bicycles.



660

REYNOLDS 531

Bring the names Reynolds, Shimano new 600 Ultegra, and Matrix together and what have you got? A modern Trek classic which offers high-speed response and precise handling under rigorous road racing conditions.



Double-butted Reynolds 531 frame, the racer's traditional favorite, is brazed into a rigid geometry using Trek's unique investment cast lugs for unsurpassed performance.



Shimano's new 600 Ultegra drivetrain includes S.I.S. shifting across all 14-speeds, and 52/42 Biopace crank with sealed bottom bracket.



Trek cast lug frame system gives you a strong, precisely aligned frame.

SIZES

19, 21, 22.5, 24 & 25.5"

FRAME/FORK

Reynolds 531/chromoly

CRANKSET

Shimano Ultegra, 52/42

BIPACe

DERAILLEURS

Shimano Ultegra S.I.S.

BRAKESET

Shimano Ultegra SLR aero

FREEWHEEL

Shimano Cassette 7-spd.,

13-24

HUBSET

Shimano Ultegra freehub 32°

RIMS

Matrix ISO-C hard anodized

TIREs

Matrix CD-4, 700 X 20C

PEGS

Shimano Ultegra



Available in bright white with red decals and teal blue with magenta

One glance at the tightly-constructed True Temper RC-1 chromoly frame, Shimano "105" componentry, Matrix wheels, and striking colors will set your pulse racing.



Available in aqua with blue decals and black with magenta decals.



Patented investment cast seat lug adds extra stiffness and strength to the rear triangle.



The model 560 features the fastest name on wheels—a durable set of Matrix clincher wheels built around sealed mechanism Matrix hubs.



Shimano's 105 S.I.S. group is considered one of the finest component collections at any price.

SIZES	18, 19, 21, 22.5, 24 & 25.5"
FRAME/FORK	True Temper Gold Label RC-1 chromoly
CRANKSET	Shimano new 105 Biopace, 52/42
DERAILLEURS	Shimano new 105 S.I.S.
BRAKESET	Shimano new 105 SLR aero
FREEWHEEL	Shimano 13-24T, 6-spd.
HUBSET	Matrix 32° QR sealed mech
RIMS	Matrix Titan hard anodized
TIRES	Matrix CD-3, 700 X 25C
PEDALS	Shimano 105

560

CHROMOLY



SIZES

19, 21, 22.5, 24 & 25.5"

FRAME/FORK

Reynolds 531 butted main/
chromoly

CRANKSET

Shimano, 50/44/28, Biopace

DERAILLEURS

Shimano Deore S.I.S.

BRAKESET

Shimano Deore cantilevers
SLR

FREEWHEEL

Shimano 14-28T, 6-spd.

HUBSET

Forged alloy QR w/sealed
mech

RIMS

Matrix Titan-T hard anodized

TIRES

Matrix CD-2, 27 X 1 1/4"

PEDALS

Alloy quill

SADDLE

Avocet M-20 Gefflex touring

ACCESSORIES

Blackburn rack

**520**

REYNOLDS 531

A smooth and comfortable Reynolds 531 extended-wheelbase touring frame with Shimano Deore components, 18-speed S.I.S., and Matrix wheels is ready for the long haul.



Extended chainstays result in a longer-wheelbase geometry for excellent stability and comfort under full touring loads.



Built from Reynolds 531, one of the premier sets of double-butted tubing in cycling, with high-strength chromoly forks and stays.



Powerful Shimano Deore cantilever brakes to stop a loaded 520 on its durable Matrix Titan-T wheels.



Avocet Gefflex™ touring saddle will help smooth the feel of the roughest roads.

Available in deep blue with white decal as shown.



SIZES
18, 19, 21, 22.5, 24 & 25.5"
FRAME/FORK
True Temper, Gold Label RC-1 chromoly
CRANKSET
SR forged Oval-Tech, 52/42/32
DERAILLEURS
Shimano Deore S.I.S.
BRAKESET
Shimano Aero SLR
FREEWHEEL
Shimano 14-28T, 6-spd.
HUBSET
Maillard QR w/sealed mech
RIMS
Matrix Titan-S black anodized
TIRES
Matrix CD-2, 700 X 28C
PEDALS
Alloy quill

400T

CHROMOLY

This Trek 400 is easy to pedal with three oval chainrings, 18-speeds, S.I.S. Deore shifting, and an anatomical saddle.



Sealed mechanism quick-release hub fits into a Trek investment cast dropout with an eyelet that's ready to accept any high-quality rack.



Oval-tech triple crank smooths out your power stroke for more relaxed riding over even the hilliest terrain.



Matrix Titan-S heat-treated wheel system offers lightweight durability.



Available in bright red with black decals and soft blue with yellow decals.



400

CHROMOLY

True Temper Gold Label RC-1 tubing, built by Trek into a responsive sport touring geometry. Shimano light-action index shifting lets you command all 12-speeds with ease.



Shimano aero linear response brake system puts you firmly in control.



Shimano S.I.S. shifting means no more fumbling with gears—you're in perfect sync every time.



Performance from the ground up: Matrix Titan-S rims, CD-2 tires, and low maintenance sealed mechanism hubs.



Available in ecru with blue decals and bright red with black decals.

SIZES
18, 19, 21, 22.5, 24 & 25.5"
FRAME/FORK
True Temper Gold Label RC-1 chromoly/chromoly
CRANKS
SR forged 52/42, Oval-Tech
DERAILLEURS
Shimano light-action S.I.S.
BRAKESET
Shimano aero SLR
FREEWHEEL
Shimano 14-28T, 6-spd.
HUBSET
Maillard QR w/sealed mech
RIMS
Matrix Titan-S black anodized
TIRES
Matrix CD-2, 700 X 25C
PEDALS
Alloy quill



360

CHROMOLY

A double-butted chromoly dedicated racing machine with indexed shifting, and hard coated componentry designed to do 360's around the competition.



Dia Compe A-5000 short-reach brakes with aero levers for positive, controlled stopping power.



Suntour Accushift indexing gives you precise control of 12-speed gearing with just the flick of a finger.



A tight-wheelbase, short chainstay frame geometry built with True Temper RC-1 chromoly for powering away from the competition.



Available in yellow with blue decals and deep blue with white decals.

SIZES
18, 19, 21, 22.5, 24 & 25.5"
FRAME/FORK
True Temper Gold Label RC-1 chromoly/chromoly
CRANKSET
Sugino 52/42
DERAILLEURS
Suntour new Alpha 4050 Accushift indexing
BRAKESET
Dia Compe short reach aero FREEWHEEL
Suntour 13-26, 6-spd.
HUBSET
Maillard QR w/sealed mech
RIMS
Weinmann 415X alloy
TIRES
Matrix CD-2, 700 X 25C
PEDALS
Alloy quill

330

CHROMOLY

With indexed shifting, aero brakeset and True Temper chromoly frame, our most affordable sport bicycle is an exceptionally fit choice for any cyclist ready to move ahead.



Aero-style levers by Dia Compe for exceptional braking control and sleek good looks.



Investment-cast seat lug and True Temper RC-1 tubing combine advanced frame technology and value.



Indexed derailleurs and Sugino forged crank give you a powerful and versatile drivetrain.



Available in bright red with white decals and medium grey with yellow decals.

SIZES	19, 21, 22.5, 24 & 25.5"
FRAME/FORK	True Temper Gold Label RC-1 chromoly/chromoly
CRANKSET	Sugino forged, 52/40
DERRAILLEURS	Suntour new Alpha 3040, w/Accushift indexing
BRAKESET	Dia Compe aero
FREEWHEEL	Suntour 14-28, 6-spd.
HUBSET	Alloy w/QR front & rear
RIMS	Weinmann 415X alloy
TIRES	Matrix CD-1, 700 X 28C, skinwall
PEDALS	Alloy quill



MATRIX

WHEEL SYSTEMS

Trek engineers have taken the systems approach to designing and building the finest wheels available.

Individual wheel components have been

designed to maximize the performance of every element. As the sum of its parts, Matrix Wheel Systems outperform conventional wheels.

Heat treated rims, high pressure tires, stainless steel spokes and forged shell hubs are available as a complete

system, or as components.
RIMS: Heat-treated to form a molecular "Matrix", these lightweight 6061 T-6 aluminum alloy rims are the most advanced available. Each Matrix rim profile is all computer designed to optimize strength at very low weights.

TIRES: Newly design-

ed from the ground up, Matrix tires combine advanced technology with true all-around performance. Exclusive Matrix tread patterns offer the perfect balance of low rolling resistance, tight handling, and traction. The Matrix rubber compound is also the longest wearing, most

puncture resistant available. The high-quality high thread count casings hold greater pressure and absorb shock while rolling more efficiently.

HUBS: Matrix hubs, the center piece of the new Matrix wheel system. One piece forged hubs are milled and polished. Axles

are chromoly and bearing races are ground and polished. Available in 32 or 36 holes, with either sealed ball bearing, or sealed cartridge bearing.

Matrix wheels can be found as original equipment on Trek bicycles, or can be ordered separately from your Matrix dealer.



Titan
Narrow box profile will exceed your toughest demands in racing and all-around riding.

Grey hard coat, or black anodized
455 grams
32 and 36 hole
27" and 700C



Titan T
A wider rim with extraordinary strength, suitable for touring or tandem use.
Grey hard coat
550 grams
36, 40 and 48 hole
27" and 700C



ISO
The world's foremost aerodynamic tubular rim. Based on the inherent strength of the isosceles triangle, it is very rigid and very light.
Grey hard coat
355 grams
24, 28, 32 and 36 holes
700C



ISO C
Based on the Iso design, sculpted to accept new high-performance clinchers. Broad braking surface improves heat dissipation and increases stopping power.
Grey hard coat
475 grams
24, 28, 32 and 36 holes
700C



Singletrack
Box construction rim is computer designed for outstanding all-terrain performance. Heat-treated and hard coated, this tall profile rim will take everything you can dish out.

Grey hard coated
500 grams
32 and 36 holes
26"



Matrix Hubs.
One piece forged hubs with chromoly axles.
Available in 32 or 36 holes, with either sealed ball bearing, or sealed cartridge bearing.



CD1
100 psi.
275 grams.
27" and 700C



CD2
100 psi.
225 grams.
27" and 700C



CD3
100 psi.
225 grams.
700 x 25 and 700 x 20



CD4
125 psi.
215 grams.
700 x 25 and 700 x 20.
Kevlar belt CD4K also available for extra durability.



CD5
125 psi.
195 grams.
700 x 20.
Foldable Kevlar bead.
Kevlar belt CD5K available for extra durability.




CDX All-Terrain Tire
40 to 65 psi.
700 grams & 580 grams
26" x 1.9 and 26" x 1.6



CDZ All-Terrain Tire
45 to 80 psi.
605 grams.
Also available:
Kevlar bead CDZK
570 grams
Kevlar belt CDZR
595 grams.

SPECIFICATIONS



Frame geometry								
Frame Size	Seat tube length	Seat tube angle	Head tube angle	Top tube length	Chain stay length	Fork offset	Drop	Wheel base
Models 2500, 2300, 2000, 1500, 1200, and 1000								
50cm	50	73.5	73	53.0	41.5	4.2	7.2	96.8
52cm	52	73.5	73	53.0	41.5	4.2	7.2	96.8
54cm	54	73.5	73.5	55.0	41.5	4.2	7.2	98.3
56cm	56	73.5	73.5	55.0	41.5	4.2	7.2	98.3
58cm	58	73.5	73.5	56.5	41.5	4.2	7.2	100.3
60cm	60	73.5	73.5	56.5	41.5	4.2	7.2	100.3
62cm	62	73.5	74	58.5	41.5	4.2	7.2	100.8

All dimensions are in centimeters, unless otherwise stated.

Frame geometry								
Frame Size	Seat tube length	Seat tube angle	Head tube angle	Top tube length	Chain stay length	Fork offset	Drop	Wheel base
Model 660								
19"	47.5	73.5	72	53.6	41.5	4.2	7.2	97.7
21"	52.1	73.5	72	55.0	41.5	4.2	7.2	99.1
22.5"	55.9	73.5	73	56.0	41.5	4.2	7.2	100.4
24"	59.6	73.5	73	57.5	41.5	4.2	7.2	100.9
25.5"	63.5	73.5	73	58.5	41.5	4.2	7.2	101.8
Models 560 and 360								
18"	46.2	73.5	72	52.9	42.5	4.2	7.4	98.6
19"	50.7	73.5	72	53.5	41.5	4.2	7.2	97.4
21"	52.6	73.5	73	54.5	41.5	4.2	7.2	98.5
22.5"	57.0	73.5	73	55.9	41.5	4.2	7.2	99.1
24"	61.2	73.5	73	57.3	41.5	4.2	7.2	100.5
25.5"	63.6	73.5	73	58.1	41.5	4.2	7.2	101.3

All dimensions are in centimeters, unless otherwise stated.

SPECIFICATIONS	COMPOSITE	ALUMINUM	CHROMOLY	400T	400
MODEL	2500	2300	1500	660	660
COLORS	Natural & polished w/turquoise decals	Natural & polished w/turquoise decals	Bright red w/white decals, teal blue w/magenta decals	Aqua w/white decals, medium grey w/yellow decals	Teal blue w/magenta decals, bright white w/red decals
SIZES	50, 52, 54, 56, 58, 60 & 62 cm	50, 52, 54, 56, 58, 60 & 62 cm	50, 52, 54, 56, 58, 60 & 62 cm	50, 52, 54, 56, 58, 60 & 62 cm	19, 21, 22.5, 24 & 25.5"
MAIN TUBES	Trek graphite double butted composite	Trek graphite double butted composite	Easton 7000 T7 aluminum alloy	Trek/Alcoa 6061 T6 aluminum alloy	Reynolds 531 double butted
STAYS	Trek tapered aluminum alloy	Trek tapered chromoly			
SEAT LUG	Trek aluminum alloy	Trek aluminum alloy	Trek aluminum alloy	Trek aluminum alloy	Trek tapered chromoly
DROPOUTS	Trek investment cast stainless steel	Trek investment cast			
FORK	Aluminum alloy bonded chromoly steerer	Aluminum alloy bonded chromoly steerer	Aluminum alloy bonded chromoly steerer	Chromoly with Trek cast sloping crown	Chromoly with Trek cast sloping crown
HEADSET	Alloy sealed	Alloy sealed	Alloy sealed	Sealed	Sealed
SPECIAL ADD-ONS	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger & ft. derailleuer mount	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger & ft. derailleuer mount	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger & ft. derailleuer mount	Internal top tube guides, dual bottle mounts, pump peg, shift lever bosses, chain hanger & ft. derailleuer mount	Top tube guides, dual bottle mounts, pump peg, shift lever bosses & chain hanger
CRANKSET	Shimano Dura Ace 53/42	Shimano Ultegra 52/42 Biopace w/sealed BB	Shimano Ultegra 52/42 Biopace w/sealed BB	Shimano 105, 52/42 Biopace w/sealed BB	SR forged alloy 52/42 OvalTech
FRONT DERAILLEUR	Shimano Dura Ace	Shimano Ultegra	Shimano Ultegra	Shimano 105	Shimano light action
REAR DERAILLEUR	Shimano Dura Ace S.I.S.	Shimano Ultegra S.I.S.	Shimano Ultegra S.I.S.	Shimano 105	Shimano S.I.S. indexing
SHIFT LEVERS	Shimano Dura Ace S.I.S., 7spd. indexing	Shimano Ultegra S.I.S. index control	Shimano Ultegra S.I.S. index control	Shimano 105 S.I.S. indexing	Shimano 105 S.I.S. index control
BRAKESET	Shimano Dura Ace w/lever aero levers	Shimano Ultegra linear response aero	Shimano Ultegra linear response aero	Shimano Ultegra linear response aero	Shimano Deore cantilevers w/SLR
FREEWHEEL	Shimano cassette silver, 12-21, 7spd.	Shimano Ultegra cassette, 13-24, 7spd.	Shimano Ultegra cassette, 13-24, 6-spd.	Shimano Ultegra cassette, 14-28, 6-spd.	Shimano, silver, 13-24, 6-spd.
CHAIN	Sedisport silver	Shimano UG narrow	Shimano UG narrow	Sedisport	Shimano UG
HUBSET	Shimano Dura Ace 32° QR sealed	Shimano Ultegra freehub 32° QR sealed	Shimano Ultegra freehub 32° QR sealed	Maillard new CX 36° QR sealed	Shimano Ultegra freehub 32° QR sealed
SPOKES	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel	14G stainless steel
RIMS	Matrix ISO-C, 700C, hard anodized	Matrix ISO-C, 700C, hard anodized	Matrix ISO-C, 700C, hard anodized	Matrix Titan-S, 700C, hard anodized	Matrix 700C, hard anodized
TIRES	Matrix CD-5, 700 x 20C, skinwall, 125 psi	Matrix CD-4, 700 x 20C, skinwall, 125 psi	Matrix CD-3, 700 x 25C, skinwall, 100 psi	Matrix CD-4, 700 x 25C, skinwall, 125 psi	Matrix CD-3, 700 x 25C, skinwall, 100 psi
PEDALS	Shimano clipless	Shimano Ultegra	Shimano 105	Alloy quill	Shimano 105
HANDLEBARS	Cinelli #64 giro alloy	SR custom alloy	Alloy	SR custom alloy	Alloy
STEM	Cinelli 1-A forged alloy	SR FX 100 forged aero alloy	SR FX forged aero alloy	Delta DL aero alloy	SR forged aero alloy
SEAT POST	American Classic light alloy microadjust	SR, 220 mm, alloy microadjust	SR, 220 mm, alloy microadjust	220 mm, alloy microadjust	220 mm, alloy microadjust
SADDLE	Vetta new #200 racing	Vetta new #200 racing	Avocet R-20 racing Gelflex	Vetta Mundial ultra suede	Vetta Mundial ultra suede
ACCESSORIES	Shimano Ultegra toeclips & straps	Shimano Ultegra toeclips & straps	Shimano 105 toeclips & straps	Cateye nylon toeclips & straps	Cateye nylon toeclips & straps

Trek bicycles are equipped with the finest selection of components available from sources world wide. Specifications are subject to change without notice.

