







## 2008 Trek Mountain Bikes



Fuel EX 3

The definitive all-day, all-conditions trail bike, with 120mm of rear wheel travel.



69er 17

29" front wheel and 26" rear, in singlespeed, hardtail and full suspension.



Top Fuel Race 23

Cross country fully-suspended race bikes—efficient and light, with 90mm of rear wheel travel.



Elite Race 29

Cross country OCLV Carbon performance in the lightest possible package.



Hardtail 31

Alpha Aluminum cross country hardtails—ready for any trail adventure.



Cyclocross 43

Pure-bred cyclocross racing bikes.



Session 47

The 10" travel Session is the greatest tool in gravity riding.



Jack 51

The mountain bike alternative—jumpable and flickable Jack.



WSD 55

The most complete line of women's specific mountain bikes available.





**Fuel EX**

The all-new Fuel EX—redefining the capabilities of the trail bike, offering the comfort, versatility and control trail riders demand for all-day, all-conditions riding. With the most active suspension system under high speed braking, optimized for use with the custom-tuned Fox air shock, the Fuel EX may truly be the ultimate trail bike.





## Suspend Conventional Thought

### Fuel EX Technology

The all-new Fuel EX is a dramatic improvement over any mountain bike Trek (some would say *any* company) has ever offered. This improvement is due to the groundbreaking new technologies of ABP™, Full Floater™ and EVO Link™—the combination of these technologies is a suspension platform known as R1i™.

One ride is all it takes to know that the 2008 Fuel EX is the ultimate trail bike.

### ABP™ (Active Braking Pivot) - Why Skid?

Conventional designs place the rear suspension pivot either below or above the axle. Trek's new **A**ctive **B**raking **P**ivot (ABP) is a patent pending technology that puts the rear suspension pivot concentric to the rear wheel axle. This new pivot location results in a bike with the most active suspension under braking.

**Reduces Braking Forces on Suspension** Braking forces cause most suspension systems to stiffen (commonly known as brake jack). When suspension stiffens, it's not able to fully track bumps, resulting in wheel hop, increased skidding and decreased control.

Trek's new Active Braking Pivot (ABP) places the rear pivot concentric to the rear axle, which reduces the effect of braking on the suspension system. In fact, ABP creates the most active suspension under braking. Since ABP keeps suspension active, your shock doesn't 'pack up' under high frequency bumps, allowing your wheel to track every bump. The result—reduced skidding, more control, and better, more effective braking.

**Perfect Suspension Balance Front-to-Rear** Since ABP allows the rear suspension to work efficiently in both braking and non-braking situations, the front and rear shocks can work together all the time. This creates a perfect balance of suspension front-to-rear and adds up to better handling and more control in all situations.



ABP places the rear pivot concentric to the rear axle.

More information at [trekbikes.com/fuelex](http://trekbikes.com/fuelex)



## You'll Never Think About Full Suspension The Same

### 1 Full Floater™ - Smarter Travel

Trek's highly successful R1 suspension system allowed our suspension designers to dial in the rear suspension's leverage ratio (the amount a shock is compressed as a function of wheel travel) while maintaining a rigid, durable frame and swingarm structure.

The R1i system takes a huge step forward with the all-new Full Floater rear shock mounting technology.

### 2 Shock Floats on Two Moving Linkages

Fixed mount suspension designs attach the shock to one top moving link while the bottom mount is fixed to the frame. Full Floater technology connects the rear shock mounts to two moving linkages—the EVO Link on the top, and the extension of the swingarm at the bottom. The trajectory of these two attachment points adds a degree of freedom to the shock mounting system and creates a more complex leverage ratio, one that is optimized for use with an air shock. The new system performs in a way that was not possible with the previous system, providing a system that is active over the small stuff with good control of the mid stroke, and precise end-stroke compression.

### 3 EVO Link™

No matter how stiff a full suspension frame's front or rear triangle might be, the complete bike can only be as stiff as the connection that joins the two. That's why the all-new Fuel EX no longer uses a three-piece Rocker Link. Instead, the EVO Link is a one-piece design that is lighter, stiffer, and more compact.

### R1i™ - Suspension Intelligence

R1i takes R1 a huge step forward with the all-new Active Braking Pivot (ABP), Full Floater rear shock mounting technology and EVO Link.

The new R1i system performs in a way that was not possible with the previous system. It's stiffer than the previous system and offers more control in every trail condition.

More information at [trekbikes.com/fuelex](https://trekbikes.com/fuelex)





**Fuel EX 9.5™**

**FRAME** OCLV Black Carbon w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

**WHEELS** Bontrager Race X Lite

**CRANK** Shimano XTR 44/32/22

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5"

**COLOR** Onyx Carbon

Frame available.





Fuel EX 9.5™

**FRAME** OCLV Black Carbon w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

**WHEELS** Bontrager Race X Lite

**CRANK** Shimano XTR 44/32/22

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5"

**COLOR** Onyx Carbon

Frame available.



Fuel EX 9.0™

**FRAME** OCLV Black Carbon w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5"

**COLOR** Onyx Carbon





**Fuel EX 9™**

**FRAME** Alpha Red Aluminum w/Rli Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, custom tuned

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5"

**COLOR** Pearl White/Metallic Black





Fuel EX 8™

**FRAME** Alpha Red Aluminum w/Rti Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race

**CRANK** Shimano Deore LX 44/32/22

**REAR DERAILLEUR** Shimano Deore XT “Shadow”

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5”

**COLOR** Satin Black/Satin Platinum Silver



Fuel EX 8™

**FRAME** Alpha Red Aluminum w/Rti Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race

**CRANK** Shimano Deore LX 44/32/22

**REAR DERAILLEUR** Shimano Deore XT “Shadow”

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5”

**COLOR** Satin Khaki Green/White



Fuel EX 7™

**FRAME** Alpha Red Aluminum w/Rti Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Select

**CRANK** Shimano M542 44/32/22

**REAR DERAILLEUR** Shimano Deore XT “Shadow”

**SIZES** 15.5, 17.5, 18.5, 19.5, 21.5”

**COLOR** Satin Silver/Metallic Black



Fuel EX 6.5™

**FRAME** Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Shimano Deore disc hubs, Bontrager Ranger rims

**CRANK** Shimano M521 Octalink 44/32/22

**REAR DERAILLEUR** Shimano Deore XT “Shadow”

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Satin Deep Blue



Fuel EX 5.5™

**FRAME** Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

**REAR SUSPENSION** Fox Float R w/rebound, custom tuned

**WHEELS** Shimano M475 disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** SRAM X-7

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Metallic Black







### 69er

Why ride 69? Because a 29" front wheel gives rollover and cornering abilities that every mountain biker can appreciate. Yet, the 26" rear wheel keeps the wheelbase tight, giving a quick and maneuverable ride that's beneficial on every trail. 69er—it's trail bike confident, race bike fast, and it's how Travis Brown rolls.



69er Single Speed™

**FRAME** Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, asymmetric seat tube, forged horizontally adjustable disc dropouts

**FRONT SUSPENSION** Maverick Custom Double crown, 100mm

**WHEELS** Bontrager Race X Lite Single Speed; 29" front, 26" rear

**CRANK** Bontrager Race Lite Single Speed, 32T

**REAR DERAILLEUR** n/a

**SIZES** 17.5, 19.5, 21.5"

**COLOR** Matte Root Beer

Frame available.





Top Fuel 69er™

**FRAME** Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Low chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race; 29" front, 26" rear

**CRANK** Shimano Deore LX 44/32/22

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Gloss Black



69er 3x9™

**FRAME** Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

**FRONT SUSPENSION** Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset

**WHEELS** Bontrager Race; 29" front, 26" rear

**CRANK** Shimano Deore XT 44/32/22


**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Gloss White







### Race

The members of the Trek/VW racing team demand the lightest weight possible with the most efficient platform. Ridden proudly by XC legends Chris Eatough, Jeremiah Bishop and Sue Haywood, the Top Fuel has rocket-fast, competition-crushing race performance with 90mm of rear wheel travel, based on the proven R1 suspension platform.



**Top Fuel 9.9 SSL™**

**FRAME** OCLV Red Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, remote lockout, carbon crown and steerer, 100mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race X Lite

**CRANK** Bontrager Race XXX Lite Carbon, 44/32/22

**REAR DERAILLEUR** Shimano XTR "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx Carbon

Frame available in Pearl White/Chi Red.





Top Fuel 9.8™

**FRAME** OCLV Black Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx Carbon/Carrera Blue

Frame available.



Top Fuel 8™

**FRAME** Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race

**CRANK** Shimano Deore LX 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Pearl White/Chi Red



Top Fuel 7™

**FRAME** Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Select

**CRANK** Shimano M542 44/32/22

**REAR DERAILLEUR** SRAM X-9

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Metallic Black/Metallic Silver





Elite 9.9 SSL™

**FRAME** OCLV Red Carbon

**FRONT SUSPENSION** RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, remote lockout, 85mm

**WHEELS** Bontrager Race X Lite

**CRANK** Bontrager Race XXX Lite Carbon 44/32/22

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx Carbon

Frame available in Pearl White/Chi Red.



Elite 9.8™

**FRAME** OCLV Black Carbon

**FRONT SUSPENSION** Fox 32 F80 RL w/air pressure, rebound, lockout, alloy steerer, 80mm

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx Carbon/Pearl White



Elite 9.7™

**FRAME** OCLV Black Carbon

**FRONT SUSPENSION** RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm

**WHEELS** Bontrager Race

**CRANK** Shimano M542 44/32/22


**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx Carbon/Carrera Blue







### Hardtail

Trek Aluminum hardtails are the perfect match for the privateer racer or singletrack enthusiast. A classic cross country fit with point-and-shoot handling and the highest performance parts mated to a hydroformed frame and a 100mm travel suspension fork.



## 8500™

**FRAME** Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

**FRONT SUSPENSION** Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Onyx/Metallic Black





8000™

**FRAME** Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts

**FRONT SUSPENSION** RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 100mm

**WHEELS** Bontrager Race

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT “Shadow”

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Satin Silver/  
Satin Blue



6500™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

**WHEELS** Shimano Deore disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** Shimano Deore LX

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Satin Silver



6700™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

**WHEELS** Shimano M525 disc hubs; Bontrager Ranger rims

**CRANK** Shimano M521 Octalink 44/32/22

**REAR DERAILLEUR** SRAM X-9

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Pearl White/  
Platinum Silver



6500™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

**WHEELS** Shimano Deore disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** Shimano Deore LX

**SIZES** 15.5, 17.5, 19.5, 21.5”

**COLOR** Pearl White/  
Metallic Black





6000™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

**WHEELS** Shimano M475 disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** SRAM X-5

**SIZES** 15.5, 17.5, 19.5, 21.5"

**COLOR** Satin Black



4500™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Bontrager Camino rims

**CRANK** Shimano M341 42/32/22

**REAR DERAILLEUR** Shimano Deore

**SIZES** 13, 16, 18, 19.5, 21, 22.5, 24"

**COLOR** Matte Khaki Green/ Matte Black



4500™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Bontrager Camino rims

**CRANK** Shimano M341 42/32/22

**REAR DERAILLEUR** Shimano Deore

**SIZES** 13, 16, 18, 19.5, 21, 22.5, 24"

**COLOR** Metallic Black/ Brushed Silver



4300 Disc™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RST Gila T8 w/preload, 100mm

**WHEELS** Shimano M65 disc hubs; Bontrager Ranger rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Alivio

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Brushed Silver/Black Chrome





4300™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RST Gila T8 w/preload, 100mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Bontrager Camino rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Alivio

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Matte Orange/  
Matte Warm Silver



3900™

**FRAME** Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

**FRONT SUSPENSION** SR Suntour XCT V2 w/preload, 80mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Matrix 550 rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Matte Black/  
Matte Smooth Silver



4300™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RST Gila T8 w/preload, 100mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Bontrager Camino rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Alivio

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Brushed Silver/Black Chrome



3900™

**FRAME** Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

**FRONT SUSPENSION** SR Suntour XCT V2 w/preload, 80mm

**WHEELS** Alloy front, Shimano RM30 rear hub; Matrix 550 rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Metallic Blue/  
Brushed Silver





3700™

**FRAME** Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

**FRONT SUSPENSION** SR Suntour M-2025, 63mm

**WHEELS** Alloy hubs; Matrix 550 rims

**CRANK** SR Suntour XCC-T208 48/38/28

**REAR DERAILEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Trek Red/Pearl White



820™

**FRAME** High tensile steel w/Cro-Moly seat tube

**FRONT SUSPENSION** SR Suntour M-2025, 63mm

**WHEELS** Alloy hubs; Matrix 550 rims

**CRANK** SR Suntour XCC-T208 48/38/28

**REAR DERAILEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21"

**COLOR** Gloss Black/Gloss White



3700™

**FRAME** Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts

**FRONT SUSPENSION** SR Suntour M-2025, 63mm

**WHEELS** Alloy hubs; Matrix 550 rims

**CRANK** SR Suntour XCC-T208 48/38/28

**REAR DERAILEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21, 22.5"

**COLOR** Matte Black/  
Matte Lava Black



820™

**FRAME** High tensile steel w/Cro-Moly seat tube

**FRONT SUSPENSION** SR Suntour M-2025, 63mm

**WHEELS** Alloy hubs; Matrix 550 rims

**CRANK** SR Suntour XCC-T208 48/38/28

**REAR DERAILEUR** Shimano Acera

**SIZES** 13, 16, 18, 19.5, 21"

**COLOR** Matte Navy/Matte Bluegray







### Cyclocross

Cyclocross racers know that when the cow bells are ringing, nothing matters more than the bike's performance. That's why the XO is outfitted with a light and stiff Alpha Aluminum frame, cantilever brakes and plenty of mud clearance—all the right design elements to get you over the barriers and to the finish first.



XO2™

- FRAME Alpha Black Aluminum
  - FORK Satellite Plus, carbon
  - WHEELS Bontrager Race X Lite
  - CRANK Bontrager Race Lite CX 46/38
  - REAR DERAILEUR SRAM Rival
  - SIZES 50, 52, 54, 56, 58, 60, 62cm
  - COLOR Pearl White
- Frameset available.




XO1™

- FRAME Alpha Black Aluminum
- FORK Satellite Plus, carbon
- WHEELS Bontrager Race
- CRANK Bontrager Race CX 46/38
- REAR DERAILEUR Shimano 105
- SIZES 47, 50, 52, 54, 56, 58, 60, 62cm
- COLOR Matte Onyx







**Session**

One ride on this competition-level downhill sled, and you'll quickly realize anything's possible. From World Cup racing to cleaning new lines at the bike park, the Session 10 is Freeride Legend Andrew Shandro's bike of choice. With 203mm of rear travel, Trek's Chain Torque Eliminator and Low Center Mass design, it's gravity riding's greatest tool.



**Session 10™**

**FRAME** Alpha Red Aluminum w/R1 Gravity Tuned Suspension, oversized sealed bearings, CTE, 1.5" head tube, 150mm rear axle spacing, 254mm rear wheel travel

**FRONT SUSPENSION** Manitou Travis Triple Intrinsic w/rebound, compression, 203mm

**REAR SUSPENSION** Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression

**WHEELS** Bontrager King Earl w/150mm rear

**CRANK** Bontrager King Earl 38t w/e.13 SRS chainguide

**REAR DERAILLEUR** SRAM X-0

**SIZES** 15.5, 17.5, 19.5"

**COLOR** Gloss White

Frame available.







### Jack

Sometimes a trail isn't really a trail—it's more an empty palette of air existing between lip and transition. That's where the Jack hardtail comes in. Filling the gap between dirt jumper and aggressive hardtail, it's based on a burly, strong and maneuverable aluminum frame with ISCG mounts and stainless steel grind plates. It's also the hardtail choice of Cam McCaul.



Jack 3™

- FRAME Alpha White Aluminum
- FRONT SUSPENSION Manitou Stance Static, 80mm
- WHEELS Shimano M475 disc hubs; Sun Rhyno Lite rims
- CRANK Bontrager King Earl 36/24 w/bash guard
- REAR DERAILLEUR Shimano Deore LX
- SIZES S, M, L
- COLOR Gloss White



Jack 1™

- FRAME Alpha White Aluminum
- FRONT SUSPENSION RST Gila T7 w/preload, 100mm
- WHEELS Shimano M475 disc hubs; Bontrager Camino rims
- CRANK Shimano M341 42/32/22
- REAR DERAILLEUR Shimano Acera
- SIZES S, M, L
- COLOR Gloss Navy



Jack 2™

- FRAME Alpha White Aluminum
- FRONT SUSPENSION Manitou Slate Comp FFD, 100mm
- WHEELS Shimano M475 disc hubs; Sun Ditch Witch rims
- CRANK Bontrager Big Earl 42/32/22
- REAR DERAILLEUR Shimano Alivio
- SIZES S, M, L
- COLOR Gloss Orange







### WSD

Trek Women Specific Design (WSD) bikes feature a special frame geometry modified to complement a woman's anatomy. This balanced riding position eliminates lower back pain and reduces neck and shoulder stress, giving female cyclists more comfort, power, and control—key for cornering and maneuvering tight singletrack.



Fuel EX 8 WSD™

**FRAME** Alpha Red Aluminum w/R1i Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm

**REAR SUSPENSION** Fox Float RP2 w/Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race

**CRANK** Shimano Deore LX 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** Women's 14, 16, 18"

**COLOR** Pearl White/Iris Blue





Top Fuel 9.8 WSD™

**FRAME** OCLV Black Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel

**FRONT SUSPENSION** Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm

**REAR SUSPENSION** Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned

**WHEELS** Bontrager Race Lite

**CRANK** Shimano Deore XT 44/32/22

**REAR DERAILLEUR** Shimano Deore XT "Shadow"

**SIZES** Women's 15.5, 17.5, 19.5"

**COLOR** Onyx Carbon/  
Satin Silver



6700 WSD™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm

**WHEELS** Shimano M525 disc hubs; Bontrager Ranger rims

**CRANK** Shimano M521 Octalink 44/32/22

**REAR DERAILLEUR** SRAM X-9

**SIZES** Women's 14, 16, 18"

**COLOR** Sport Blue/Light Blue



Fuel EX 5.5 WSD™

**FRAME** Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel

**FRONT SUSPENSION** RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm

**REAR SUSPENSION** Fox Float R w/rebound, custom tuned

**WHEELS** Shimano M475 disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** SRAM X-7

**SIZES** Women's 14, 16, 18"

**COLOR** Metallic Black



6500 WSD™

**FRAME** Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm

**WHEELS** Shimano Deore disc hubs; Bontrager Ranger rims

**CRANK** Shimano M442 Octalink 44/32/22

**REAR DERAILLEUR** Shimano Deore LX

**SIZES** Women's 14, 16, 18"

**COLOR** White/Gray





4500 WSD™

**FRAME** Alpha Black Aluminum w/externally re-  
lieved head tube, hydroformed bi-axial down tube,  
monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RockShox Dart 3 w/pre-  
load, lockout, custom spring weight, alloy steerer,  
100mm

**WHEELS** Alloy front, Shimano RM30 rear hub;  
Bontrager Camino rims

**CRANK** Shimano M341 42/32/22

**REAR DERAILLEUR** Shimano Deore

**SIZES** Women's 14, 16, 18"

**COLOR** Light Green/  
Metallic Black



3900 WSD™

**FRAME** Alpha White Aluminum w/externally  
relieved head tube, bi-axial down tube, disc  
compatible dropouts

**FRONT SUSPENSION** SR Suntour XCT V2  
w/preload, custom spring weight, 80mm

**WHEELS** Alloy front, Shimano RM30 rear hub;  
Matrix 550 rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Acera

**SIZES** Women's 13, 16"

**COLOR** Metallic Black/Grey



4300 WSD™

**FRAME** Alpha Black Aluminum w/externally re-  
lieved head tube, hydroformed bi-axial down tube,  
monostay seat stays, forged disc ready dropouts

**FRONT SUSPENSION** RST Gila T8 w/preload,  
custom spring weight, 100mm

**WHEELS** Alloy front, Shimano RM30 rear hub;  
Bontrager Camino rims

**CRANK** SR Suntour XCC-T102 42/34/24

**REAR DERAILLEUR** Shimano Alivio

**SIZES** Women's 14, 16, 18"

**COLOR** Light Purple/Pearl White



3700 WSD™

**FRAME** Alpha White Aluminum w/externally  
relieved head tube, bi-axial down tube, disc  
compatible dropouts

**FRONT SUSPENSION** SR Suntour M-2025,  
custom spring weight, 63mm

**WHEELS** Alloy hubs; Matrix 550 rims

**CRANK** SR Suntour XCC-T208 48/38/28

**REAR DERAILLEUR** Shimano Acera

**SIZES** Women's 13, 16, 19.5"

**COLOR** Pearl White/Green





FUEL EX						
Model		FUEL EX 9.5	FUEL EX 9.0	FUEL EX 9	FUEL EX 8	FUEL EX 8 WSD
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 18.5, 19.5, 21.5"	Women's 14, 16, 18"
	Colors	Onyx Carbon (frame available)	Onyx Carbon	Pearl White/Metallic Black	Satin Black/Satin Platinum Silver or Satin Khaki Green/White	Pearl White/Iris Blue
	Frame	OCLV Black Carbon w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	OCLV Black Carbon w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Magnesium EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel
	Front Suspension	Fox Talas RLC w/air pressure, travel, rebound, compression, lockout, alloy steerer, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm	Fox Talas RL w/air pressure, travel, rebound, lockout, alloy steerer, 90-130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm	Fox Float 130 RL w/air pressure, rebound, lockout, alloy steerer, 130mm
	Rear Suspension	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race
	Tires	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	SRAM X-9, 9 speed w/MatchMaker	Shimano Deore LX, 9 speed	Shimano Deore LX, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
	Crank	Shimano XTR 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano Deore LX 44/32/22
	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a	Shimano M520, clipless	Shimano M520, clipless
COMPONENTS	Saddle	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lux FIT
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race Lite
	Handlebars	Bontrager Race XXX Lite, 40mm rise, 31.8mm	Bontrager Race X Lite, 40mm rise, 31.8mm	Bontrager Race Lite, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm
	Stem	Bontrager Race XXX Lite, 12 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/cartridge bearings, sealed, alloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc; 185mm front, 160 mm rear rotor	Shimano XT, hydraulic disc; 180mm front, 160 mm rear rotor	Avid Juicy 7, hydraulic disc; 185mm front, 160 mm rear rotor	Avid Juicy 5, hydraulic disc; 185mm front, 160 mm rear rotor	Avid Juicy 5, hydraulic disc; 185mm front, 160 mm rear rotor

FUEL EX						
Model		FUEL EX 7	FUEL EX 6.5	FUEL EX 5.5	FUEL EX 5.5 WSD	SESSION 10
FRAMESET	Sizes	15.5, 17.5, 18.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5"
	Colors	Satin Silver/Metallic Black	Satin Deep Blue	Metallic Black	Metallic Black	Gloss White (frame available)
	Frame	Alpha Red Aluminum w/R1 Trail Tuned Suspension, ABP pivot, Full Floater, Aluminum EVO Link, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Trail Tuned Suspension, Hi/Lo chainstays, oversized sealed bearings, 120mm rear wheel travel	Alpha Red Aluminum w/R1 Gravity Tuned Suspension, oversized sealed bearings, CTE, 1.5" head tube, 150mm rear axle spacing, 254mm rear wheel travel
	Front Suspension	RockShox Recon 351 Solo Air w/positive air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 130mm	Recon 335 Solo Air w/positive air pressure, rebound, TurnKey lockout, alloy steerer, 130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	RockShox Tora 289 U-Turn w/travel, rebound, 85-130mm	Manitou Travis Triple Intrinsic w/rebound, compression, 203mm
	Rear Suspension	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float R w/rebound, custom tuned	Fox Float R w/rebound, custom tuned	Manitou Revox ISX coil w/preload, Intrinsic pressure, volume, rebound, compression
WHEELS	Wheels	Bontrager Select	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims	Bontrager King Earl w/150mm rear
	Tires	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 27 tpi	Bontrager Jones XR, 26x2.2/2.25"; 27 tpi	Bontrager Big Earl, 26x2.6"; 60 tpi
DRIVETRAIN	Shifters	Shimano Deore, 9 speed	Shimano Deore, 9 speed	SRAM X-5, 9 speed	SRAM X-5, 9 speed	SRAM X-0, 9 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	e.13 SR5 Chain Retention System
	Rear Derailleur	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-7	SRAM X-7	SRAM X-0
	Crank	Shimano M542 44/32/22	Shimano M521 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Bontrager King Earl 38T w/e.13 SR5 chainguide
	Cassette	SRAM PG950 11-32, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG970 11-34, 9 speed
	Pedals	Shimano M505, clipless	Shimano M505, clipless	Alloy platform w/clips and straps	Alloy platform w/clips and straps	Bontrager King Earl platform
COMPONENTS	Saddle	Bontrager Race	Bontrager Race Basic	Bontrager Race Basic	Bontrager Select FIT	Bontrager Big Earl
	Seatpost	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager King Earl
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager King Earl, 50mm rise, 31.8mm
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree	Bontrager Sport, 10 degree	Manitou IS2 integrated stem, 31.8mm
	Headset	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/semi-cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Aheadset w/semi-cartridge bearings, sealed	Cane Creek Double XC w/cartridge bearings, 1.5 to 1.125"
	Brakeset	Avid Juicy 3, hydraulic disc; 185mm front, 160 mm rear rotor	Avid Juicy 3, hydraulic disc; 185mm front, 160 mm rear rotor	Avid BB-5, mechanical disc w/alloy levers; 185mm front, 160 mm rear rotor	Avid BB-5, mechanical disc w/alloy levers; 185mm front, 160 mm rear rotor	Avid Juicy 7, hydraulic disc; 203mm rotors

69ER						
Model		TOP FUEL 69ER	69ER 3X9	69ER SINGLE SPEED		
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	17.5, 19.5, 21.5"		
	Colors	Gloss Black	Gloss White	Matte Root Beer		
	Frame	Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, asymmetric seat tube, forged horizontally adjustable disc dropouts		
	Front Suspension	Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset	Fox F29 100RL w/air pressure, rebound, lockout, alloy steerer, 100mm, 51mm offset	Maverick Custom Double crown, 100mm		
	Rear Suspension	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	n/a	n/a		
WHEELS	Wheels	Bontrager Race; 29" front, 26" rear	Bontrager Race; 29" front, 26" rear	Bontrager Race X Lite Single Speed; 29" front, 26" rear		
	Tires	Bontrager Jones XR, 29x2.25" front, 26x2.2" rear; 120tpi, folding	Bontrager Jones XR, 29x2.25" front, 26x2.2" rear; 120tpi, folding	Bontrager Jones ACX, 29x2.2" front, 26x2.2" rear; 120tpi, folding		
DRIVETRAIN	Shifters	SRAM X-7, 9 speed	Shimano Deore LX, 9 speed	n/a		
	Front Derailleur	Shimano Deore LX	Shimano Deore LX	n/a		
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	n/a		
	Crank	Shimano Deore LX 44/32/22	Shimano Deore XT 44/32/22	Bontrager Race Lite Single Speed, 32T		
	Cassette	SRAM PG970 11-34, 9 speed	SRAM PG970 11-32, 9 speed	Bontrager 16T w/cog chainguide		
	Pedals	n/a	n/a	n/a		
COMPONENTS	Saddle	Bontrager Race	Bontrager Race	Bontrager Race Lite		
	Seatpost	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race Lite		
	Handlebars	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race, 40mm rise, 31.8mm	Bontrager Race Lite Big Sweep, 0mm rise, 31.8mm		
	Stem	Bontrager Race, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Maverick DUC 32, 25 degree, 31.8mm		
	Headset	Cane Creek Z5-2 w/cartridge bearings, sealed	Cane Creek Z5-2 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed		
	Brakeset	Avid Juicy 5, hydraulic disc; 185mm rotors	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor	Avid Juicy 7, hydraulic disc; 160mm rotors		

TOP FUEL						
Model		TOP FUEL 9.9 SSL	TOP FUEL 9.8	TOP FUEL 9.8 WSD	TOP FUEL 8	TOP FUEL 7
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	Women's 15.5, 17.5, 19.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Onyx Carbon or Pearl White/Chi Red (frame only)	Onyx Carbon/Carrera Blue (frame available)	Onyx Carbon/Satin Silver	Pearl White/Chi Red	Metallic Black/Metallic Silver
	Frame	OCLV Red Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	OCLV Black Carbon w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel	Alpha Red Aluminum w/R1 Race Tuned Suspension, unified rear swingarm, Hi/Lo chainstays, oversized sealed bearings, 90mm rear wheel travel
	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, remote lockout, carbon crown and steerer, 100mm	Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RLC w/air pressure, compression, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm
	Rear Suspension	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP23 w/3 position tunable Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned	Fox Float RP2 w/Pro Pedal, rebound, custom tuned
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race Lite	Bontrager Race	Bontrager Select
	Tires	Bontrager Dry X 26x2.1"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding
DRIVETRAIN	Shifters	Shimano XTR, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	SRAM X-7, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore XT	Shimano Deore LX	Shimano Deore LX
	Rear Derailleur	Shimano XTR "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	SRAM X-9
	Crank	Bontrager Race XXX Lite Carbon, 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore LX 44/32/22	Shimano M542 44/32/22
	Cassette	Shimano XTR 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG950 11-32, 9 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race Lite FIT	Bontrager Race	Bontrager Race
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Select
	Handlebars	Bontrager Race XXX Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
	Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset w/cartridge bearings, sealed, alloy	Aheadset w/cartridge bearings, sealed
	Brakeset	Shimano XTR, hydraulic disc; 180mm front, 140mm rear rotor	Shimano XT, hydraulic disc; 185mm front, 160mm rear rotor	Shimano XT, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor	Avid Juicy 3, hydraulic disc; 185mm front, 160mm rear rotor



9 SERIES			8 SERIES			
Model		ELITE 9.9 SSL	ELITE 9.8	ELITE 9.7	8500	8000
FRAMESET	Sizes	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"	15.5, 17.5, 19.5, 21.5"
	Colors	Onyx Carbon or Pearl White/Chi Red (frame only)	Onyx Carbon/Pearl White	Onyx Carbon/Carrera Blue	Onyx/Metallic Black	Satin Silver/Satin Blue
	Frame	OCLV Red Carbon	OCLV Black Carbon	OCLV Black Carbon	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts	Alpha Red Aluminum w/internally and externally relieved head tube, hydroformed bi-axial down tube and top tube, wishbone seat stay, hydroformed chainstays, forged and relieved disc ready dropouts
	Front Suspension	RockShox Reba World Cup w/positive and negative air pressure, Motion Control, floodgate, compression, rebound, carbon crown and steerer, remote lockout, 85mm	Fox 32 F80 RL w/air pressure, rebound, lockout, alloy steerer, 80mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 80mm	Fox 32 F100 RL w/air pressure, rebound, lockout, alloy steerer, 100mm	RockShox Reba SL w/positive and negative air pressure, Motion Control, rebound, compression, lockout, alloy steerer, 100mm
WHEELS	Wheels	Bontrager Race X Lite	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite	Bontrager Race
	Tires	Bontrager Race Dry X 26x2.1"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 120 tpi, folding	Bontrager Jones XR, 26x2.2/2.25"; 60 tpi, folding
DRIVETRAIN	Shifters	SRAM X-0, 9 speed w/MatchMaker	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed	Shimano Deore XT, 9 speed	Shimano Deore LX, 9 speed
	Front Derailleur	Shimano XTR	Shimano Deore XT	Shimano Deore LX	Shimano Deore XT	Shimano Deore LX
	Rear Derailleur	SRAM X-0	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"	Shimano Deore XT "Shadow"
	Crank	Bontrager Race XXX Lite Carbon 44/32/22	Shimano Deore XT 44/32/22	Shimano M542 44/32/22	Shimano Deore XT 44/32/22	Shimano Deore XT 44/32/22
	Cassette	Shimano PG990 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed	SRAM PG970 11-32, 9 speed
	Pedals	n/a	n/a	n/a	n/a	n/a
COMPONENTS	Saddle	Bontrager Race X Lite Pro	Bontrager Race Lite	Bontrager Race	Bontrager Race Lite	Bontrager Race
	Seatpost	Bontrager Race X Lite ACC carbon	Bontrager Race X Lite ACC carbon	Bontrager Race Lite	Bontrager Race X Lite ACC carbon	Bontrager Race Lite
	Handlebars	Bontrager Race XXX Lite carbon, 0mm rise, 31.8mm	Bontrager Race X Lite carbon, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm	Bontrager Race Lite, 0mm rise, 31.8mm	Bontrager Race, 0mm rise, 31.8mm
	Stem	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Race, 7 degree, 31.8mm
	Headset	Cane Creek S-8 w/cartridge bearings, sealed	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy	Cane Creek S-3 w/cartridge bearings, sealed	Aheadset Slimstak w/cartridge bearings, sealed, alloy
	Brakeset	Avid Juicy Ultimate, hydraulic disc; 160mm front, 140mm rear rotor	Shimano XT, hydraulic disc; 160mm rotors	Avid Juicy 5, hydraulic disc; 160mm rotors	Shimano XT, hydraulic disc; 180mm front, 160mm rear rotor	Avid Juicy 5, hydraulic disc; 185mm front, 160mm rear rotor

4 SERIES						
Model		4500	4500 WSD	4300 DISC	4300	4300 WSD
FRAMESET	Sizes	13, 16, 18, 19.5, 21, 22.5, 24"	Women's 14, 16, 18"	13, 16, 18, 19.5, 21, 22.5"	13, 16, 18, 19.5, 21, 22.5"	Women's 14, 16, 18"
	Colors	Metallic Black/Brushed Silver or Matte Khaki Green/Matte Black	Light Green/Metallic Black	Brushed Silver/Black Chrome	Matte Orange/Matte Warm Silver or Brushed Silver/Black Chrome	Light Purple/Pearl White
	Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube, monostay seat stays, forged disc ready dropouts
	Front Suspension	RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm	RockShox Dart 3 w/preload, lockout, custom spring weight, alloy steerer, 100mm	RST Gila T8 w/preload, 100mm	RST Gila T8 w/preload, 100mm	RST Gila T8 w/preload, custom spring weight, 100mm
WHEELS	Wheels	Alloy front, Shimano RM30 rear hub; Bontrager Camino rims	Alloy front, Shimano RM30 rear hub; Bontrager Camino rims	Shimano M65 disc hubs; Bontrager Ranger rims	Alloy front, Shimano RM30 rear hub; Bontrager Camino rims	Alloy front, Shimano RM30 rear hub; Bontrager Camino rims
	Tires	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"; 27 tpi
DRIVETRAIN	Shifters	Shimano Alivio, 8 speed	Shimano Alivio, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 8 speed
	Front Derailleur	Shimano Acera	Shimano Acera	Shimano C050	Shimano C050	Shimano C050
	Rear Derailleur	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano Alivio
	Crank	Shimano M341 42/32/22	Shimano M341 42/32/22	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T102 42/34/24
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed
	Pedals	Alloy platform	Alloy platform	Alloy platform	Alloy platform	Alloy platform
COMPONENTS	Saddle	Bontrager Select Basic	Bontrager Select FIT Basic	Bontrager Select Basic	Bontrager Select Basic	Bontrager Select FIT Basic
	Seatpost	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport	Bontrager Sport
	Handlebars	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise	Bontrager Crowbar Sport, 25mm rise
	Stem	Bontrager Sport, 10 degree	Bontrager Sport, 25 degree	Bontrager Sport, 10 degree	Bontrager Sport, 25 degree	Bontrager Sport, 25 degree
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid SD-3 w/alloy levers	Avid SD-3 w/Tektro adjustable reach alloy levers	Shimano M415, mechanical disc w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers

6 SERIES						
Model		6700	6700 WSD	6500	6500 WSD	6000
FRAME/SET	Sizes	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"	Women's 14, 16, 18"	15.5, 17.5, 19.5, 21.5"
	Colors	Pearl White/Platinum Silver	Sport Blue/Light Blue	Satin Silver or Pearl White/Metallic Black	White/Gray	Satin Black or Trek Red/Pearl White
	Frame	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts	Alpha Black Aluminum w/externally relieved head tube, hydroformed bi-axial down tube and top tube, monostay seat stays, forged disc ready dropouts
	Front Suspension	RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Recon SL w/preload, rebound, TurnKey lockout, alloy steerer, 100mm	RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm	RockShox Tora 302 Solo Air w/positive air pressure, rebound, TurnKey lockout, 100mm	RockShox Dart 3 w/preload, lockout, alloy steerer, 100mm
WHEELS	Wheels	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano M525 disc hubs; Bontrager Ranger rims	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano Deore disc hubs; Bontrager Ranger rims	Shimano M475 disc hubs; Bontrager Ranger rims
	Tires	Bontrager Jones ACX, 26x2.1"; 60 tpi, folding	Bontrager Jones ACX, 26x2.1"; 60 tpi, folding	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi	Bontrager Jones ACX, 26x2.1"; 27 tpi
DRIVETRAIN	Shifters	SRAM X-7, 9 speed	SRAM X-7, 9 speed	Shimano Deore, 9 speed	Shimano Deore, 9 speed	SRAM X-5, 9 speed
	Front Derailleur	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Deore	SRAM X-5
	Rear Derailleur	SRAM X-9	SRAM X-9	Shimano Deore LX	Shimano Deore LX	SRAM X-5
	Crank	Shimano M521 Octalink 44/32/22	Shimano M521 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22	Shimano M442 Octalink 44/32/22
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed	SRAM PG950 11-34, 9 speed
	Pedals	Shimano 505, clipless	Alloy platform	Alloy platform	Alloy platform	Alloy platform
COMPONENTS	Saddle	Bontrager Race Basic	Bontrager Select FIT Basic	Bontrager Race Basic	Bontrager Select FIT Basic	Bontrager Race Basic
	Seatpost	Bontrager Select	Bontrager Select	Bontrager Sport	Bontrager Sport	Bontrager Sport
	Handlebars	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Select, 25mm rise, 31.8mm	Bontrager Crowbar Sport, 25mm rise
	Stem	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm	Bontrager Sport, 10 degree
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed
	Brakeset	Avid Juicy 3, hydraulic disc; 160mm rotors	Avid Juicy 3, hydraulic disc; 160mm rotors	Shimano M485, hydraulic disc; 160mm rotors	Shimano M485, hydraulic disc; 160mm rotors	Avid BB-5, mechanical disc w/alloy levers

3 SERIES						
Model		3900	3900 WSD	3700	3700 WSD	
FRAME/SET	Sizes	13, 16, 18, 19.5, 21, 22.5"	Women's 13, 16"	13, 16, 18, 19.5, 21, 22.5"	Women's 13, 16, 19.5"	
	Colors	Matte Black/Matte Smooth Silver or Metallic Blue/Brushed Silver	Metallic Black/Grey	Trek Red/Pearl White or Matte Black/Matte Lava Black	Pearl White/Green	
	Frame	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	Alpha White Aluminum w/externally relieved head tube, bi-axial down tube, disc compatible dropouts	
	Front Suspension	SR Suntour XCT V2 w/preload, 80mm	SR Suntour XCT V2 w/preload, custom spring weight, 80mm	SR Suntour M-2025, 63mm	SR Suntour M-2025, custom spring weight, 63mm	
WHEELS	Wheels	Alloy front, Shimano RM30 rear hub; Matrix 550 rims	Alloy front, Shimano RM30 rear hub; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	
	Tires	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"; 27 tpi	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"	
DRIVETRAIN	Shifters	Shimano EF50, 8 speed	Shimano EF50, 8 speed	Shimano EF50, 7 speed	Shimano EF50, 7 speed	
	Front Derailleur	Shimano C050	Shimano C050	Shimano C051	Shimano C051	
	Rear Derailleur	Shimano Acera	Shimano Acera	Shimano Acera	Shimano Acera	
	Crank	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T102 42/34/24	SR Suntour XCC-T208 48/38/28	SR Suntour XCC-T208 48/38/28	
	Cassette	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	
	Pedals	Nylon platform	Nylon platform	Nylon platform	Nylon platform	
COMPONENTS	Saddle	Bontrager Approved	Bontrager Approved FIT	Bontrager Approved	Bontrager Approved FIT	
	Seatpost	Bontrager Approved	Bontrager Approved	Bontrager Approved	Bontrager Approved	
	Handlebars	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	
	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	
	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	




820							CYCLOCROSS						
Model		820	820 WSD	XO 2	XO 1								
FRAMESET	Sizes	13, 16, 18, 19.5, 21"	Women's 13, 16"	50, 52, 54, 56, 58, 60, 62cm	47, 50, 52, 54, 56, 58, 60, 62cm								
	Colors	Matte Navy/Matte Bluegray or Gloss Black/Gloss White	Light Blue/Pearl White	Pearl White	Matte Onyx								
	Frame	High tensile steel w/Cro-Moly seat tube	High tensile steel w/Cro-Moly seat tube	Alpha Black Aluminum	Alpha Black Aluminum								
	Front Suspension	SR Suntour M-2025, 63mm	SR Suntour M-2025, custom spring weight, 63mm	Satellite Plus, carbon	Satellite Plus, carbon								
WHEELS	Wheels	Alloy hubs; Matrix 550 rims	Alloy hubs; Matrix 550 rims	Bontrager Race X Lite	Bontrager Race								
	Tires	Bontrager Connection Trail, 26x2.0"	Bontrager Connection Trail, 26x2.0"	Bontrager Jones CXR, 700x34c, folding	Bontrager Jones CXR, 700x34c, folding								
DRIVETRAIN	Shifters	Shimano EF50, 7 speed	Shimano EF50, 7 speed	SRAM Rival, 10 speed	Shimano 105 STI, 10 speed								
	Front Derailleur	Shimano C051	Shimano C051	SRAM Rival	Shimano 105								
	Rear Derailleur	Shimano Acera	Shimano Acera	SRAM Rival	Shimano 105								
	Crank	SR Suntour XCC-T208 48/38/28	SR Suntour XCC-T208 48/38/28	Bontrager Race Lite CX 46/38	Bontrager Race CX 46/38								
	Cassette	Sunrace 13-34, 7 speed	Sunrace 13-34, 7 speed	SRAM OpenGlide 1070, 12-26	Shimano 105 12-27, 10 speed								
	Pedals	Nylon platform	Nylon platform	n/a	Shimano 505, clipless								
COMPONENTS	Saddle	Bontrager Approved	Bontrager Approved FIT	Bontrager Race Lite	Bontrager Race Basic								
	Seatpost	Bontrager Approved	Bontrager Approved	Bontrager Race X Lite ACC carbon	Bontrager Carbon								
	Handlebars	Bontrager Approved, 30mm rise	Bontrager Approved, 30mm rise	Bontrager Race Lite VR, 31.8mm	Bontrager Select VR, 31.8mm								
	Stem	Bontrager Approved, 25 degree	Bontrager Approved, 40 degree	Bontrager Race X Lite, 7 degree, 31.8mm	Bontrager Select, 7 degree, 31.8mm								
	Headset	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset Slimstak w/semi-cartridge bearings, sealed	Aheadset w/cartridge bearings, integrated, sealed, alloy	Aheadset w/cartridge bearings, integrated, sealed, alloy								
	Brakeset	Tektro V w/Shimano EF50 levers	Tektro V w/Shimano EF50 levers	Avid Shorty 4 cantilevers w/SRAM Rival levers	Avid Shorty 4 cantilevers w/Shimano 105 STI levers								


JACK													
Model		JACK 3	JACK 2	JACK 1									
FRAMESET	Sizes	S, M, L	S, M, L	S, M, L									
	Colors	Gloss White	Gloss Orange	Gloss Navy									
	Frame	Alpha White Aluminum	Alpha White Aluminum	Alpha White Aluminum									
	Front Suspension	Manitou Stance Static, 80mm	Manitou Slate Comp FFD, 100mm	RST Gila T7 w/preload, 100mm									
WHEELS	Wheels	Shimano M475 disc hubs; Sun Rhyno Lite rims	Shimano M475 disc hubs; Sun Ditch Witch rims	Shimano M475 disc hubs; Bontrager Camino rims									
	Tires	Bontrager Earl, 26x2.4"; 27 tpi	Bontrager Earl, 26x2.4"; 27 tpi	Bontrager Earl, 26x2.4"; 27 tpi									
DRIVETRAIN	Shifters	Shimano Deore, 9 speed	Shimano Alivio, 8 speed	Shimano EF50, 8 speed									
	Front Derailleur	Shimano Deore	Shimano Alivio	Shimano C050									
	Rear Derailleur	Shimano Deore LX	Shimano Alivio	Shimano Acera									
	Crank	Bontrager King Earl 36/24 w/bash guard	Bontrager Big Earl 42/32/22	Shimano M341 42/32/22									
	Cassette	SRAM PG950 11-34, 9 speed	SRAM PG830 11-32, 8 speed	SRAM PG830 11-32, 8 speed									
	Pedals	Bontrager Big Earl platform	Alloy platform	Alloy platform									
COMPONENTS	Saddle	Bontrager Earl	Bontrager Big Earl Jump	Bontrager Earl Jump Basic									
	Seatpost	Bontrager King Earl	Bontrager Sport	Bontrager Sport									
	Handlebars	Bontrager Big Earl, 50mm rise, 31.8mm	Bontrager Big Earl, 50mm rise, 31.8mm	Bontrager Earl, 25mm rise, 31.8mm									
	Stem	Bontrager Earl, 10 degree, 31.8mm	Bontrager Earl, 10 degree, 31.8mm	Bontrager Earl, 10 degree, 31.8mm									
	Headset	Aheadset w/semi-cartridge bearings, Cro-Moly	Aheadset w/semi-cartridge bearings, Cro-Moly	Aheadset w/semi-cartridge bearings, sealed									
	Brakeset	Avid Juicy 5, hydraulic disc; 8" front, 6" rear rotor	Hayes MX-2, mechanical disc; 8" front, 6" rear rotor	Tektro V w/Shimano EF50 levers									

## Geometries


### FUEL EX




### 69er




### TOP FUEL




### ELITE




### HARDTAIL




### XO 2, XO 1



### SESSION



### JACK



		virtual frame size	actual frame size	A head angle	B seat angle	C effective top tube	D chain stay	E bottom bracket	F offset	wheelbase	trail	stand over
Fuel EX 9.5 Fuel EX 9.0 Fuel EX 9 Fuel EX 8 Fuel EX 7	S	15.5"	39.4 / 15.5	69.5°	72.0°	55.3 / 21.8	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	105.3 / 41.5	8.5 / 3.4	71.0 / 28.0
	M	17.5"	41.9 / 16.5	69.5°	72.0°	59.1 / 23.3	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	109.2 / 43.0	8.5 / 3.4	72.0 / 28.3
	M	18.5"	44.5 / 17.5	69.5°	72.0°	61.0 / 24.0	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	111.3 / 43.8	8.5 / 3.4	72.7 / 28.6
	L	19.5"	47.0 / 18.5	69.5°	72.0°	62.8 / 24.7	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	113.0 / 44.5	8.5 / 3.4	73.3 / 28.9
	XL	21.5"	50.8 / 20.0	69.5°	72.0°	64.5 / 25.4	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	114.8 / 45.2	8.5 / 3.4	75.2 / 29.6
Fuel EX 8 WSD Fuel EX 5.5 WSD	S	14"	36.8 / 14.5	69.5°	72.0°	52.5 / 20.7	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	102.5 / 40.4	8.5 / 3.4	70.8 / 27.9
	M	16"	40.6 / 16.0	69.5°	72.0°	54.5 / 21.5	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	104.5 / 41.1	8.5 / 3.4	72.8 / 28.7
	L	18"	43.2 / 17.0	69.5°	72.0°	58.5 / 23.0	43.0 / 16.9	33.1 / 13.0	4.0 / 1.6	108.5 / 42.7	8.5 / 3.4	72.8 / 28.7
Fuel EX 6.5 Fuel EX 5.5	S	15.5"	39.4 / 15.5	71.0°	73.5°	55.0 / 21.7	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	104.1 / 41.0	7.3 / 2.9	73.0 / 28.7
	M	17.5"	41.9 / 16.5	71.0°	73.5°	58.8 / 23.1	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	108.0 / 42.5	7.3 / 2.9	74.2 / 29.2
	L	19.5"	47.0 / 18.5	71.0°	73.5°	62.5 / 24.6	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	111.7 / 44.0	7.3 / 2.9	77.3 / 30.4
	XL	21"	50.8 / 20.0	71.0°	73.5°	64.2 / 25.3	42.6 / 16.8	32.7 / 12.9	3.9 / 1.5	113.5 / 44.7	7.3 / 2.9	80.0 / 31.5
69er 3x9	S	15.5"	39.4 / 15.5	72.0°	69.0°	56.7 / 22.3	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	106.1 / 41.8	8.6 / 3.4	72.8 / 28.7
	M	17.5"	44.5 / 17.5	72.0°	69.0°	58.0 / 22.8	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	107.5 / 42.3	8.6 / 3.4	76.0 / 29.9
	L	19.5"	49.5 / 19.5	72.0°	69.0°	61.8 / 24.3	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	111.3 / 43.8	8.6 / 3.4	78.7 / 31.0
	XL	21.5"	54.6 / 21.5	72.0°	69.0°	63.8 / 25.1	42.4 / 16.7	31.4 / 12.4	5.1 / 2.0	113.3 / 44.6	8.6 / 3.4	81.8 / 32.2
69er Single Speed	M	17.5"	44.4 / 17.5	69.0°	73.0°	58.8 / 23.1	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	108.5 / 42.7	8.9 / 3.5	75.6 / 29.8
	L	19.5"	49.5 / 19.5	69.0°	73.0°	62.5 / 24.6	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	112.2 / 44.2	8.9 / 3.5	78.3 / 30.8
	XL	21.5"	54.6 / 21.5	69.0°	72.5°	64.6 / 25.4	42.1 / 16.6	30.7 / 12.1	4.7 / 1.9	113.7 / 44.8	8.9 / 3.5	81.4 / 32.0
	S	15.5"	37.7 / 14.8	69.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	105.8 / 41.7	8.7 / 3.4	73.2 / 28.8
Top Fuel 69er	M	17.5"	40.2 / 15.8	69.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	109.6 / 43.2	8.7 / 3.4	74.1 / 29.2
	L	19.5"	45.3 / 17.8	69.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	113.4 / 44.7	8.7 / 3.4	77.1 / 30.4
	XL	21.5"	49.1 / 19.3	69.0°	72.5°	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	5.1 / 2.0	115.2 / 45.4	8.7 / 3.4	79.6 / 31.3
	S	15.5"	37.7 / 14.8	70.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
Top Fuel 9.9 SSL Top Fuel 9.8 Top Fuel 8 Top Fuel 7	M	17.5"	40.2 / 15.8	70.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	108.6 / 42.8	7.3 / 2.9	72.5 / 28.5
	L	19.5"	45.3 / 17.8	70.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	112.4 / 44.2	7.3 / 2.9	75.8 / 29.8
	XL	21.5"	49.1 / 19.3	70.0°	72.5°	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	114.2 / 45.0	7.3 / 2.9	78.5 / 30.9
	S	15.5"	37.7 / 14.8	70.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
Top Fuel 9.8 WSD	M	17.5"	40.2 / 15.8	70.0°	72.5°	59.1 / 23.3	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	108.6 / 42.8	7.3 / 2.9	72.5 / 28.5
	L	19.5"	45.3 / 17.8	70.0°	72.5°	62.8 / 24.7	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	112.4 / 44.2	7.3 / 2.9	75.8 / 29.8
	XL	21.5"	49.1 / 19.3	70.0°	72.5°	64.5 / 25.4	42.7 / 16.8	32.7 / 12.9	3.9 / 1.5	114.2 / 45.0	7.3 / 2.9	78.5 / 30.9
	S	15.5"	37.7 / 14.8	70.0°	72.5°	55.3 / 21.8	42.7 / 16.8	32.7 / 12.9	4.0 / 1.6	104.7 / 41.2	7.3 / 2.9	70.9 / 27.9
Elite 9.9 SSL Elite 9.8 Elite 9.7	M	17.5"	40.2 / 15.8	70.9°	73.1°	58.8 / 23.1	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	106.3 / 41.9	7.4 / 2.9	73.9 / 29.1
	L	19.5"	47.0 / 18.5	70.9°	73.1°	62.6 / 24.6	42.4 / 16.7	29.6 / 11.7	3.9 / 1.5	110.2 / 43.4	7.4 / 2.9	77.0 / 30.3
	XL	21.5"	50.8 / 20.0	70.9°	72.6°	64.6 / 25.4	42.4 / 16.7	29.9 / 11.8	3.9 / 1.5	111.8 / 44.0	7.4 / 2.9	79.8 / 31.4
	S	15.5"	39.4 / 15.5	71.0°	73.5°	55.0 / 21.7	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	102.9 / 40.5	7.2 / 2.8	71.3 / 28.1
8500 8000 6700 6500 6000	M	17.5"	44.5 / 17.5	71.0°	73.0°	58.5 / 23.0	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	106.3 / 41.9	7.2 / 2.8	74.2 / 29.2
	L	19.5"	49.5 / 19.5	71.0°	73.0°	62.5 / 24.6	42.4 / 16.7	29.7 / 11.7	4.0 / 1.6	110.0 / 43.3	7.2 / 2.8	77.4 / 30.6
	XL	21.5"	54.6 / 21.5	71.0°	72.5°	64.1 / 25.2	42.4 / 16.7	30.0 / 11.8	4.0 / 1.6	111.3 / 43.8	7.2 / 2.8	81.1 / 31.9
	S	14"	35.6 / 14.0	70.0°	75.0°	51.8 / 20.4	42.4 / 16.7	28.8 / 11.3	4.0 / 1.6	102.0 / 40.2	7.9 / 3.1	69.2 / 27.2
6700 WSD 6500 WSD	M	16"	40.5 / 16.0	70.0°	74.0°	53.2 / 20.9	42.4 / 16.7	28.9 / 11.4	4.0 / 1.6	102.4 / 40.3	7.9 / 3.1	71.7 / 28.2
	L	18"	45.7 / 18.0	70.0°	73.5°	56.3 / 22.2	42.4 / 16.7	29.3 / 11.5	4.0 / 1.6	105.3 / 41.4	7.9 / 3.1	75.0 / 29.5
	XL	21"	53.0 / 13.0	70.0°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	102.1 / 40.2	8.1 / 3.2	69.5 / 27.4
	S	16"	40.6 / 16.0	70.5°	73.5°	55.5 / 21.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.2 / 41.0	7.8 / 3.1	73.9 / 29.1
4500 4300 Disc 4300	M	18"	45.7 / 18.0	70.5°	73.5°	57.0 / 22.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	105.9 / 41.7	7.8 / 3.1	77.5 / 30.5
	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.5 / 23.0	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.9 / 42.1	7.8 / 3.1	80.2 / 31.6
	L	21"	53.3 / 21.0	70.5°	73.0°	59.5 / 23.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	108.0 / 42.5	7.8 / 3.1	83.1 / 32.7
	L	22.5"	57.2 / 22.5	70.5°	72.5°	60.5 / 23.8	43.0 / 16.9	29.5 / 11.6	3.8 / 1.5	108.6 / 42.7	7.8 / 3.1	86.0 / 33.9
4500 WSD 4300 WSD	XL	24"	61.0 / 24.0	70.5°	72.0°	61.5 / 24.2	43.0 / 16.9	29.7 / 11.7	3.8 / 1.5	109.1 / 42.9	7.8 / 3.1	89.0 / 35.0
	S	14W"	35.6 / 14.0	70.0°	75.0°	51.8 / 20.4	43.0 / 16.9	28.9 / 11.4	3.8 / 1.5	102.3 / 40.3	7.8 / 3.1	70.7 / 27.8
	M	16W"	40.7 / 16.0	70.0°	74.0°	53.2 / 21.0	43.0 / 16.9	28.9 / 11.4	3.8 / 1.5	102.7 / 40.4	7.8 / 3.1	73.4 / 28.9
	L	18W"	45.7 / 18.0	70.0°	73.5°	56.3 / 22.2	43.0 / 16.9	29.3 / 11.6	3.8 / 1.5	105.5 / 41.5	7.8 / 3.1	76.7 / 30.2
3900 3700 820	XS	13"	33.0 / 13.0	70.0°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	8.1 / 3.2	65.4 / 25.7
	S	16"	40.6 / 16.0	70.5°	73.5°	55.5 / 21.9	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	104.0 / 40.9	7.8 / 3.1	70.6 / 27.8
	M	18"	45.7 / 18.0	70.5°	73.5°	57.0 / 22.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	105.7 / 41.6	7.8 / 3.1	74.6 / 29.4
	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.5 / 23.0	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.8 / 42.0	7.8 / 3.1	77.6 / 30.6
	L	21"	53.3 / 21.0	70.5°	73.0°	59.5 / 23.4	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	107.9 / 42.5	7.8 / 3.1	80.7 / 31.8
	L	22.5"	57.2 / 22.5	70.5°	72.5°	60.5 / 23.8	43.0 / 16.9	29.5 / 11.6	3.8 / 1.5	108.4 / 42.7	7.8 / 3.1	83.9 / 33.0
3900 WSD 3700 WSD 820 WSD	XL	24"	61.0 / 24.0	70.5°	72.0°	61.5 / 24.2	43.0 / 16.9	29.7 / 11.7	3.8 / 1.5	108.9 / 42.9	7.8 / 3.1	87.0 / 34.3
	XS	13"	33.0 / 13.0	70.5°	74.0°	52.5 / 20.7	43.0 / 16.9	28.7 / 11.3	3.8 / 1.5	101.9 / 40.1	7.8 / 3.1	58.6 / 23.1
	S	16"	40.6 / 16.0	70.5°	73.5°	55.0 / 21.7	43.0 / 16.9	29.1 / 11.5	3.8 / 1.5	103.6 / 40.8	7.8 / 3.1	59.2 / 23.3
	M	19.5"	49.5 / 19.5	70.5°	73.0°	58.0 / 22.8	43.0 / 16.9	29.3 / 11.5	3.8 / 1.5	106.3 / 41.9	7.8 / 3.1	59.6 / 23.5
XO 2 XO 1	XS	47cm	46.0 / 18.1	71.5°	75.1°	51.2 / 20.2	43.0 / 16.9	62.0 / 24.4	4.5 / 1.8	99.6 / 39.2	6.8 / 2.7	74.1 / 29.2
	S	50cm	48.2 / 19.0	72.0°	75.1°	51.7 / 20.3	43.0 / 16.9	62.0 / 24.4	4.5 / 1.8	99.6 / 39.2	6.5 / 2.6	75.7 / 29.8
	S	52cm	49.6 / 19.5	72.1°	74.7°	52.8 / 20.8	43.0 / 16.9	62.0 / 24.4	4.5 / 1.8	100.3 / 39.5	6.5 / 2.6	76.7 / 30.2
	S	54cm	50.9 / 20.0	72.2°	74.2°	53.9 / 21.2	43.0 / 16.9	62.0 / 24.4	4.5 / 1.8	100.9 / 39.7	6.4 / 2.5	77.7 / 30.6
	M	56cm	53.4 / 21.0	72.3°	73.6°	55.9 / 22.0	43.0 / 16.9	62.2 / 24.5	4.5 / 1.8	102.3 / 40.3	6.4 / 2.5	80.1 / 31.5
	L	58cm	55.9 / 22.0	72.3°	73.1°	57.8 / 22.8	43.0 / 16.9	62.2 / 24.5	4.5 / 1.8	103.6 / 40.8	6.3 / 2.5	82.1 / 32.3
	L	60cm	58.2 / 22.9	72.4°	72.8°	59.5 / 23.4	43.0 / 16.9	62.2 / 24.5	4.5 / 1.8	104.8 / 41.3	6.3 / 2.5	84.1 / 33.1
Session 10	XL	62cm	60.8 / 23.9	72.5°	72.5°	61.2 / 24.1	43.0 / 16.9	62.2 / 24.5	4.5 / 1.8	106.1 / 41.8	6.2 / 2.4	86.2 / 33.9
	S	15.5"	55.6 / 21.9	66.0°	64.0°	55.6 / 21.9	43.4 / 17.1	31.4 / 12.4	4.3 / 1.7	113.2 / 44.6	10.5 / 4.1	64.5 / 25.4
	M	17.5"	57.9 / 22.8	66.0°	64.0°	57.9 / 22.8	43.4 / 17.1	31.4 / 12.4	4.3 / 1.7	114.9 / 45.2	10.5 / 4.1	64.5 / 25.4
Jack 3	L	19"	61.3 / 24.1	66.0°	64.0°	61.3 / 24.1	43.4 / 17.1	31.4 / 12.4	4.3 / 1.7	117.7 / 47.3	10.5 / 4.1	64.5 / 25.4
	S	13"	33.0 / 13.0	68.3°	71.0°	55.9 / 22.0	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	103.1 / 40.6	8.0 / 3.1	66.9 / 26.3
	M	15"	38.1 / 15.0	68.3°	71.0°	60.1 / 23.7	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	107.3 / 42.2	8.0 / 3.1	67.4 / 26.5
Jack 2 Jack 1	L	17"	43.2 / 17.0	68.3°	71.0°	61.4 / 23.2	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6	111.1 / 43.3	8.0 / 3.1	69.7 / 27.4
	S	13"	33.0 / 13.0	68.3°	71.0°	53.3 / 21.0	41.2 / 16.2	32.3 / 12.7	4.0 / 1.6			



Trek Limited Lifetime Warranty

Trek Bicycle Corporation provides each original retail purchaser of the bicycle a lifetime warranty against defects in materials and workmanship in the bicycle frame and rigid fork when purchased from an authorized Trek dealer. Trek Bicycle Corporation likewise warrants all original parts on the bicycle, excluding suspension forks and rear shock absorbers, for a period of one year from the date of purchase. Suspension forks and rear shock absorbers shall be covered by the stated warranty of their original manufacturers. Paint and decals are warranted for one year. This warranty is expressly limited to the repair or replacement of a defective frame, fork, or defective part and is the sole remedy of the warranty. This warranty applies only to the original owner and is not transferable. Claims under this warranty must be made through an authorized Trek dealer. Proof of purchase is required. A warranty registration card must be completed and received by the Trek Bicycle Corporation before a warranty claim may be processed. This warranty covers bicycles and components outside the United States only if purchased through an authorized international Trek distributor or Trek dealer within the country of purchase. The warranty does not cover normal wear and tear, improper assembly or follow-up maintenance, installation of parts or accessories not originally intended or compatible with the bicycle as sold, damage or failure due to accident, misuse or neglect, or modification of the frame, fork or components.

Trek Bicycle Corporation shall not be responsible for incidental or consequential damages. Some states do not allow the exclusion of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives the consumer specific legal rights, and those rights may vary from place to place. This warranty does not affect the statutory rights of the consumer.

All photos, illustrations, colors, weights, and specifications contained in this catalog are based on the latest production information at the time of publication. Trek reserves the right to make changes at any time, without notice, in colors, materials, equipment, specifications and models. Any variations in colors shown may be due to the reproductive variations of the printing process. Photos may include non-U.S. equipment. Some models may be shown with optional equipment. Off road bike weights based on medium or 18 inch frame size. Road bike weights based on 56cm frame size.

All Trek bikes are sold exclusively through our network of Authorized Dealers who we entrust with professional assembly and service of your bicycle. Trek extends a Lifetime Warranty on every frame.

©2007 Trek Bicycle Corporation. All rights reserved. Trek, Bontrager and Wrench Force are registered trademarks of Trek Bicycle Corporation. Shimano, RockShox and Nike are registered trademarks of Shimano American Corporation, SRAM Corporation and Nike Inc, respectively. U.S. Pat. Nos. 5,624,519; 5,629,668; 5,685,553; 5,715,544; 5,734,142; 5,931,544; 6,045,470; 6,092,438; 6,109,638; 6,164,676; 6,203,042; 6,270,104; 6,497,042, 6,572,249; 6,637,244; 6,637,061; 6,749,212 and others pending.

Designed by Hanson Dodge Creative. Photography contributions by: Paul Johnson, John Laptad, Nathan Osterhaus, Sterling Lorence, Bradley Rochford, Graham Watson, Geoff Waugh.

EUROPEAN CENTRAL OFFICE Bikeurope B.V. Basicweg 12 3821 BR Amersfoort The Netherlands SUBSIDIARIES  Austria Bikeurope B.V. / Trek Austria Tel: +43 (0) 820 820 121 Fax: +43 (0) 820 820 141  Benelux Bikeurope B.V. Tel: +31 (0) 33 45 09 040 Fax: +31 (0) 33 45 65 363  China Trek Bicycle Corporation Tel: 86-10-8459-5392 Fax: 86-10-8459-5394  Denmark Bikeurope B.V. / Trek Denmark Tel: +45 70 27 15 40 Fax: +45 70 27 15 45  France Bikeurope B.V. / Trek France Tel: +33 (0) 8 25 00 44 04 Fax: +33 (0) 8 25 00 05 32  Germany Bikeurope B.V./Trek Deutschland Tel: +49 (0) 180 350 7010 Fax: +49 (0) 180 350 7015  Japan Trek Japan Corporation Tel: +81 (0) 78 413 6606 Fax: +81 (0) 78 413 6607  Spain Trek Bicycle S.L. Tel: +34 (0) 91 848 95 60 Fax: +34 (0) 91 843 51 71  Switzerland Trek Fahrrad GmbH Tel: +41 (0) 44 824 85 00 Fax: +41 (0) 44 824 85 55  United Kingdom Trek Bicycle Corporation Ltd. Tel: +44 (0)1 908 28 26 26 Fax: +44 (0)1 908 28 06 90 TREK DISTRIBUTORS  Argentina Bike Sports S.R.L. Tel: 5411 4797 6562 Fax: 541147976562  Aruba Tri-Bike Aruba Tel: 297 5 852 734 Fax: 297 5 850 609  Australia Trek Bicycles Australia Pty. Ltd. Tel: 61 2 8832 6900 Fax: 61 2 8832 6901  Bahrain Skate Shack Tel: 973 17 697176 Fax: 973 17 404792  Barbados Taylor's Cycle Centre Ltd. Tel: 246 426 3421 Fax: 246 4362142  Belarus Velocenter Tel: 375 172 270 187  Belize Bruce Cycling Club Bike Shop Tel: 501 22 37979  Bermuda Winner's Edge Tel: 441 295 6012 Fax: 441 292 1904  Bolivia Bicicar Tel: 591 2 241 2291 Fax: 591 2 241 6669  Bonaire ECO Experience N.V. Tel: 599 717 2227 Fax: 599 717 2227  Brazil International Sports do Brazil Ltda. Tel: 55 19 3886 7270 Fax: 55 19 3846 6133  Brunei Trekology Bikes 3 Tel: 65 6275467 Fax: 65 62754676  Bulgaria Velomania Ltd. Tel: 359 2 812 7060 Fax: 359 2 812 7061  Canary Islands Adolfo Suanzes S.A. Tel: 34 928 483050 Fax: 34 928 483777  Cayman Islands Uncle Bill's Home Improvement Centre Tel: 345 949 7601 Fax: 345 949 8055  Chile Sparta Deportes Limitada Tel: 56 2 560 4274 Fax: 56 2 5572850  Colombia Bike House Tel: 574 262 3223 Fax: 574 262 2880  Costa Rica Motos Pazos Tel: 506 291 1667 Fax: 506 291 1665  Croatia Rog Joma Tel: 385 1 2304 331 Fax: 385 1 233 9337  Curacao Vista Bike Tel: 5999 869 5582 Fax: 5999 465 9677  Cyprus Goodtones Ltd. Tel: 357 22 35 6673 Fax: 357 22 66 1027  Czech Republic Brettton Ltd. Tel: 420 2 679 1 2679 Fax: 4202 72926464  Dominican Republic Planet Bike Tel: 809 535 2152 Fax: 809 535 2152  Ecuador Dide, S.A. Tel: 593 2 247 2168 Fax: 593 2 248 3914  El Salvador Mayor, S.A. DE C.V. Tel: 503 241 0410 Fax: 503 2265 7888  Estonia Rademar Tel: 372 651 2910 Fax: 372 655 0120  Fiji Stinger Bicycles Limited Tel: 679 670 7301 Fax: 679 6707 301  Finland Oy Duell Bike Center Ab Tel: 358 6 322 7500 Fax: 358 6 322 2231  French Polynesia Tahiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336  Greece Active Zone Network Tel: 30 210 9612929 Fax: 30 210 9612520  Grenada Rheft Dopwell Tel: 473 440 5473 Fax: 473 444 4818  Guam MTB Outfitters Tel: 671 477 2453 Fax: 671 472 3184  Guatemala Novasport Tel: 502 24 74 26 89 Fax: 502 2474 2691  Honduras Comercial La Paz Tel: 504 238 5027 Fax: 504 238 5027  Hong Kong Chung Yung Cycle Co. Tel: 852 2670 3639 Fax: 852 2679 5602  Hungary Genomed Kereskedelmi KFT Tel: 36 1 331 3184 Fax: 36 1 473 1686  Iceland Orminn-Hjól ehf Tel: 354 588 9890 Fax: 354 588 9894  India Firefox Bikes Pvt. Ltd. Tel: 91 120 4357301 Fax: 91 120 4357303  Indonesia Trekology Bikes 3 Tel: 65 6275467 Fax: 65 62754676  Ireland Centro Limited Tel: 353 1 456 7516 Fax: 353 1 456 6463  Israel Cycle Trading Company Ltd. Tel: 972 9 9513 010 Fax: 972 9 9509 783  Italy Comar Italia SRL Tel: 39 035 302 502 Fax: 39 035 300 747  Kazakhstan Intelli Sports Ltd. Tel: 7 3272 937 277 Fax: 7 3272 921 333  Kenya The Rift Valley Adventure Group Tel: 254 733 745518  Korea Spo-World Tel: 82 2 3444 9394 Fax: 82 2 3444 9414  Kuwait Extreme Sports Co., L.L.C. Tel: 965 5755898 Fax: 965 2542666  Latvia Velosports SIA Tel: 371 729 3517 Fax: 371 729 3518  Lebanon Blue Mountain Sarl Tel: 961 9 637144 Fax: 961 9 637144  Lithuania Egmina UAB Tel: 370 232 5 3080 Fax: 370 5 232 3080  Macedonia Crossmak Dooel Tel: 389 47232068 Fax: 389 47232068  Malaysia Trekology Bikes 3 Tel: 65 6275467 Fax: 65 62754676  Malta Magri Cycles & Spares Tel: 256 21 414399 Fax: 256 21 436377  Mexico Power Distribution SA de CV Tel: 52 81 8478 4560 Fax: 52 81 8 340 1275  Nevis Wheel World Cycle Shop Tel: 869 469 9682 Fax: 869 469 9682  New Caledonia Royal Motors SA Tel: 687 28 59 12 Fax: 687 28 63 20  New Zealand Cycle Sport NZ Ltd Tel: 64 6 348 8029 Fax: 64 6 348 4768  Norway Foss Sykkler AS Tel: 47 22 38 62 00 Fax: 47 22 38 62 10  Panama Motorsports Panama, S.A. Tel: 507 236 0852 Fax: 507 236 6140  Paraguay Enerbike S.A.  Peru Best Bikes & Fitness Tel: 51 1 411 4411 Fax: 51 1 421 1205  Philippines 3T Techno Turbo Trading Tel: 632 951 4457 Fax: 632 431 1769  Poland S.S.C. Artykuly Sportowe SP.ZO.O Tel: 48 71 3431539 Fax: 48 71 3725448  Portugal Bicimax Artigos Desportivos LDA Tel: 351 244 553 276 Fax: 351 244 553 187  Puerto Rico Seamount Bicycle Distributors Tel: 787 763 4369 Fax: 787 765 6520  Qatar Skate Shack Tel: 943 17 697176 Fax: 973 17 404792  Romania S.C. Surmont Sport S.R.L. Tel: 407 882 66530 Fax: 407 131 36981  Russia Sportex Tel: 7 926 206 43 56 Fax: 7 926 200 76 61  Senegal Bomthi Sports Tel: 221 822 55 67 Fax: 221 822 13 72  St. Kitts Free Wheelers Tel: 869 466 3912 Fax: 869 466 3912  St. Maarten Tri-Sport N.V. Tel: 59954 43462 Fax: 59954 43928  St. Vincent Sailor's Cycle Centre Tel: 784 457 1712 Fax: 784 456 2821  Saudi Arabia Skate Shack Tel: 973 17 697176 Fax: 973 17 404792  Singapore Trekology Bikes 3 Tel: 65 6275467 Fax: 65 62754676  Slovakia KCK Cyklosport Mode S.R.O. Tel: 421 862 549 2200 Fax: 421 46 549 1056  Slovenia Bess-Pro Market Tel: 386 61 274 135 Fax: 386 61 1256 1628  South Africa Just Fun Cycling Tel: 27 11-405-3300 Fax: 27 11-405-3361  Sweden Motorfirman Holger Duells AB Tel: 46 31 72 76 300 Fax: 46 8 36 26 40  Tahiti Tahiti Sport - Yet Sing Tel: 689 425 352 Fax: 689 413 336  Taiwan Speed High Co. Ltd. Tel: 886 2 27252035 Fax: 886 2 23457475  Tanzania Adventure Sport & Leisure Tel: 255 27 250 9706 Fax: 255 27 250 9706  Thailand Probike Co., Ltd. Tel: 662 254 1077 Fax: 662 254 1078  Tortola Last Stop Sports Center Ltd. Tel: 284 494 0564 Fax: 284 494 0593  Trinidad Geronimo's Cycles Tel: 868 622 2453 Fax: 868 622 2453  Turkey Alatin Bickiklet Tel: 90 212 244 47 15 Fax: 90 212 249 69 50  Ukraine Velolux Company Tel: 380 443 325090 Fax: 380 444 557123  United Arab Emirates Direct Trading Est. Tel: 971 4 4076641  U.S.V.I. Stamina Sports Tel: 340 719 6749 Fax: 340 773 7400  Uruguay Bilper S.A. Tel: 598 2 708 2498 Fax: 598 2 401 2514  Venezuela Bike Pro Com C.A. Tel: 58 212 991 4744 Fax: 58 212 991 4356  Vietnam Starbikes Co., Ltd. Tel: 84 42130302 Fax: 84 47225040

WE PRINT OUR CATALOGS ON ONLY FOREST STEWARDSHIP COUNCIL (FSC) CERTIFIED PAPER

FSC certification ensures that the paper in our catalogs contains fiber from well-managed and responsibly harvested forests. The goal is to shift the market to eliminate habitat destruction, water pollution, and displacement of indigenous peoples. This catalog meets FSC's strict environmental standards.

Go Ride.