

WELG TO TH E NEW

TIME





INDEX

HARDTAILS p.04-11 BMX p.12-17 DOWNHILL p.18-19 FREERIDE p.20-21 GEOMETRIES p.22-23





**NO RULES. NO JUDGEMENT.
DO WHAT YOU WANT.**

If you've got the personality to be free,
we've got the bikes for your freeride.

HARDY 1 TEAM

size
(ERH. GRÖSSEN)

14.5 / 16 / 18

frame
(RAHMEN)

UMF Dual Frame

fork
(GABEL)

Sherman Flick, HEX lock, RTII 110/150mm

derailleur front/rear
(UMWERFER/SCHALTWERK)

None / XT Conventional

shifter
(SCHALTHEBEL)

LX Rapidfire 1 x 9

brake lever
(BREMSHEBEL)

Hayes HFX-9

brakes
(BREMSEN)

Hayes HFX-9 203mm

chain wheel
(KURBELGARNITUR)

Truvativ Holzfeller, 34t, Bash-, Boxguard

bb set
(INNENLAGER)

Truvativ ISIS

hub front/rear
(NABE VORNE/HINTEN)

DH Pro 20mm Axle / 10mm Axle

spokes
(SPEICHEN)

DT Champion 2.0

rims
(FELGEN)

Alex Supra BH, black

freewheel
(KASSETTE)

M580 11-32

tires
(REIFEN)

Maxxis High Roller, 26 x 2.35

handle bar
(LENKER)

Truvativ Holzfeller, W: 680mm

handle bar stem
(VORBAU)

Truvativ Holzfeller 31.8, 40mm

head set
(STEUERSATZ)

FSA Orbit

saddle
(SATTEL)

Titec Berserker EL-Norte

seat post
(SATTELSTÜTZE)

Truvativ Double XR, 31.6

pedals
(PEDALE)

Wellgo B38



HARDY 1

size
[ERH. GRÖSSEN]

14.5 / 16 / 18

frame
[RAHMEN]

UMF Dual Frame

fork
[GABEL]

Manitou Stance Blunt, 130mm

derailleur front/rear
[UMWERFER/SCHALTWERK]

Shimano Deore / LX Conventional

shifter
[SCHALTHEBEL]

Deore Rapidfire 2 x 9

brake lever
[BREMSHEBEL]

Hayes HFX-9

brakes
[BREMSEN]

Hayes HFX-9 203mm

chain wheel
[KURBELGARNITUR]

Truvativ Hessefelt, 32/22 w/RG

bb set
[INNENLAGER]

Truvativ ISIS

hub front/rear
[NABE VORNE/HINTEN]

Shimano M475 Disc

spokes
[SPEICHEN]

Stainless 2,0

rims
[FELGEN]

Alex Supra BH, black

freewheel
[KASSETTE]

HG50-9 11-32

tires
[REIFEN]

Maxxis High Roller, 26 x 2.35

handle bar
[LENKER]

Truvativ Holzfeller, W: 680mm

handle bar stem
[VORBAU]

Truvativ Hessefelt 31.8, 40mm

head set
[STEUERSATZ]

FSA Orbit

saddle
[SATTEL]

Titec, Berserker Comfort

seat post
[SATTELSTÜTZE]

Truvativ Double XR, 31.6

pedals
[PEDALE]

Wellgo B38





HARDY 2 DISC

size
[ERH. GRÖSSEN]

14.5 / 16 / 18

frame
[RAHMEN]

UMF Dual Frame

fork
[GABEL]

Marzocchi Dirt Jam Comp, 100mm

derailleur front/rear
[UMWERFER/SCHALTWERK]

Shimano Deore / Deore

shifter
[SCHALTHEBEL]

Deore Rapidfire 2 x 9

brake lever
[BREMSHEBEL]

Hayes HML-1

brakes
[BREMSEN]

Hayes MX2 HD, 203mm

chain wheel
[KURBELGARNITUR]

Truvativ Hessefelt, 32/22 w/RG

bb set
[INNENLAGER]

Truvativ ISIS

hub front/rear
[NABE VORNE/HINTEN]

Shimano M475 Disc

spokes
[SPEICHEN]

Stainless 2.0

rims
[FELGEN]

Alex DM24, black

freewheel
[KASSETTE]

HG50-9 11-32

tires
[REIFEN]

Maxxis High Roller, 26 x 2.35

handle bar
[LENKER]

Truvativ Hessefelt, W: 680mm

handle bar stem
[VORBAU]

Truvativ Hessefelt 31.8, 40mm

head set
[STEUERSATZ]

TH NO.10

saddle
[SITTEL]

UMF, Hardy

seat post
[SITTELSTÜTZE]

Truvativ Single XR, 31.6

pedals
[PEDALE]

VP-511



HARDY 3/HARDY 3 DISC

size
[ERH. GRÖSSEN]

14.5 / 16 / 18

frame
[RAHMEN]

UMF Dual Frame

fork
[GABEL]

SR Suntour XCP75 DJ, 120mm

derailleur front/rear
[UMWERFER/SCHALTWERK]

Shimano Alivio/ Alivio

shifter
[SCHALTHEBEL]

Alivio Rapidfire 3 x 8

brake lever
[BREMSHEBEL]

IKE Royal

brakes
[BREMSEN]

IKE Royal Cartridge/ Shimano M475 Disc

chain wheel
[KURBELGARNITUR]

Shimano MC08, 42/32/22

bb set
[INNENLAGER]

TH, Power Pro

hub front/rear
[NABE VORNE/HINTEN]

Formula OV31/ Shimano RM30-8
Joytech Disc/ Shimano M475 Disc

spokes
[SPEICHEN]

Stainless 2.0

rim
[FELGEN]

Alex DM18 black/ Alex DM18 Disc, black

freewheel
[KASSETTE]

HG30-8I 11-30

tires
[REIFEN]

Maxxis Swamp Thing, 26 x 2.35

handle bar
[LENKER]

Truvativ Hessefelt, W:680mm

handle bar stem
[VORBAU]

Truvativ Hessefelt 31.8, 40mm

head set
[STEUERSATZ]

TH NO.10

saddle
[SÄTTEL]

UMF, Hardy

seat post
[SÄTTELSTÜTZE]

Truvativ Single XR, 31.6

pedals
[PEDALE]

VP-511





HARDY 4

size
(ERH. GRÖSSEN)

14.5 / 16 / 18

frame
(RAHMEN)

UMF Dual Frame

fork
(GABEL)

RST Gila Plus, 120mm

derailleur front/rear
(UMWERFER/SCHALTWERK)

Shimano Alivio/ Acera-X

shifter
(SCHALTHEBEL)

Altus EZ-fire 3 x 8

brake lever
(BREMSHEBEL)

Shimano Altus

brakes
(BREMSEN)

IKE V-Brake

chain wheel
(KURBELGARNITUR)

Shimano MC08, 42/32/22

bb set
(INNENLAGER)

TH PowerPro

hub front/rear
(NABE VORNE/HINTEN)

Formula OV31/ Shimano RM30-8

spokes
(SPEICHEN)

Stainless 2.0

rims
(FELGEN)

Alex MX18, black

freewheel
(KASSETTE)

HG30-81 11-32

tires
(REIFEN)

Maxxis Swamp Thing, 26 x 2.35

handle bar
(LENKER)

UMF Oversized, W: 700mm

handle bar stem
(VORBAU)

UMF Oversized 31.8, 50mm

head set
(STEUERSATZ)

TH NO.10

saddle
(SITTEL)

UMF Hardy

seat post
(SITTELSTÜTZE)

UMF AL, 31.6

pedals
(PEDALE)

VP-511



HARDY 5

size
[ERH. GRÖSSEN]

14.5 / 16 / 18

frame
[RAHMEN]

UMF Dual Frame

fork
[GABEL]

RST, Gila Plus 120mm

derailleur front/rear
[UMWERFER/SCHALTWERK]

SR Suntour TD17 / Sram ESP 3.0

shifter
[SCHALTHEBEL]

ESP 3.0 twist 3 x 7

brake lever
[BREMSSHEBEL]

IKE

brakes
[BREMSEN]

IKE V-Brake

chain wheel
[KURBELGARNITUR]

RPM, AL 324 42/34/24

bb set
[INNENLAGER]

TH, PowerPro

hub front/rear
[NABE VORNE/HINTEN]

Formula OV31

spokes
[SPEICHEN]

Stainless 2.0

rims
[FELGEN]

Alex MX18, black

freewheel
[KASSETTE]

MF-TZ07 14-28

tires
[REIFEN]

CST C1270, 26 x 2.1

handle bar
[LENKER]

UMF Oversized, W: 700mm

handle bar stem
[VORBAU]

UMF Oversized 31.8, 50mm

head set
[STEUERSATZ]

TH NO.10

saddle
[SATTEL]

UMF Hardy

seat post
[SATTELSTÜTZE]

UMF AL, 31.6

pedals
[PEDALE]

VP-511





ROLAND HARRER [UMF TEAM RIDER]



BMX MEANS...

getting into the pipe and riding the flow.
Join the United Merida Freeriders.



BRAD 1

size
(ERH. GRÖSSEN)

10.5

frame
(RAHMEN)

Brad Freestyle, Cr-Mo

fork
(GABEL)

Freestyle OV, Cr-Mo

brake lever
(BREMSHEBEL)

Tektro, 289A

brake front
(BREMSSE VORNE)

Tektro Side pull 985A

brake rear
(BREMSSE HINTEN)

Tektro U- Brake FX15

chain wheel
(KURBELGARNITUR)

UMF Tubular Crank w/ Bashguard

bb set
(INNENLAGER)

X18SS, Bearing

hub front/rear
(NABE VORNE/HINTEN)

Formula DX51 bearing, 14 Axle/ DX51

spokes
(SPEICHEN)

UCP 2.0

rims
(FELGEN)

Alex DM24, black

freewheel
(KASSETTE)

14T

tires
(REIFEN)

Maxxis Holly Roller, 20 x 2.2

handle bar
(LENKER)

UMF Cr-Mo, W: 635mm

handle bar stem
(VORBAU)

UMF AL Forged, 50mm

head set
(STEUERSATZ)

TH877 + ORYG48 Rotor

saddle
(SATTTEL)

UMF, 7015-9 Kevlar Black

seat post
(SATTTELSTÜTZE)

UMF Cr-Mo, 25.4

pedals
(PEDALE)

VP-559 Screw Pin

axle pipe stand
(PEGG)

Steel Black 2pcs



BRAD 2

size
[ERH. GRÖSSEN]

10.5

frame
[RAHMEN]

Brad Freestyle, Cr-Mo

fork
[GABEL]

Freestyle OV, Cr-Mo

brake lever
[BREMSHEBEL]

Tektro 289A

brake front
[BREMSE VORNE]

Tektro Side pull 985A

brake rear
[BREMSE HINTEN]

Tektro U- Brake 907A

chain wheel
[KURBELGARNITUR]

UMF Tubular Crank

bb set
[INNENLAGER]

X11B, ball retainer

hub front/rear
[NABE VORNE/HINTEN]

Alloy, 14 Axle

spokes
[SPEICHEN]

UCP 2.0

rims
[FELGEN]

DDW double wall, black

freewheel
[KASSETTE]

14T

tires
[REIFEN]

Maxxis Holly Roller, 20 x 2.2

handle bar
[LENKER]

UMF Steel, W:635mm

handle bar stem
[VORBAU]

UMF AL Forged, 50mm

head set
[STEUERSATZ]

TH877 + ORYG48 Rotor

saddle
[SITTEL]

UMF 7015-1, black

seat post
[SITTELSTÜTZE]

UMF Steel, 25.4

pedals
[PEDALE]

VP-558

axle pipe stand
[PEGGS]

Steel Black 2pcs



BRAD 2 RACE

size
(ERH. GRÖSSEN)

9.5

frame
(RAHMEN)

Brad Race, Alloy

fork
(GABEL)

Freestyle OV, Cr-Mo

brake lever
(BREMSHEBEL)

Tektro 317A

brake front
(BREMSE VORNE)

Tektro Side pull 985A

brake rear
(BREMSE HINTEN)

Tektro V-Brake 924A

chain wheel
(KURBELGARNITUR)

UMF Tubular Crank

bb set
(INNENLAGER)

X11B, ball retainer

hub front/rear
(NABE VORNE/HINTEN)

Alloy, 14 Axle

spokes
(SPEICHEN)

UCP 2.0

rims
(FELGEN)

DDW double wall, black

freewheel
(KASSETTE)

14T

tires
(REIFEN)

Maxxis M-Thread, 20 x 1.85

handle bar
(LENKER)

UMF Cr-Mo, W: 635mm

handle bar stem
(VORBAU)

UMF AL Forged, 50mm

head set
(STEUERSATZ)

TH877

saddle
(SATTTEL)

UMF FM16

seat post
(SATTELSTÜTZE)

UMF AL, 27.2

pedals
(PEDALE)

VP-559 Screw Pin



BRAD 3

size
[ERH. GRÖSSEN]

10.5

frame
[RAHMEN]

Brad Freestyle, Steel

fork
[GABEL]

Freestyle OV, Hi-Ten

brake lever
[BREMSHEBEL]

Tektro 289A

brake front
[BREMS VORNE]

Tektro Side pull 985A

brake rear
[BREMS HINTEN]

Tektro U-brake FX11

chain wheel
[KURBELGARNITUR]

UMF One-Piece Steel Crank

bb set
[INNENLAGER]

VP-B35, ball retainer

hub front/rear
[NABE VORNE/HINTEN]

Steel, 14 Axle

spokes
[SPEICHEN]

UCP 2.0

rim
[FELGEN]

DDW double wall, black

freewheel
[KASSETTE]

14T

tires
[REIFEN]

Maxxis Holly Roller, 20 x 2.2

handle bar
[LENKER]

UMF Steel, W: 635mm

handle bar stem
[VORBAU]

UMF AL Forged, 50mm

head set
[STEUERSATZ]

TH888 + ORYG48 Roter

saddle
[SATTEL]

UMF 7015-1, black

seat post
[SATTELSTÜTZE]


UMF Steel, 25.4

pedals
[PEDALE]

VP-558

axle pipe stand
[PEGG]

Steel Black 2pcs





DUNCAN TAKES THE PUNISHMENT AND LOVES IT.

Be part of an exciting, new, adrenaline filled niche.

DANIEL PREWITT (UMF TEAM RIDER)



DUNCAN

size
(ERH. GRÖSSE)

17

frame
(RAHMEN)

UMF DH Frame

rear travel
(FEDERWEG)

215 mm w/ shock length
240 mm eye-to-eye



19

MANITOU Swinger Coil 4-way

rear shock option

weight
(GEWICHT)

445 grams

damping
(DAMPFUNG)

SPV 4-Way

adjustments
(EINSTELLMÖGLICHKEITEN)

Preload, Rebound, SPV Platform Pressure, SPV Volume

damper shaft
(DAMPERSCHAFT)

Steel

bushings
(BUCHSEN)

Steel/Teflon

package
(AUSGLEICHBEHÄLTER)

Piggy Back



COMING SOON
TO YOUR
LOCAL UMF DEALER



READY





GEOMETRIES

HARDY SERIES

size in cm	26x14.5"	26x16"	26x18"
seattube length [C/T]	368	407	458
toptube length, horiz. [AH]	543,5	580	628
headtube length [L]	130	130	130
headtube angle [Q1]	69,5	69,5	69,5
seattube angle [Q7]	72	72	72
rc [D]	420	420	420
bb shell	73	73	73
bb drop [H]	38	38	38
fork length [G]	470	470	470
offset [F]	38	38	38


BRAD SERIES

size in cm	20x10.5"
seattube length [C/T]	270,5
toptube length, horiz. [AH]	531,5
headtube length [L]	100
headtube angle [Q1]	74.6°
seattube angle [Q7]	73.5°
rc [D]	362
bb shell	68
bb drop [H]	38
fork length [G]	323
offset [F]	32




BRAD 2 RACE

size in cm	20x9.5"
seattube length [C/T]	240,5
toptube length, horiz. [AH]	522
headtube length [L]	100
headtube angle [Q1]	74°
seattube angle [Q7]	70.5°
rc [D]	390
bb shell	68
bb drop [H]	49
fork length [G]	335
offset [F]	30



DUNCAN

size in cm	26x17"
seattube length [C/T]	432
toptube length, horiz. [AH]	590
headtube length [L]	120
headtube angle [Q1]	66°
seattube angle [Q7]	74.6°
rc [D]	430
bb shell	68
bb drop [H]	34
fork length [G]	600
offset [F]	42



UNITED OVER MERIDA TRADERS.



Austria

SAIL & SURF GMBH
Bundesstraße 55
A-4822 Bad Goisern
office@sailsurf.at
www.sailsurf.at

Benelux

MERIDA BENELUX
Postbus 799
7301 BA Apeldoorn
info@merida.nl
www.merida.nl

Denmark

BORANDIA APS
Dam Enge 5
3660 Stenlose
borandia@borandia.dk
www.borandia.dk

Germany

MERIDA & CENTURION
GERMANY GMBH
Blumenstraße 51
71106 Magstadt
info@umf-bikes.de
www.umf-bikes.de

Israel

ROSEN & MEENTS
46 Hagaaton Ave
Naharyia 22381
rmltd@netvision.net.il

Sweden

GRAHNS
Bjornvagen 1
59129 Motala
info@grahns.se
www.grahns.se

Australia

ADVANCE TRADERS
23 Chapman Place
Eagle Farm, Queensland
AUSTRALIA.4009
infoadt@advancetraders.com.au
www.advancetraders.com.au

Czech Republic & Slovakia

MERIDA CZECH S.R.O
Vinohradska 76
618 00 Brno
meridask@isternet.sk
www.merida-bike.cz
www.merida.sk

Estonia, Latvia & Lithuania

MERIDA BALTIC OU
Saku 3
11314 Tallinn
info@merida.ee
www.merida.ee

Hungary

VELOTRADE LTD.
1211 Budapest
Gyepsor u. 1
info@velotrade.hu
www.velotrade.hu

Italy

AUTOSONIK GROUP S.R.L.
Via Togliatti 52/A
42020 Montecavolo
Reggio Emilia
autosonik@autosonik.com
www.autosonik.com

Switzerland

BELIMPORT SA
Swiss General Import
CH-6907 Lugano 7
umf@belimport.ch
www.belimport.ch

UMF WORLDWIDE

CHECK OUT WWW.UMF-BIKES.COM