


premium program 2006



ONNEEGA
ride it your way



UNIVEGA ALPINA HT RACE SERIES 10

UNIVEGA ALPINA HT SERIES 16

UNIVEGA ALPINA SL SERIES 28

UNIVEGA RAM ES SERIES 36

UNIVEGA RAM FR SERIES 42

UNIVEGA RAM XF SERIES 44

UNIVEGA RAM TR/BX SERIES 52

UNIVEGA TERRENO SERIES 58

UNIVEGA VIA SERIES 64

UNIVEGA GROOVE SERIES 76

»ride it your way

When Ben Lawee founded the Univega brand in the U.S. in the 80's, he certainly did not foresee the path that the development of mountainbike would take: from a practical vehicle to a piece of sports equipment to a means of active recreation in harmony with nature and oneself. Today the concept of moving forward noiselessly for pleasure is engrained in all of us.

This is why we develop products that clear the way for you to enjoy riding on our two wheels. Products leave our factory only after passing a rigorous inspection and receiving an endorsement from the best cycling athletes in the world.

We want to know how good our bikes really are before we put them on the market. The bikes are constantly ridden both on and off-road by the athletes on our team, who together have a total of 8 international and 35 national champion titles, as well as a wealth of experience in material testing.

These professionals supply us daily with important information on the characteristics of our models and serve as consultants and an important basis for our development work.

We are proud to present you now the result of our work – completely under Ben Lawee's motto:
«Ride it your way!»



**DELTA
BOX**
TECHNOLOGY

**DELTABOX™ II:**

Driving like on rails. Thanks to the revolutionary new Deltabox™ Technology of Carbon or Scandium-Aluminium, lightweight design and stability are no longer mutually exclusive. A torsion box integrated in the steering tube stabilizes and balances the body, especially under extreme conditions.

*strength and balance
need revolutionary thinking*

DELTA FORCE



DELTA FORCE:

Driving like on rails is now no longer a question of price. The consistent use of Deltabox™ Technology has moved into the middle class with the introduction of the dimensionally optimized Delta Force Head. This new technology offers maximum directional stability with a remarkable price-performance ratio.

TORMOSTAY™



TORMOSTAY™:

All Univega frames designed for especially harsh conditions have the Tormostay™ rear construction. The shorter seat tubes prevent almost all vibrations in the pedals and bottom bracket bearing, which enables optimum transfer of the pedaling force to the rear wheel.

MONOBLOCK™



MONOBLOCK™:

In order to select the lightest raw materials and conification for the new RAM Series, our engineers directed all acting forces into one high-strength forged «Monoblock». This reduced the weight by another 10%.

FRD™
FAST RELEASE DROPOUTS




FAST RELEASE DROPOUTS FRD™:


Aesthetic, high-strength welded 3D dropouts with specially calculated opening angle make jerky wheel changes a thing of the past. Tested and approved by professional mechanics.

**MATERIAL**

The very best is just good enough for us. That's why we use selected materials, such as Scandium alloy (a 30% lighter weight aluminum alloy) and High Modular Fiber carbon.

**MEGA DOME TUBING**


A good long-lasting frame is measured mainly by its torsional stability. In this regard Univega frames with the newly developed, oversized Mega Dome 4 Tubes in the front fork hold the world record of 128 Nm/ $^\circ$ Steering head rigidity and an SGI of 120.0 (07/2005 Mountainbike test Racefullys). Neutral and directionally stable driving behavior is guaranteed.

**GEOMETRY**


To ensure perfect comfort right from the start on your new Univega, through the years we have analyzed and optimized the seating and riding requirements of modern bikes in collaboration with our customers, and have constantly integrated improvements into our products. This is why we are especially proud today when you think of your Univega Bike as a «feel good» bike.

**HSR-TRACTION**


In the case of the newly-developed full suspension Univega frame types, a special pivot arrangement is used to get the very best performance out of the suspension elements. In addition, High Speed Response is obtained through direct power delivery and an ideal leverage ratio. Thus the rider always enjoys perfect contact with the ground.

**ACS**

(Asymmetrical chain stay): A newly formed chain stay prevents the «chain-suck» phenomenon that cyclists dread. As a result, the fixed plate used in conventional bikes can be eliminated, which also substantially reduces the weight of the frame.

**DISC BRAKE**

You should choose a disc brake if you use your bike for lots of long downhill stretches. In addition it offers you the best deceleration, even in inclement weather conditions.



sky facts

SKY is the name of the new «Wellfit» Series from Univega, sporty and at the same time heavenly comfortable. With a special design and optimized details, our SKY Series accommodates the ever-increasing demand for bikes with wellness as well as fitness characteristics.

CATEGORIES

Because we place the highest priority on quality and safety, we subject all of our products to the harshest test stand tests that go far and above the legally required tests. To help you select the perfect bike for your needs, we have created categories that will make your choice crystal clear.

CAT 1 Bikes developed exclusively for use on paved roads.

CAT 2 Bikes developed for use on paved and unpaved roads. The suspension elements used serve for added comfort and are not designed for jumps or other severe stresses.

CAT 3 Bikes for use in moderate terrain. The suspension elements used serve for added comfort and are not designed for jumps or other severe stresses.

CAT 4 Bikes for use in moderate and harsh terrain. The suspension elements used serve for added comfort and improved traction. Their suitability for jumps or other extreme stresses is limited.

CAT 5 Bikes for use in harsh terrain such as in free ride, downhill, or trail events. The suspension elements used serve for added comfort and improved traction and are also suitable for jumps or other extreme stresses. However, jumps and tricks should be performed only by experienced bikers or after adequate professional training.





Univega supports a lot of professional athletes on its own corporate teams. That's why we are also considered a competent development partner for the bike supplier industry and our riders play a decisive role in the improvement of key components such as tires and suspension components. And of course, they are also the most important contacts in the further development of Univega bikes. The fact that they also complete their job-related duties very successfully «on the side» makes us especially proud.







»hard rock

Things can always be tougher. Faster too. Now and again real race fans and cyclists like to kick in the gears. As we all know racing is about beating yourself. And when that means coming in a good position into the bargain, all's the better. The Hardtails of the UNIVEGA ALPINA HT RACE series bring professional and ambitious racers to the finishing line with ease and resistant stability. Optimum power transmission allows you to forget the laws of gravity and agile steering masters every single trail.

UNIVEGA

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM



Also available as **FRAMESET**

UNIVEGA ALPINA HT-UPCT CARBON

FRAME: Univega Fastrax Carbon Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm **FORK:** Rock Shox Reba Team with RT Lockout, adjustable, 85 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore Sram X0/XTR/Sram X0 Twistshifter **BRAKES:** Magura Martha Disc **EXTRAS:** Geax Mezcal 1.9 tires, DT Swiss XR 4d rims and DT Huegi 240 hubs, Selle Italia Filante Trans Am saddle, Ritchey WCS handlebar, stem and seat post, FSA K-Force Mega Exo Carbon chain wheel set

FASTRAX CARBON

XC GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

DISC BRAKE

CAT 4



UNIVEGA
ALPINA HT
RACE SERIES



UNIVEGA
ALPINA HT
SERIES



UNIVEGA
ALPINA SL
SERIES



UNIVEGA
RAM ES
SERIES



UNIVEGA
RAM FR
SERIES



UNIVEGA
RAM XF
SERIES



UNIVEGA
RAM TR / BX
SERIES



UNIVEGA
TERRENO
SERIES



UNIVEGA
VIA
SERIES



UNIVEGA
GROOVE
SERIES

FASTRAX SCANDIUM

XC GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

DISC BRAKE

CAT 4



Also available as **FRAMESET**

UNIVEGA ALPINA HT-UPCT SCANDIUM

13

FRAME: Univega Fastrax Scandium 7000 Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm **FORK:** Rock Shox Reba Team with RT Lockout, adjustable, 85 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore Sram XO/XTR/Sram XO Twistshifter **BRAKES:** Magura Martha Disc **EXTRAS:** Geax Mezcal 1.9 tires, DT Swiss XR 4d rims and DT Huegi 240 hubs, Selle Italia Filante Trans Am saddle, Ritchey WCS handlebar, stem and seat post, FSA K-Force Mega Exo Carbon chain wheel set

ride it your way



UNIVEGA ALPINA HT-590

FRAME: Univega Fastrax Scandium 7000 Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **FORK:** Manitou R7 Super with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/XT/XT **BRAKES:** Avid SD-7 **EXTRAS:** Geax Mezcal 1.9 tires, Sunringle Mach 4 rims, FSA XC-190 handlebar, Ritchey WCS stem and seat post, Shimano XT disc hub, Selle Italia C2 Trans Am Special Edition saddle



FASTRAX SCANDIUM

XC GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

CAT 4



UNIVEGA
ALPINA HT
RACE SERIES



UNIVEGA
ALPINA HT
SERIES



UNIVEGA
ALPINA SL
SERIES



UNIVEGA
RAM ES
SERIES



UNIVEGA
RAM FR
SERIES



UNIVEGA
RAM XF
SERIES



UNIVEGA
RAM TR / BX
SERIES



UNIVEGA
TERRENO
SERIES



UNIVEGA
VIA
SERIES



UNIVEGA
GROOVE
SERIES

FASTRAX ALLOY 7005

XC GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

DISC BRAKE

CAT 4



UNIVEGA ALPINA HT-570 DISC

15

FRAME: Univega Fastrax Aluminium 7005, SL Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **FORK:** Manitou Black Platinium Air with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/LX/LX **BRAKES:** Hayes HFX 9 Disc **EXTRAS:** Geax Mezcal 2.1 tires, Sunringle DSC2-XC rims, Ritchey Comp handlebar, stem and seat post, Sunringle Disc Jockey hub, Selle Italia X2 Man saddle



ride it your way



**Get out of the rut
and up into the
mountains...** Set off.
Switch off. Time to
retank. The classic
mountain bike hardtail
now makes it even
easier to get away from
it all. The new UNIVEGA
ALPINA class is light,
fast and good-looking.
Exciting design and the
perfection of brand-
name components
combine to give you
a dream bike that is
second to none.

»classic rock

FASTRAX ALLOY 7005

WELLFIT GEOMETRY

DELTAFORCE I

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

CAT 3



UNIVEGA ALPINA HT-SKY

17

FRAME: Univega Fastrax Aluminium 7005, TB SL, Delta Force Head I, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm, 48 cm **FORK:** RST Gila TNL with Lockout, adjustable, 80 mm Federweg **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Avid SD-3 **EXTRAS:** Geax Barro Marathon 2.1 tires, Ritchey Comp handlebar, Ergo Flex saddle, Ergo grips with integrated bar ends, FSA Gamma Mega Exo chain wheelset, Shimano Disc hubs, comfort stem vertically adjustable

ride it your way



UNIVEGA ALPINA HT-560

FRAME: Univega Fastrax Aluminium 7005, TB SL, Delta Force Head I, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **FORK:** RST Gila TNL with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore LX/Deore LX **BRAKES:** Hayes Sole V7/V6 hydraulic disc brake **EXTRAS:** Continental Vapor 2.1 tires, Ritchey Comp handlebar, Selle Italia X 2 saddle, Ritchey Comp TGV grips, FSA Gamma Mega Exo chain wheel set

FASTRAX ALLOY 7005

XC GEOMETRY

DELTAFORCE I

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

DISC BRAKE

CAT 3

FASTRAX ALLOY 7005

XC GEOMETRY

DELTAFORCE I

TORMOSTAY

MEGADOME 4 TUBING

FRD

ACS

CAT 3



UNIVEGA ALPINA HT-550

FRAME: Univega Fastrax Aluminium 7005, TB SL, Delta Force Head I, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **FORK:** RST Gila TNL with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Avid SD-3 **EXTRAS:** Continental Vapor 2.1 tires, Ritchey Comp handlebar, Selle Italia FK saddle, Ritchey Comp TGV grips, FSA Gamma Mega Exo chain wheel set



GOOD

TEST APRIL '05

TEST JUNE '05
GOODTEST JAN/FEBR '05
RECOMMENDED



20

UNIVEGA ALPINA HT-530

FRAME: Univega Alpina Aluminium 7005, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm, 48 cm, 53 cm, 58 cm **FORK:** Suntour SF-XCR with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore LX/Deore LX **BRAKES:** Avid Single Digit 5 **EXTRAS:** Geax Barro Marathon 2.1 tires, Ritchey True Grip grips, Zac 2000 rims, Deore hubs, Selle Italia SK saddle



TACOMA ALLOY

ENDURANCE GEOMETRY

MEGADOME 2 TUBING

FRD

CAT 3

SHIMANO DISC BRAKE ZONE



Shimano hydraulic disc brakes. For the cycling world's challenges.

When will we see you in the Shimano Disc Brake Zone? Here you'll find the right brakes for every purpose – from cross country competitions to extreme freeride. Their linear response behaviour ensures well-dosed, consistent braking. For fine tuning, brake discs come in a variety of sizes, with metallic or organic brake pads. And the Center Lock mount system ensures excellent force transmission as well as simple and quick mounting.



www.shimano.com

SHIMANO
THE ORIGINAL BIKE COMPONENTS



UNIVEGA ALPINA HT-510

FRAME: Univega Alpina Aluminium 7005, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm, 48 cm, 53 cm, 58 cm **FORK:** Suntour XCM with Lockout, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore LX/Alivio/Deore **BRAKES:** Avid Single Digit 3, Zac 2000 rims **EXTRAS:** Geax Barro Marathon 2.1 tires, Ritchey True Grip grips

TACOMA ALLOY

ENDURANCE GEOMETRY

MEGADOME 2 TUBING

FRD

CAT 3



TACOMA ALLOY

ENDURANCE GEOMETRY

MEGADOME 2 TUBING

FRD

CAT 2



UNIVEGA ALPINA HT-500

23

FRAME: Univega Alpina Aluminium 7005, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm, 48 cm, 53 cm, 58 cm **FORK:** Suntour XCM, adjustable, 80 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore LX/CO50/Altus **BRAKES:** Avid Single Digit 3, Zac 2000 rims **EXTRAS:** Geax Barro Marathon 2.1 tires, Ritchey True Grip grips



ride it your way



24

UNIVEGA ALPINA HT-SPORT

FRAME: Univega Alpina Aluminium 7005, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm, 48 cm, 53 cm, 58 cm **FORK:** Suntour XCM, adjustable, 80 mm travel **DRIVETRAIN:** 21-speed, Shimano Deore/CO50/Altus **BRAKES:** Tektro 832A, Zac 2000 rims **EXTRAS:** Geax Barro Marrathon 2.1 tires, Ritchey True Grip grips



TACOMA ALLOY

ENDURANCE GEOMETRY

MEGADOME 2 TUBING

FRD

CAT 2



SPV

STABLE PLATFORM VALVE

A NEW ERA IN SUSPENSION TECHNOLOGY

Manitou's SPV has become the benchmark for world-class forks and shocks, providing

ultimate pedaling efficiency AND simultaneous superior suspension capabilities.

Features include externally-adjustable pedaling platform, force sensitive platform mechanism, unique ride stabilizing valve system and position sensitive damping.

The future of suspension technology, available now in Manitou forks & shocks.

**MAGURA HS 11 –
Bremslige Situationen
immer sicher im Griff!**

5 Jahre Garantie auf
Dichtheit von Bremsgriß
und -zange bei Online-
Registrierung auf
magura.com

Kinderleichter Brems-
belagswechsel

Wartungsfrei über Jahre
hinweg

Millionen zufriedene
Anwender

Made by MAGURA, den
Vorstoppen aus Deutsch-
lands wildem Süden!

MAGURA Bike Parts GmbH + Co. KG
Heinrich-Käte-Straße 24
D-89550 Lichtenfels
info@magura-bikeparts.de
Hilfslinie (Helpdesk)
Phone: 09232-648204 (0,1 Cent pro Min.
für Anrufer aus dem deutschen Festnetz)
Fax: 09232-642617
service@magura.com
www.magura.com

MAGURA

TACOMA ALUMINIUM

RACE GEOMETRY

CAT 3



UNIVEGA ALPINA HT-240 UPCT

FRAME: Univega Alpina Aluminium 7005, 24 inches **SIZE AVAILABLE:** 37 cm **FORK:** Insync Grind-AC, adjustable, 70 mm travel **DRIVETRAIN:** 24-speed, Shimano Acera/CO50/Altus **BRAKES:** Tektro 832A

UNIVEGA
ALPINA HT
RACE SERIES

UNIVEGA
ALPINA HT
SERIES

UNIVEGA
ALPINA SL
SERIES

UNIVEGA
RAM ES
SERIES

UNIVEGA
RAM FR
SERIES

UNIVEGA
RAM XF
SERIES

UNIVEGA
RAM TR BX
SERIES

UNIVEGA
TERRENO
SERIES

UNIVEGA
VIA
SERIES

UNIVEGA
GROOVE
SERIES

TACOMA ALUMINIUM

RACE GEOMETRY

CAT 3



UNIVEGA ALPINA HT-200

FRAME: Univega Alpina Aluminium 7005, 20 inches **SIZE AVAILABLE:** 33 cm **FORK:** Insync Grind-CR 45 mm travel **DRIVETRAIN:** 21-speed, Shimano Altus/CO50/Tourney 41 **BRAKES:** Tektro 832A

27



ride it your way



Optimum power transmission uphill – maximum speed downhill. Technically demanding trails, long inclines, rapid downhill riding: the performance demands placed on modern race fullies are constantly increasing – and also the demands placed on the material. The answer: UNIVEGA ALPINA SL Race Bikes with new Deltabox™ II Technology. The 4-pivot design of High Modular Fiber carbon or Fastrax Scandium offers a weight-optimized frame for extremely quiet running, especially in racing conditions. Those who demand the same kind of performance from their material as they do from themselves will not be able to resist this challenge.

»action on the rocks

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM

FASTRAX CARBON

XC GEOMETRY

DELTABOX II

MEGADOME 4

FRD

HSR TRACTION

DISC BRAKE

CAT 4



Also available as **FRAMESET**

UNIVEGA ALPINA SL- UPCT CARBON

29

FRAME: Univega Fastrax Carbon Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm **REAR SUSPENSION:** Rock Shox MC 3.R, adjustable, 85 mm travel with Travel Remote Pop Lock **FORK:** Rock Shox Reba Team with RT Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore Sram XO/XTR/Sram XO Twistshifter **BRAKES:** Magura Martha Disc **EXTRAS:** Geax Mezcal 1.9 tires, DT Swiss XR 4d rims and DT Huegi 240 hubs, Selle Italia Filante Trans Am saddle, Ritchey WCS handlebar, stem and seat post, FSA K-Force Mega Exo Carbon chain wheel set

ride it your way

UNIVEGA

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM



TEST MARCH'05
SUPERBLY
EQUIPPED

With a fantastic frame,
good value for money



Also available as **FRAMESET**

UNIVEGA ALPINA SL-UPCT SCANDIUM

FRAME: Univega Fastrax Scandium Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm **REAR SUSPENSION:** Rock Shox MC 3.R, adjustable, 85 mm travel with Travel Remote Pop Lock **FORK:** Rock Shox Reba Team with RT Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore Sram X0/XTR/Sram XO Twistshifter **BRAKES:** Magura Martha Disc **EXTRAS:** Geax Mezcal 1.9 tires, DT Swiss XR 4d rims and DT Huegi 240 hubs, Selle Italia Filante Trans Am saddle, Ritchey WCS handlebar, stem and seat post, FSA K-Force Mega Exo Carbon chain wheel set

FASTRAX SCANDIUM

XC GEOMETRY

DELTABOX II

MEGADOME 4

FRD

HSR TRACTION

DISC BRAKE

CAT 4

FASTRAX SCANDIUM

XC GEOMETRY

DELTABOX II

MEGADOME 4

FRD

HSR TRACTION

DISC BRAKE

CAT 4



UNIVEGA ALPINA SL-9

31

FRAME: Univega Fastrax Scandium 7000 Delta Box II, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **REAR SUSPENSION:** Manitou S-Type SRL with platform Plus and Lockout, adjustable, 85 mm travel **FORK:** Manitou R7 Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/XT/XT **BRAKES:** Shimano XT BR-M 765 hydraulic disc brake **EXTRAS:** Geax Mezcal 2.1 tires, Sunringle DSC2-XC rims, FSA XC 190 handlebar, Ritchey WCS stem and seat post, Shimano XT Disc hubs, Selle Italia C2 Trans Am Special Edition saddle

*ride it your way*



UNIVEGA ALPINA SL-7

FRAME: Univega Fastrax Aluminium 7005 Delta Force Head I, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **REAR SUSPENSION:** Manitou Radium RL Air Lock Out, adjustable, 85 mm travel **FORK:** Manitou Black Platinium Air with Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/LX/LX **BRAKES:** Hayes HFX 9 hydraulic disc brake **EXTRAS:** Geax Mezcal 2.1 tires, Sunringle DSC2-XC rims, Ritchey Comp handlebar, stem and seat post, Sunringle Disc Jockey hubs, Selle Italia X2 Man saddle



FASTRAX ALLOY 7005

XC GEOMETRY

DELTA FORCE I

MEGADOME 4

FRD

HSR TRACTION

DISC BRAKE

CAT 4

FASTRAX ALLOY 7005

XC GEOMETRY

DELTA FORCE I

MEGADOME 4

FRD

HSR TRACTION

DISC BRAKE

CAT 4



UNIVEGA ALPINA SL-5

33

FRAME: Univega Fastrax Aluminium 7005 Delta Force Head I, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **REAR SUSPENSION:** Manitou Radium RL Air Lock Out, adjustable, 85 mm travel **FORK:** Manitou Axel Platinum Air with Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Hayes Sole hydraulic disc brake **EXTRAS:** Geax Barro Marathon 2.1 tires, Zac 2000 rims, Ritchey handlebar and stem, Shimano hubs, Selle Italia X2 Man saddle

*ride it your way*



34

UNIVEGA ALPINA SL-SKY

FRAME: Univega Fastrax Aluminium 7005 Delta Force Head I, 26 inches **SIZES AVAILABLE:** 38 cm, 43 cm **REAR SUSPENSION:** Manitou Radium RL Air Lock Out, adjustable, 85 mm travel **FORK:** RST Gila TNL with Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Avid SD-3 **EXTRAS:** Geax Barro Marathon 2.1 tires, Rigidia Zac 19 rims, Ritchey handlebar, Shimano Disc hubs, comfort saddle and stem



FASTRAX ALLOY 7005

WELLFIT GEOMETRY

DELTA FORCE I

MEGADOME 4

FRD

HSR TRACTION

CAT 3

FASTRAX ALLOY 7005

XC GEOMETRY

DELTA FORCE I

MEGADOME 4

FRD

HSR TRACTION

CAT 3

GOOD
TEST JUNE '05

UNIVEGA ALPINA SL-3

35

FRAME: Univega Fastrax Aluminium 7005 Delta Force Head I, 26 inches **SIZES AVAILABLE:** 43 cm, 48 cm, 53 cm, 56 cm **REAR SUSPENSION:** Fastrax AR Air, adjustable, 85 mm travel **FORK:** RST Gila TNL with Lockout, adjustable, 100 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Avid SD-3 **EXTRAS:** Geax Barro Marathon 2.1 tires, Rigidia Zac 19 rims, Ritchey handlebar, Shimano Disc hubs

*ride it your way*

UNIVEGA

UNIVEGA RAMSES SERIES

36



»race active machines

The pulse is racing, sweat is streaming out, adrenaline production is in high gear. The new RAM ES Bikes are designed for uncompromising endurance use. But even for demanding tours these mountain bikes with full suspension deliver flawless performance – powerful uphill and robust downhill. We gave our all – now it's your turn!

UNIVEGA

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM



UNIVEGA RAM ES-UPCT

FRAME: Univega Fastrax Scandium 7000 Deltabox II HSR four pivot, 26 inches **SIZES AVAILABLE:** 45 cm, 50 cm, 55 cm **REAR SUSPENSION:** Manitou Swinger Air SVP 3-way, adjustable, 125 mm travel **FORK:** Manitou Minute 4 SVP, adjustable, with Remote Travel control, 130 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/XT/Sram Rocket Twistshifter **BRAKES:** Hayes HFX hydraulic disc brake **EXTRAS:** Maxxis High Roller 2.1 tires, Selle Italia C2 Trans Am saddle, FSA handlebar, stem and seat post, Sunringle Disc 2 rims, Ringle Disc Jockey Disc hubs, Shimano Clipless pedals



FASTRAX SCANDIUM

ENDURO SPORT GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

MONOBLOCK

HSR TRACTION

DISC BRAKE

FRD

CAT 4

FASTRAX SCANDIUM

ENDURO SPORT GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

MONOBLOCK

HSR TRACTION

DISC BRAKE

FRD

CAT 4

**UNIVEGA RAM - 970**

39

FRAME: Univega Fastrax Aluminium 7005 Deltabox II HSR four pivot, 26 inches **SIZES AVAILABLE:** 45 cm, 50 cm, 55 cm **REAR SUSPENSION:** Manitou Radium RL Air Lock Out, adjustable, 125 mm travel **FORK:** Marzocchi AM I 130 mm Travel Control, adjustable, 130 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/LX/LX **BRAKES:** Shimano Deore LX hydraulic disc brake **EXTRAS:** Continental Gravity Pro 2.3 inches tires, Selle Italia X2 Trans Am saddle, Ritchey Comp seat post, stem and handlebar, Alex DP 17 Disc rims, Shimano Deore LX Disc hubs



ride it your way



GOOD

TEST APR '05

TEST MAY '05
GOOD



UNIVEGA RAM ES-950

FRAME: Univega Fastrax Aluminium 7005 Deltaforce Head I HSR four pivot, 26 inches **SIZES AVAILABLE:** 45 cm, 50 cm, 55 cm **REAR SUSPENSION:** Fastrax with ARL Air Lock Out, adjustable, 125 mm travel **FORK:** Manitou Splice Comp, adjustable, Air Assist, 130 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Hayes Sole hydraulic disc brake **EXTRAS:** Geax Lobo Loco 2.3 tires, Selle Italia FK saddle, Tacoma X-Treme seat post and stem, Rígida Taurus Disc rims, Shimano Disc hubs



FASTRAX SCANDIUM

ENDURO SPORT GEOMETRY

DELTAFORCE I

TORMOSTAY

MEGADOME 4 TUBING

MONOBLOCK

HSR TRACTION

DISC BRAKE

FRD

CAT 4

UNIVEGA
ALPINA HT
RACE SERIESUNIVEGA
ALPINA HT
SERIESUNIVEGA
ALPINA SL
SERIESUNIVEGA
RAM ES
SERIESUNIVEGA
RAM FR
SERIESUNIVEGA
RAM XF
SERIESUNIVEGA
RAM TR/BX
SERIESUNIVEGA
TERRENO
SERIESUNIVEGA
VIA
SERIESUNIVEGA
GROOVE
SERIES

FASTRAX SCANDIUM

ENDURO SPORT GEOMETRY

DELTABOX II

TORMOSTAY

MEGADOME 4 TUBING

MONOBLOCK

HSR TRACTION

DISC BRAKE

FRD

CAT 4



UNIVEGA RAM E-90

41

FRAME: Univega Fastrax Aluminium 7005 Deltabox II HSR four pivot, 26 inches **SIZES AVAILABLE:** 41 cm, 46 cm, 51 cm **REAR SUSPENSION:** Manitou Swinger 4-Way Air SPV, adjustable, 150 mm travel **FORK:** Manitou Nixon Super Air 145 mm travel, adjustable, IT Travel Control **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Hayes HFX hydraulic disc brake with 203 mm brake-disc front **EXTRAS:** Maxxis Lopes Bling Bling Pro 2.35 inches tires, Selle Italia C2 Trans Am saddle, FSA seat post, stem and handlebar, Sunringle Disc Jockey rims, Sunringle hubs, Truvativ Hussefelt pedals

*ride it your way*

Downhill. With speed, tensed muscles, and the great feeling of being able to rely on the bike. Those for whom ultimate free ride and downhill are the best of all feelings will love the RAM FR-9 for the extreme rigidity of its frame and its unerring directional stability.



»get down on it

FASTRAX ALLOY 7005

FREE RIDE GEOMETRY

DISC BRAKE


CAT 5



UNIVEGA RAM FR-19

43

FRAME: Univega Fastrax Aluminium 7005 PG reinforced, 26 inches **SIZES AVAILABLE:** 37 cm, 45 cm **REAR SUSPENSION:** Manitou Swinger Coil SVP 3-way, adjustable, 205 mm travel **FORK:** Rock Shox Boxxer Ride 133 –178 mm travel, adjustable, Dual Crown **DRIVETRAIN:** 9-speed, Shimano Saint/-/Deore LX **BRAKES:** Hayes HFX hydraulic disc brake with 203 mm brake-disc **EXTRAS:** Maxxis Minion DHF 2.5 inches tires, Tacoma X-treme DS saddle and stem, FSA handlebar, Sun Singlewide Disc rims, Sunringle AbbaH Disc hubs, Truvativ Holzfeller bottom bracket, Truvativ Hussefeld pedals



ride it your way

UNIVEGA

Sweeping through the bike park or casually cruising through the city with trendy artwork and design.

Not leaving out any berm, jump, or steps. Carefree risk with tricks and twists easy from the hips. The new RAM X-FIGHTERs are fit for any offroad or city scene. Speed 'n' fun – everything, just no stress.



»celebrate your ride

FASTRAX ALLOY 7005

X-FIGHTER GEOMETRY

DISC BRAKE

CAT 4



UNIVEGA RAM XF-942

45

FRAME: Univega Fastrax Aluminium 7005 PG reinforced, 26 inches **SIZE AVAILABLE:** 37 cm **FORK:** Marzocchi Drop Off 2, adjustable, 130 mm travel
DRIVETRAIN: 9-speed, Shimano Hone/-/Deore LX **BRAKES:** Shimano Hone hydraulic disc brake **EXTRAS:** Maxxis Hans Venture 2.3 inches tires, Tacoma X-treme DS saddle, FSA seat post, handlebar and stem, Alex DP 20 Disc rims, Shimano Hone Disc hubs



ride it your way

FASTRAX ALLOY 7005

X-FIGHTER GEOMETRY

DISC BRAKE

CAT 4



UNIVEGA RAM XF-932

FRAME: Univega Fastrax Aluminium 7005 PG reinforced, 26 inches **SIZE AVAILABLE:** 37 cm **FORK:** Marzocchi DJ Comp, 130 mm travel **DRIVETRAIN:** 9-speed, Shimano XT-/Deore **BRAKES:** Hayes Sole hydraulic disc brake **EXTRAS:** Geax Lobo Loco 2.3 inches tires, Tacoma Ultra handlebar, stem, seat post and saddle, Alex DB 20 Disc rims, Truvativ Hussefelt cranks

TACOMA ALLOY

X-FIGHTER GEOMETRY

DISC BRAKE

CAT 4



UNIVEGA RAM XF-922

47

FRAME: Univega Aluminium 7005 PG reinforced, 26 inches **SIZE AVAILABLE:** 37 cm **FORK:** Marzocchi DJ Comp, 100 mm travel **DRIVETRAIN:** 9-speed, Shimano XT-/Deore **BRAKES:** Hayes Sole hydraulic disc brake **EXTRAS:** Maxxis Hans Venture 2.3 inches tires, Tacoma Ultra handlebar, stem, seat post and saddle, Alex DB 20 Disc rims, Shimano Disc hubs, Truvativ Hussefelt cranks



ride it your way



UNIVEGA RAM XF-912 FS

FRAME: Univega Aluminium 7005 PG reinforced, completely spring-loaded, one pivot, 26 inches **SIZES AVAILABLE:** 45 cm, 50 cm, 55 cm **DAMPER:** A-PRO MA Coil 75 mm **FORK:** Suntour SF-XCT-26, adjustable, 75 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore/ CO50/ Sram MRX Twistshifter **BRAKES:** Hayes MX 2 mechanical disc brake **EXTRAS:** Geax Lobo Loco 2.3 inches tires, Tacoma Ultra handlebar, stem, seat post and saddle



TACOMA ALLOY

X-FIGHTER GEOMETRY

DISC BRAKE

CAT 3

TACOMA ALLOY

X-FIGHTER GEOMETRY

DISC BRAKE

CAT 4



UNIVEGA RAM XF-912

49

FRAME: Univega Aluminium 7005 PG reinforced, 26 inches **SIZES AVAILABLE:** 37 cm, 45 cm **FORK:** Suntour SF Duro D, adjustable, 100 mm travel
DRIVETRAIN: 27-speed, Shimano Deore/CO50/Sram MRX Twistshifter **BRAKES:** Hayes MX 2 mechanical disc brake **EXTRAS:** Geax Lobo Loco 2.3 inches tires, Tacoma Ultra handlebar, stem, seat post and saddle



ride it your way

TACOMA ALLOY

X-FIGHTER GEOMETRY

CAT 3



UNIVEGA RAM XF-902

FRAME: Univega Aluminium 7005 PG reinforced, 26 inches **SIZES AVAILABLE:** 37 cm, 45 cm **FORK:** Suntour SF-XCM-26, adjustable, 100 mm travel
DRIVETRAIN: 24-speed, Shimano Deore/CO50/Acera **BRAKES:** Tektro 832AL **EXTRAS:** Geax Lobo Loco 2.3 inches tires, Tacoma Ultra handlebar, stem, and saddle

TACOMA ALLOY

X-FIGHTER GEOMETRY

CAT 3



UNIVEGA RAM XF-SPORT

51

FRAME: Univega Aluminium 7005 PG reinforced, 26 inches **SIZES AVAILABLE:** 37 cm, 45 cm **FORK:** Suntour SF-XCM-26 adjustable, 70 mm travel
DRIVETRAIN: 21-speed, Shimano Acera/Suntour 202/Tourney **BRAKES:** Tektro 832AL **EXTRAS:** Geax Lobo Loco 2.3 inches tires, Tacoma Ultra handlebar, stem and saddle



ride it your way



**This is no longer
a bike race. Trial is a
world of its own.**

It's a world in which many things are completely different. The day-to-day task is a trail to be conquered and to be overcome as an obstacle. The RAM Trial and BMX bikes with double/triple wall rims therefore offer experts everything needed to keep pace in this world. Whether you want to test this hardcore material to the limit, is your decision.

»at your own risk

TACOMA ALLOY

TRIAL GEOMETRY

DISC BRAKE

CAT 5



UNIVEGA RAM TR T-RAMMLER

53

FRAME: Univega Aluminium 7005 PG reinforced, 20 inches **SIZES AVAILABLE:** Small **FORK:** Tacoma Aluminium Mega Fork 7005 PG reinforced and specially heat-treated **TRANSMISSION:** 18/12 **BRAKES:** front: Magura Julie with 180 mm disc / rear: Magura HS 33 hydraulic rim brake **EXTRAS:** Alex DM-24 rims, Pazzaz handlebar and stem, White Industry sprocket

ride it your way



UNIVEGA RAM BX-KING

FRAME: Univega Cr Mo reinforced, 20 inches **SIZE AVAILABLE:** Small **FORK:** Tacoma Cr Mo, specially heat-treated **TRANSMISSION:** 42/16 **BRAKES:** front: Lee Chi JC 201 / rear: Tektro FX 11 **EXTRAS:** Pro Wheel PS 001 Tubular bracket cranks, Alex DM-24 rims

TACOMA CR MOLY

FREE STYLE GEOMETRY

CAT 5

TACOMA CR MOLY

FREE STYLE GEOMETRY

CAT 5



UNIVEGA RAM BX-PRINCE

55

FRAME: Univega Cr Mo reinforced, 20 inches **SIZE AVAILABLE:** Small **FORK:** Tacoma Cr Mo, specially heat-treated **TRANSMISSION:** 42/16 **BRAKES:** front: Lee Chi JC 201 / rear: Tektro DBU-907A **EXTRAS:** Pro Wheel PS 001 bracket cranks, Alex Y 22 rims

ride it your way

TACOMA CR MOLY

FREE STYLE GEOMETRY

CAT 4



56

UNIVEGA RAM BX-EARL

FRAME: Univega Hi Ten reinforced, 20 inches **SIZE AVAILABLE:** Small **FORK:** Tacoma Hi Ten specially heat-treated **TRANSMISSION:** 42/16 **BRAKES:** front: Tektro DBU-907AFS / rear: Tektro DBU-907A **EXTRAS:** Pro Wheel BFC-07 bracket cranks, Alex Y 22 rims

TACOMA HI TEN

FREE STYLE GEOMETRY

CAT 4

**UNIVEGA RAM BX-DUKE**

57

FRAME: Univega Hi Ten reinforced, 20 inches **SIZE AVAILABLE:** Small **FORK:** Tacoma Hi Ten specially heat-treated **TRANSMISSION:** 42/16 **BRAKES:** front: C-Star RX 26 / rear: C-Star UB933D **EXTRAS:** Pro Wheel CW-165 bracket cranks, Alex C303 rims

ride it your way



River deep, mountain high. Wherever you are, wherever you go, TERRENO bikes offer you unlimited opportunities. They combine the agility of a sporty road runner with the robustness of a mountain bike. Equipped with an aluminum frame and tailored for sport or comfort, depending on use, these bikes are ready for action everywhere and for all types of track and terrain. Wherever you are heading – by road or cross country – these bikes are genuine allrounders.

»lightweight cross country

FASTRAX ALLOY 7005

COMFORT GEOMETRY

DELTA FORCE I

TORMOSTAY

MEGADOME 4

FRD

ACS

DISC BRAKE

CAT 3



UNIVEGA TERRENO DE ORO

59

FRAME: Univega Fastrax Aluminium 7005 Deltaforce I Headtube, 28 inches **SIZES AVAILABLE:** 48 cm, 54 cm, 58 cm **FORK:** Suntour NXR 6500-LO, Lockout, adjustable, 63 mm travel **DRIVETRAIN:** 27-speed, Shimano Deore XT/Deore/Deore **BRAKES:** Hayes Sole hydraulic disc brake. **EXTRAS:** Continental Country Ride tires, Ritchey handlebar and seat post, ZAC 2000 rims, Selle Italia X 2 saddle



ride it your way

TEST JAN/FEB'05

VERY GOOD

UNIVEGA



Street Package included



TACOMA ALLOY

MEGA DOME 2 GEOMETRY

CAT 2

UNIVEGA TERRENO CARISMA

FRAME: Univega Terreno Aluminium 7005, 28 inches **SIZES AVAILABLE:** Gent: 48 cm, 54 cm, 58 cm / Lady: 48 cm, 52 cm, 56 cm **FORK:** Suntour CR-860W-LO, adjustable, Lockout, 50 mm travel **DRIVETRAIN:** 24-speed, Shimano Deore XT/CX01/Alivio **BRAKES:** Tektro 845A **EXTRAS:** adjustable stem, spring loaded seat post, luggage carrier, plug-in-mudguards, Tacoma X-treme Comfort saddle, ZAC 19 rims, Geax Adventure Comfort tires



TACOMA ALLOY

MEGA DOME 2 GEOMETRY

CAT 2



Street Package included

UNIVEGA TERRENO SPORT

61

FRAME: Univega Terreno Aluminium 7005, 28 inches **SIZES AVAILABLE:** Gent: 48 cm, 54 cm, 58 cm / Lady: 48 cm, 52 cm, 56 cm **FORK:** Suntour CR-850W, adjustable, 50 mm travel **DRIVETRAIN:** 24-speed, Shimano Deore/CO51/Altus **BRAKES:** Tektro 845A **EXTRAS:** adjustable stem, spring loaded seat post, luggage carrier, plug-in-mudguards, Tacoma X-treme Comfort saddle, Zac 2000 rims, Geax Adventure Comfort tires



ride it your way

UNIVEGA

Street Package included



TACOMA ALLOY

MEGA DOME 2 GEOMETRY

CAT 2

UNIVEGA TERRENO 350

FRAME: Univega Terreno Aluminium 7005, 26 inches **SIZES AVAILABLE:** Gent: 38 cm, 43 cm, 48 cm, 53 cm, 58 cm / Lady: 38 cm, 43 cm, 48 cm, 53 cm
FORK: Suntour SF-XCT-26, adjustable, 75 mm travel **DRIVETRAIN:** 24-speed, Shimano Deore LX/CO50/Acera **BRAKES:** Tektro 845 **EXTRAS:** adjustable stem, luggage carrier, plug-in-mudguards, Tacoma Ultra seat post, Tacoma X-treme Comfort saddle, ZAC 19 rims, Geax Easyrunner 1.9 tires



TACOMA ALLOY

MEGA DOME 2 GEOMETRY

CAT 2





Street Package included

UNIVEGA TERRENO 330

63

FRAME: Univega Terreno Aluminium 7005, 26 inches **SIZES AVAILABLE:** Gent: 38 cm, 43 cm, 48 cm, 53 cm, 58 cm / Lady: 38 cm, 43 cm, 48 cm, 53 cm
FORK: Suntour M-2000, 63 mm travel **DRIVETRAIN:** 21-speed, Shimano Deore/CX50/Tourney 41 **BRAKES:** Tektro 845A **EXTRAS:** luggage carrier, plug-in-mudguards, Tacoma Ultra seat post, Tacoma X-treme Comfort saddle, Tacoma Ultra rims, Geax Easyrunner 1.9 tires

*ride it your way*



KARIN THÜRIG:

UCI World Champion in time trial 2004
and winner of the bronze medal in time
trial of the Olympic Games in Athens
2004.



»roadrunner

Road bikes for experts, «Made by Precision»:

Through collaboration with professional cyclists and the know-how of our engineering team, we have optimized the high performance package of our VIA racing bikes even further. The result is the perfect symbiosis of lightweight construction, comfort, safety, and forward propulsion. All of our models share the same ideal features and a design that makes the heart of any serious enthusiast beat faster. «Just hammer the pedals!»

UNIVEGA

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM

FASTRAX CARBON

RACE GEOMETRY

TORMOSTAY

FRD

CAT 1



TEST JAN/FEB'05
ULTRALIGHT

Fantastically
equipped, with
equipped guarantee



Also available as **FRAMESET**

UNIVEGA VIA MOUNTAIN KING UPCT COMPACT

FRAME: Univega Fastrax Carbon SL, 28 inches **SIZES AVAILABLE:** 50 cm, 52 cm, 54 cm, 56 cm, 58 cm, 60 cm **FORK:** Univega Fastrax Full Carbon **DRIVETRAIN:** 20-speed, Campagnolo Record **BRAKES:** Campagnolo Record, bottom bracket FSA K-Force Road Compact 50/34 teeth **EXTRAS:** Vittoria Open Corsa Evo CX tires, FSA Carbon handlebar, stem, seat post and headset, FSA WH-400 wheel set, Selle Italia SLR XP saddle

FASTRAX CARBON

RACE TT GEOMETRY

FRD

CAT 1

OFFICIAL FRAMESET
UNIVEGA
PRO CYCLING TEAM

KARIN THÜRIG:
UCI World Champion
in time trial 2004 and
winner of the bronze
medal in time trial of
the Olympic Games in
Athens 2004.



UNIVEGA VIA TT-UPCT CARBON FRAMESET

67

FRAME: Univega Carbon High Modular Racing frame **SIZES AVAILABLE:** Medium, Large **FORK:** Easton EC 90 Aero **EXTRAS:** TT UPCT Carbon Racing Aero handlebar, integrated seat post, FSA headset, special TT crank and disc wheel

ride it your way



FASTRAX CARBON

RACE GEOMETRY

TORMOSTAY

FRD

CAT 1

UNIVEGA VIA STRATO PRO

FRAME: Univega Fastrax Carbon SL, 28 inches **SIZES AVAILABLE:** 50 cm, 52 cm, 54 cm, 56 cm, 58 cm, 60 cm **FORK:** Univega Fastrax Racing Carbon **DRIVETRAIN:** 30-speed, Shimano Ultegra/Ultegra/Ultegra **BRAKES:** Shimano Ultegra **EXTRAS:** Vittoria Rubino Slik tires, Shimano wheel set WH-550, FSA Carbon Pro handlebar, stem and seat post, Selle Italia XO Trans AM saddle, FSA headset

K-FORCE MEGAEXO ROAD COMPACT. STRENGTH BECOMES POWER.



Straßen-Spezialisten weigern sich oft Kompromisse einzugehen. Darum vertrauen Sie in die Technologie von FSA um zu gewinnen - eben genau die Technologie, die FSA für die Entwicklung der K-Force MegaExo Road Compact angewendet hat. Eine professionelle Compact Kurbelgarnitur mit integriertem MegaExo Innenlager-System. Besonders langlebig konzipiert, bei einem außerordentlich geringen Gewicht. Innovation, die Stärke in pure Kraft überträgt.

Kurbelgarnituren in einer ganz anderen Dimension.

FSA
FULL SPEED AHEAD

EUROPE: F.S.A. Europe Via del Lavoro, 56 • 20040 Busnago (MI) Italy • Tel. +39 039 688 52 65 • Fax +39 039 682 33 36
U.S.A.: Full Speed Ahead 12810 NE 178th Street, Suite 102 Woodinville, WA 98072 • Phone 1 425 488 8653 • Fax 1 425 489 1082

www.fullspeedahead.com
www.combocircvolution.com

FASTRAX ALLOY 7005

RACE GEOMETRY

DELTABOX I

TORMOSTAY

MEGADOME 3

FRD

CAT 1



UNIVEGA VIA ANTARIS PRO

FRAME: Univega Fastrax Aluminium 7005, TB SL Delta Box I, 28 inches **SIZES AVAILABLE:** 49 cm, 52 cm, 55 cm, 58 cm, 61 cm **FORK:** Fastrax Carbon
DRIVETRAIN: 30-speed, Shimano Ultegra/Ultegra/Ultegra **BRAKES:** Shimano Ultegra **EXTRAS:** Vittoria Zaffiro tires, Shimano wheel set WH-R 500, Ritchey handlebar, stem and seat post, Velo Racing saddle, FSA headset



FASTRAX ALLOY 7005

WELLFIT RACE GEOMETRY

DELTABOX I

TORMOSTAY

MEGADOME 3

FRD

CAT 1

SECURITY BRAKES

Cumbersome switching for braking during racing is now history, because now instant braking is possible in any handle-grip position. It simply could not be any safer.

**UNIVEGA VIA SKY**

71

FRAME: Univega Fastrax Aluminium 7005, TB SL Delta Box I, 28 inches **SIZES AVAILABLE:** 46 cm, 49 cm, 52 cm, 55 cm **FORK:** Fastrax Carbon**DRIVETRAIN:** 30-speed, Shimano Ultegra/Ultegra/Ultegra ST-700 **BRAKES:** Tektro RX 20 **EXTRAS:** Vittoria Zaffiro tires, Shimano WH-R 500 wheel set, Ritchey handlebar, stem and seat post, Velo Racing saddle, FSA headset and Gossamer Mega Exo bottom bracket, vertically adjustable stem, slim handlebar, extra safety brake lever*ride it your way*

SHIMANO FUNCTIONS

MORE THAN
THE SUM OF THE COMPONENTS

SHIMANO offers superbly harmonised shifting and braking systems for every type of bike. It all fits together. With no performance penalty.



When you see these two quality labels on cycles, you can be sure they're equipped with complete shifting and braking systems from Shimano. So what you get is more than the sum of the parts. You move forward with original SHIMANO FUNCTIONS.

www.shimano.com

SHIMANO
THE ORIGINAL BIKE COMPONENTS

deutsche technik
www.wt.de

A black and white photograph of a bicycle tire in motion, creating a blurred background effect. The tire's tread pattern is clearly visible. The word "VAPOR" is printed in large, stylized letters across the middle of the tire. To the left of the tire, the word "Continental" is written vertically, and "VAPOR" is also partially visible above the tire. On the right side of the tire, the words "It's hot." are written in a bold, sans-serif font. Below this, the "GravityArc™" logo is shown, featuring a stylized arrow icon and the text "GravityArc™" followed by "The unique tread concept.". At the very bottom, the website "www.conti-fahrradreifen.de" is listed.

TACOMA ALLOY

WELLFIT GEOMETRY

CAT 1



UNIVEGA VIA MODENA

73

FRAME: Univega Fastrax Aluminium 7005, 28 inches **SIZES AVAILABLE:** 49 cm, 52 cm, 55 cm, 58 cm, 61 cm **FORK:** Tacoma Aluminium Gabel **DRIVE-TRAIN:** 30-speed, Shimano RD 2200/FD 2203/ST 3304 **BRAKES:** Tektro 423 A **EXTRAS:** Vittoria Zaffiro tires, hollow chamber rims, Velo Racing saddle



ride it your way

OFFICIAL TEAMBIKE
UNIVEGA
PRO CYCLING TEAM



FASTRAX ALLOY 7005

RACE GEOMETRY

DELTABOX I

TORMOSTAY

MEGADOME 1

FRD

CAT 1

UNIVEGA VIA SUPERCROSS UPCT FRAMESET

FRAME: Univega Fastrax Scandium 7000 Delta Box I, 28 inches **SIZES AVAILABLE:** 49 cm, 52 cm, 55 cm, 58 cm **FORK:** Fastrax Carbon Cross Plus
EXTRAS: FSA headset

FASTRAX ALLOY 7005

RACE GEOMETRY


DELTABOX I

TORMOSTAY

MEGADOME 1

FRD

CAT 1

**Bruno Risi:**

- World champion on point-races 91, 92, 94, 99, 01
- World champion Americaine 03
- European champion Americaine 95
- 35 wins in six-day races
- 9-fold worldcup champion in track-racing

**Bruno Risi is riding the UNIVEGA
Via Madison King on the track
and the UNIVEGA Via Mountain King
UPCT Compact on the road.**

UNIVEGA VIA MADISON KING FRAMESET

FRAME: Univega Fastrax Scandium 7000 Delta Box I, 28 inches (1240 g at a frame-height of 55 cm) **SIZES AVAILABLE:** 49 cm, 52 cm, 55 cm, 58 cm

FORK: Fastrax Carbon Track **EXTRAS:** FSA headset



Although tomorrow's hopefuls may not be so very big themselves, this doesn't apply to the demands that they (rightly) make on their bike. This is why the GROOVE range represents the best in quality, ergonomics and design, packed in the Junior format. Simple handling and functionality of all details as well as reliable top components come together to provide safety on the way to school and fun everywhere else. Riding a groovy bike in a cool design will make the pleasure of biking grow almost as fast as the kids.

»let's groove

TACOMA ALLOY

SEAFTY GEOMETRY

CAT 2



UNIVEGA GROOVE 240 FS

77

FRAME: Univega Groove FS Aluminum 7005, 24 inches **SIZE AVAILABLE:** 36 cm **REAR SUSPENSION:** DNM DV-06, 50 mm travel **FORK:** Suntour M-2000, 50 mm travel **DRIVETRAIN:** 21-speed, Shimano RD-TX30/Tourney 10/Tourney 40 **BRAKES:** Tektro 835A **EXTRAS:** saddle with diode light



ride it your way

TACOMA ALLOY

SEAFTY GEOMETRY

CAT 2



UNIVEGA GROOVE 240 STREET

FRAME: Univega Groove Aluminium 7005, 24 inches **SIZE AVAILABLE:** 37 cm **FORK:** Suntour M-3000L, 50 mm travel **DRIVETRAIN:** 21-speed, Shimano RD-TX50/Tourney 10/Tourney 40 **BRAKES:** Tektro 835A **EXTRAS:** saddle with diode light, safety lighting, stable aluminium/cast iron frame



TACOMA ALLOY

SEAFTY GEOMETRY

CAT 1



UNIVEGA GROOVE 200 STREET 6-GG

79

FRAME: Univega Groove Aluminium 7005, 20 inches **SIZE AVAILABLE:** 32 cm **FORK:** Suntour M-3000L, 45 mm travel **DRIVETRAIN:** 6-speed, Shimano RD-TX30/-/Tourney 40 **BRAKES:** Tektro 835A **EXTRAS:** saddle with diode light, safety lighting, stable aluminium/cast iron frame



ride it your way



80

UNIVEGA**GROOVE 160**


FRAME: Univega Aluminium 7005, 16 inches **SIZE AVAILABLE:** 28 cm **FORK:** Tacoma Hi-Ten **DRIVETRAIN:** 1-speed **BRAKES:** front: Tektro 862A Cantilever / rear: back-pedal brake **EXTRAS:** safety supporting wheels, tiger horn, learning geometry



TACOMA ALLOY

LEARN GEOMETRY

CAT 1



	UNIVEGA ALPINA HT RACE SERIES				UNIVEGA ALPINA HT SERIES				
MODEL	UNIVEGA ALPINA HT-UPCT CARBON	UNIVEGA ALPINA HT-UPCT SCANDIUM	UNIVEGA ALPINA HT-S90	UNIVEGA ALPINA HT-S70 DISC	UNIVEGA ALPINA HT-SKY	UNIVEGA ALPINA HT-SSD DISC	UNIVEGA ALPINA HT-SSD	UNIVEGA ALPINA HT-S30	UNIVEGA ALPINA HT-SIO
FRAME	26" Fastrax High Modular Carbon Delta Box II	26" Fastrax Scandium DB SL Delta Box II	26" Fastrax Scandium DB SL Delta Box II	26" Fastrax Alloy DB SL Delta Box II	26" Tacoma Alloy 7005 DB SL Delta Force I	26" Tacoma Alloy 7005 DB SL Delta Force I	26" Tacoma Alloy 7005 DB SL Delta Force I	26" Tacoma Alloy 7005 PG	26" Tacoma Alloy 7005 PG
FRAME SIZE	43, 48, 53 cm	43, 48, 53, cm	43, 48, 53, 56 cm	43, 48, 53, 56 cm	38, 43, 48 cm	43, 48, 53, 56 cm	43, 48, 53, 56 cm	38, 43, 48, 53, 58 cm	38, 43, 48, 53, 58 cm
DAMPER	-	-	-	-	-	-	-	-	-
FORK	Rock Shox Reba Team 85 mm RT Lockout	Rock Shox Reba Team 85 mm RT Lockout	Manitou R 7 Super 80 mm Lockout	Manitou Black Platinium 80 mmAir Lockout	RST Gila TNL 80 mm Lockout	RST Gila TNL 80 mm Lockout	RST Gila TNL 80 mm Lockout	Suntour XCR-Lockout 80 mm	Suntour XCM-Lockout 80 mm
WHEEL	-	-	-	-	-	-	-	-	-
RIMS	DT Swiss XR 4.1d	DT Swiss XR 4.1d	Sunringle Mach 4	Sunringle DSC2-XC	Zac 2000	Rigida Taurus 2000	Zac 2000	Zac 2000	Zac 2000
FRONT HUB	DT Huegi 240 Disc	DT Huegi 240 Disc	Shimano XT HB-M765	Sunringle Disc Jockey	Shimano HB-M495	Shimano HB-M475	Shimano HB-M475	Shimano Deore HB-M530	Formula OV-31FQR
REAR HUB	DT Huegi 240 Disc	DT Huegi 240 Disc	Shimano XT FH-M765	Sunringle Disc Jockey	Shimano FH-M495	Shimano FH-M475	Shimano FH-M475	Shimano Deore FH-M530	Shimano FH-M308
TYRES	Geax Mezcal 26 x 1.9	Geax Mezcal 26 x 1.9	Geax Mezcal 26 x 1.9	Geax Mezcal 26 x 2.1	Geax Barro Maraton 2.1	Continental Vapor 2.1	Continental Vapor 2.1	Geax Barro Maraton 2.1	Geax Barro Maraton 2.1
SPROCKET	Sram PG-990 11-32 T.	Sram PG-990 11-32 T.	Shimano CS-HG70-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.
BOTTOM BRACKET	FSA K-Force Mega Exo CK-9000A 44/32/22 T.	FSA K-Force Mega Exo CK-9000A 44/32/22 T.	Shimano Deore XT FC-M760 44/32/22 T.	Shimano Deore LX FC-M580 44/32/22 T.	Shimano Deore LX FC-M580 44/32/22 T.	Gamma Drive Mega Exo 44/32/22 T.	Gamma Drive Mega Exo 44/32/22 T.	Gamma Drive Mega Exo 44/32/22 T.	TH-CY2 44/34/22 T.
BEARING	Mega Exo	Mega Exo	Integrated	Integrated	FSA Mega Exo	FSA Mega Exo	FSA Mega Exo	FSA Mega Exo	CH-52
SHIFTER	Sram X.O Twist Shifter	Sram X.O Twist Shifter	Shimano Deore XT SL-M751	Shimano Deore LX SL-M510	Shimano Deore SL-M510	Shimano Deore LX SL-M510	Shimano Deore SL-M510	Shimano Deore SL-M510	Shimano Deore SL-M510
REAR DERAILLEUR	Sram X.O	Sram X.O	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore LX RD-M571
SPEED	27	27	27	27	27	27	27	27	27
FRONT DERAILLEUR	Shimano XTR FD-M960	Shimano XTR FD-M960	Shimano Deore XT FD-M760	Shimano Deore LX FD-M580	Shimano Deore FD-M510	Shimano Deore FD-M510	Shimano Deore FD-M510	Shimano Deore FD-M580	Shimano Deore FD-M410
CHAIN	Sram PC-991	Sram PC-991	Shimano CN-HG73	Shimano CN-HG53	Shimano CN-HG53	Shimano CN-HG53	Shimano CN-HG53	KMC HG 73	KMC HG 73
FRONT BRAKE	Magura Martha 180 mm	Magura Martha 180 mm	Avid Single Digit 7 V-Brake	HFX 9 V-7 Rotor 180 mm	Avid Single Digit 3 V-Brake	Hayes Sole V7 180 mm	Avid Single Digit 3 V-Brake	Avid Single Digit 5 V-Brake	Avid Single Digit 3 V-Brake
REAR BRAKE	Magura Martha 160 mm	Magura Martha 160 mm	Avid Single Digit 7 V-Brake	HFX 9 V-6 Rotor 160 mm	Avid Single Digit 3 V-Brake	Hayes Sole V6 160 mm	Avid Single Digit 3 V-Brake	Avid Single Digit 5 V-Brake	Avid Single Digit 3 V-Brake
BRAKE LEVER	Magura Martha	Magura Martha	Avid Speed Dial 7	HFX 9	Avid FR 5	Hayes Sole	Avid FR 5	Avid FR 5	Avid FR 5
HEADSET	Tange ZS-22	Tange ZS-22	Tange ZS-22	Tange ZS-22	Tange ZS-TE	Tange ZS-TE	Tange ZS-TE	Tange ZS-TE	Tange ZS-TE
HANDLEBAR	Ritchey WCS Flat Bar 580 mm	Ritchey WCS Flat Bar 580 mm	FSA XC-190 630 mm	Ritchey Comp Low Rizer 620 mm	Tacoma X-treme Flat 560 mm	Ritchey OE Rizer 620 mm	Ritchey OE Rizer 620 mm	Tacoma Ultra Rizer 580 mm	Tacoma Ultra Rizer 580 mm
STEM	Ritchey WCS	Ritchey WCS	Ritchey WCS	Ritchey Comp	Zoom TDS-AL-200-8 adjustable	Tacoma X-treme	Tacoma X-treme	Kalloy AS-159	Kalloy AS-601
SADDLE	Selle Italia Filante Trans Am Special Edition	Selle Italia Filante Trans Am Special Edition	Selle Italia C2 Trans Am Special Edition	Selle Italia X2 Man	Velo Lady VL- 4049	Selle Italia X2 Man	Selle Italia FK	Selle Italia FK	Velo VL-1093
SEAT POST	Ritchey WCS	Ritchey WCS	Ritchey WCS	Ritchey Comp	Tacoma X-treme	Tacoma X-treme	Tacoma X-treme	Tacoma Ultra	Tacoma Ultra
PEDALS	Shimano PD-M 505	Shimano PD-M 505	Shimano PD-M 505	Wellgo LU-964S	Wellgo LU-964S	Wellgo LU-964S	Wellgo LU-964S	Wellgo LU-964S	Wellgo LU-895
DYNAMO	-	-	-	-	-	-	-	-	-
HEADLIGHT	-	-	-	-	-	-	-	-	-
REAR LIGHT	-	-	-	-	-	-	-	-	-
STAND	-	-	-	-	-	-	-	-	-
MUDGUARD	-	-	-	-	-	-	-	-	-
LUGGAGE CARRIER	-	-	-	-	-	-	-	-	-
COLOUR	Carbon mat / UPCT red	UPCT black / UPCT red	Antalis grey / Racing silver	Deep blue / Stratos silver	Sky blue / Air Jet	Smoke / Alu Star	UPCT black	Smoke mat/ Argent mat	Argent

F.: front B.: back G.: gent L.: lady

Subject to change. Not responsible for printing errors.

	UNIVEGA ALPINA HT SERIES				UNIVEGA ALPINA SL SERIES				
MODEL	UNIVEGA ALPINA HT-500	UNIVEGA ALPINA HT-SPORT	UNIVEGA ALPINA HT-240	UNIVEGA ALPINA HT-200	UNIVEGA ALPINA SL-UPCT-CARBON	UNIVEGA ALPINA SL-UPCT-SCANDIUM	UNIVEGA ALPINA SL-S	UNIVEGA ALPINA SL-7	UNIVEGA ALPINA SL-S
FRAME	26" Tacoma Alloy 7005 PG	26" Tacoma Alloy 7005 PG	24" Tacoma Alloy 7005 PG	20" Tacoma Alloy 7005 PG	26" Fastrax High Modular Carbon Four pivot Delta Box II	26" Fastrax Scandium Four pivot Delta Box II	26" Fastrax Scandium Four pivot Delta Box II	26" Fastrax Alloy DB SL Four pivot Delta Force I	26" Fastrax Alloy DB SL Four pivot Delta Force I
FRAME SIZE	38, 43, 48, 53, 58 cm	38, 43, 48, 53, 58 cm	37 cm	33 cm	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53, 56 cm	43, 48, 53, 56 cm	43, 48, 53, 56 cm
DAMPER	-	-	-	-	Rock Shox MC 3.R 100 mm Remote Pop Loc Dual	Rock Shox MC 3.R 100 mm Remote Pop Loc Dual	Manitou S-Type SRL 100 mm Lockout	Manitou Radium RL Air 100 mm Lockout	Manitou Radium RL Air 100 mm Lockout
FORK	Suntour XCM 80 mm	Suntour XCT 75 mm	Insync Grind-AC 70 mm	Insync Grind-CR 45 mm	Rock Shox Reba Team 100 mm RT Lockout	Rock Shox Reba Team 100 mm RT Lockout	Manitou R 7 Super 100 mm Lockout	Manitou Black Platinum 100 mm Air Lockout	Manitou Axel Platinum 100 mm Air Lockout
WHEEL	-	-	-	-	-	-	-	-	-
RIMS	Zac 2000	Zac 2000	Tacoma Ultra	Tacoma Ultra	DT Swiss XR 4.1d	DT Swiss XR 4.1d	Sunringle DSC2-XC	Sunringle DSC2-XC	Zac 2000
FRONT HUB	Formula OV-31FQR	Formula OV-31FQR	Formula OV-31FQR	Formula OV-31FQR	DT Huegi 240 Disc	DT Huegi 240 Disc	Shimano Deore XT HB-M 765 Disc	Sunringle Disc Jockey	Shimano HB-M475
REAR HUB	Shimano FH-M308	Formula OV-32-8RQR	Formula OV-32-8RQR	Formula OV-31-7RQR	DT Huegi 240 Disc	DT Huegi 240 Disc	Shimano Deore XT FH-M 765 Disc	Sunringle Disc Jockey	Shimano FH-M475
TYRES	Geax Barro Maraton 2.1	Geax Barro Maraton 2.1	CST C-1391 24 x 1.95	Innova IA-2031 20 x 1.9	Geax Mezcal 26 x 1.9	Geax Mezcal 26 x 1.9	Geax Mezcal 26 x 2.1	Geax Mezcal 26 x 2.1	Geax Barro Maraton 2.1
SPROCKET	Shimano CS-HG30-8I 11-32 T.	Shimano MF-TZ37 14-34 T.	Shimano CS-HG30-8I 11-32 T.	Shimano MF-TZ07 14-28 T.	Sram PG-990 11-32 T.	Sram PG-990 11-32 T.	Shimano CS-HG70-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.
BOTTOM BRACKET	Shimano FC-MC090 42/34/22 T.	Shimano FC-TX70C 42/34/22 T.	Shimano FC-TX70C 42/34/22 T.	Suntour XCC-150PBG CK-9000A 44/32/22 T.	FSA K-Force Mega Exo CK-9000A 44/32/22 T.	FSA K-Force Mega Exo CK-9000A 44/32/22 T.	Shimano Deore XT FC-M760 44/32/22 T.	Shimano Deore LX FC-M580 44/32/22 T.	Shimano Deore FC-M 540 44/32/22 T.
BEARING	CH-52	CH-52	CH-52	CH-46	Mega Exo	Mega Exo	Integrated	Integrated	Shimano BB-ES30
SHIFTER	Shimano ST-EF50-8	Shimano ST-EF50-7	Shimano ST-EF29-8	Shimano SL-RS41A-7	Sram X.O Twist Shifter	Sram X.O Twist Shifter	Shimano Deore XT SL-M751	Shimano Deore LX SL-M571	Shimano Deore SL-M510
REAR DERAILLEUR	Shimano Deore LX RD-M571	Shimano Deore RD-M510	Shimano Acera RD-M340	Shimano Altus RD-CT95	Sram X.O	Sram X.O	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751
SPEED	24	21	24	21	27	27	27	27	27
FRONT DERAILLEUR	Shimano FD-C050	Shimano FD-C050	Shimano FD-C050	Shimano FD-C050	Shimano XTR FD-M960	Shimano XTR FD-M960	Shimano Deore XT FD-M760	Shimano Deore LX FD-M580	Shimano Deore FD-M530
CHAIN	KMC Z-50	KMC Z-50	KMC IG-31	KMC Z-51	Sram PC-991	Sram PC-991	Shimano CN-HG73	Shimano CN-HG53	Shimano CN-HG53
FRONT BRAKE	Tektro 832A V-Brake	Tektro 832A V-Brake	Tektro 832A V-Brake	Tektro 832A V-Brake	Magura Martha 180 mm	Magura Martha 180 mm	Shimano Deore XT BR-M765 180 mm	HFX 9 V-7 Rotor 180 mm	Hayes Sole V7 180 mm
REAR BRAKE	Tektro 832A V-Brake	Tektro 832A V-Brake	Tektro 832A V-Brake	Tektro 832A V-Brake	Magura Martha 160 mm	Magura Martha 160 mm	Shimano Deore XT BR-M765 160 mm	HFX 9 V-6 Rotor 160 mm	Hayes Sole V6 160 mm
BRAKE LEVER	Shimano ST-EF50-8	Shimano ST-EF50-7	Shimano ST-EF29-8	Tektro 325A	Magura Martha	Magura Martha	Shimano Deore XT BL-M765	HFX 9	Hayes Sole
HEADSET	Tange ZS-TE	Tange ZS-TE	CH-281B	CH-281B	Tange ZS-22	Tange ZS-22	Tange ZS-22	Tange ZS-TE	Tange ZS-TE
HANDLEBAR	Tacoma Ultra Rizer 580 mm	Tacoma Ultra Rizer 580 mm	Kalloy AL-001 540 mm	Kalloy AL-001 520 mm	Ritchey WCS Flat Bar 580 mm	Ritchey WCS Flat Bar 580 mm	FSA XC-190 630 mm	Ritchey Comp Low Rizer 620 mm	Ritchey Rizer 620 mm
STEM	Kalloy AS-601	Kalloy AS-601	Kalloy AS-601	Kalloy AS-150	Ritchey WCS	Ritchey WCS	Ritchey WCS	Ritchey Comp	Ritchey
SADDLE	Velo VL-1093	Velo VL-1093	Velo VL-5010	Velo VL-5010	Selle Italia Filante Trans Am Special Edition	Selle Italia Filante Trans Am Special Edition	Selle Italia C2 Trans Am Special Edition	Selle Italia X2 Man	Selle Italia X2 Man
SEAT POST	Tacoma Ultra	Kalloy SP 242	Tacoma Ultra	Tacoma Ultra	Ritchey WCS	Ritchey WCS	Ritchey WCS	Ritchey Comp	Kallo SP-602
PEDALS	Wellgo LU-895	Wellgo LU-895	Wellgo LU-207 ball bearing	Wellgo LU-207 ball bearing	Shimano PD-M 505	Shimano PD-M 505	Shimano PD-M 505	Wellgo LU-964S	Wellgo LU-964S
DYNAMO	-	-	-	-	-	-	-	-	-
HEADLIGHT	-	-	-	-	-	-	-	-	-
REAR LIGHT	-	-	-	-	-	-	-	-	-
STAND	-	-	-	-	-	-	-	-	-
MUDGUARD	-	-	-	-	-	-	-	-	-
LUGGAGE CARRIER	-	-	-	-	-	-	-	-	-
COLOUR	Bright azur	Fire red	UPCT black	Austral blue	Carbon mat / UPCT red	UPCT black / UPCT red	Antalit grey / Racing silver	Deep blue / Stratos silver	Ice mat / Chromium black

F.: front B.: back G.: gent L.: lady

Subject to change. Not responsible for printing errors.

	UNIVEGA ALPINA SL SERIES		UNIVEGA RAM ES SERIES				UNIVEGA RAM FR		UNIVEGA RAM X-FIGHTER SERIES	
MODEL	UNIVEGA ALPINA SL-SKY	UNIVEGA ALPINA SL-S'	RAM ES-UPCT	RAM ES-970	RAM ES-950	RAM E-90	RAM PR-19	RAM XF-942	RAM XF-932	
FRAME	26" Fastrax Alloy DB SL Four pivot Delta Force I	26" Fastrax Alloy DB SL Four pivot Delta Force I	26" Fastrax Scandium 7000 DB SL Four pivot Delta Box II	26" Fastrax Alloy 7005 DB SL Four pivot Delta Box II	26" Fastrax Alloy 7005 DB SL Four pivot Delta Force I	26" Fastrax Alloy 7005 DB SL Four pivot Delta Box II	26" Fastrax One pivot with Foldable Link Alloy 7005 PG Reinforced	26" Fastrax Alloy 7005 PG Reinforced	26" Fastrax Alloy 7005 PG Reinforced	
FRAME SIZE	38, 43, 48 cm	43, 48, 53, 56 cm	45, 50, 55 cm	45, 50, 55 cm	45, 50, 55 cm	41, 46, 51 cm	37, 45 cm	37 cm	37 cm	
DAMPER	Fastrax QRL Air 100 mm Lockout	Fastrax QR Air 100 mm	Manitou Swinger Air SPV 3 Way 130 mm	Manitou Radium RL Air Lockout 130 mm	Fastrax ARL Air Lockout 130 mm	Manitou Swinger 4 Way Air 150 mm	Manitou Swinger Coil SPV 3 Way 170 mm	-	-	
FORK	RST Gila TNL 100 mm Lockout	RST Gila TNL 100 mm Lockout	Manitou Minute 4 130 mm SPV IT	Marzocchi AM 1 130 mm	Manitou Slice Comp 130 mm Lockout Air Assist	Manitou Nixon Super Air 145 mm IT Travel Control	Rock Shox Boxxer Ride 133-178 mm	Marzocchi Drop Off 2 130 mm	Marzocchi DJ Comp 130 mm	
WHEEL RIMS	-	-	-	-	-	-	-	-	-	
FRONT HUB	Shimano HB-M495	Shimano HB-M475	Ringle Disc Jockey	Shimano LX HB-585	Shimano HB-475	Ringle Abbah S.O.S DH	Shimano Hone HB-M 600	Formula DC-20FQR Disc		
REAR HUB	Shimano FH-M495	Shimano FH-M475	Ringle Disc Jockey	Shimano LX FH-585	Shimano FH-475	Ringle Disc Jockey	Shimano Hone FH-M 600	Formula DC-22QR Disc		
TYRES	Geax Barro Maraton 2.1	Geax Barro Maraton 2.1	Maxxis High Roller 2.1	Continental Gravity 2.3	Geax Lobo Loco 2.3	Maxxis Lopes Bling Bling 2.35	Maxxis Minion DHF 2.5	Maxxis Hansventure 2.3	Geax Lobo Loco 2.3	
SPROCKET	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano, CS-HG50-9 11-34 T.	Shimano, CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG50-9 11-34 T.	
BOTTOM BRACKET	Gamma Drive Mega Exo 44/32/22 T.	Gamma Drive Mega Exo 44/32/22 T.	Shimano XT FC-M 760 44/34/24 T.	Shimano LX FC-M 580 44/34/24 T.	FSA Gamma Drive 44/32/24 T.	FSA GAMPA Mega Exo 44/32/24 T.	Truvativ Holzfäller 36 T.	Truvativ Holzfäller 36 T.	Truvativ Hussefelt 42 T.	
BEARING	FSA Mega Exo	FSA Mega Exo	Shimano XT	Shimano LX	FSA Mega Exo	FSA Mega Exo Quad	Truvativ Isis Drive	Truv. BB-03-SPL-DHIsisDrive	Truv. BB-03-SPL-DHIsisDrive	
SHIFTER	Shimano Deore SL-M510	Shimano Deore SL-M510	Sram Rocket Twist Shifter XO	Shimano Deore LX SL-M 571	Shimano Deore SL-M 510	Shimano Deore SL-M 510	Shimano Deore LX SL-M 571	Shimano Deore LX SL-M 571 Right	Shimano Deore SL-M 510 Right	
REAR DERAILLEUR	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M751	Shimano Deore XT RD-M 751	Shimano Saint RD-M 800	Shimano Hone RD-M 600 SS	Shimano Deore XT RD-M 751	
SPEED	27	27	27	27	27	27	9	9	9	
FRONT DERAILLEUR	Shimano Deore FD-M510	Shimano Deore FD-M510	Shimano Deore XT FD-M 761	Shimano Deore LX FD-M 581	Shimano Deore FD-M 511	Shimano Deore FD-M 511	-	-	-	
CHAIN	Shimano CN-HG53	Shimano CN-HG53	CN-HG73	CN-HG53	CN-HG53	CN-HG73	CNHG53	CNHG53	CNHG53	
FRONT BRAKE	Avid Single Digit 3 V-Brake	Avid Single Digit 3 V-Brake	Hayes HFX V 7 180 mm	Shimano LX BR-M 585 180 mm	Hayes Sole V 7 180 mm	Hayes HFX V 8 203 mm	Hayes HFX V 8 203 mm	Shimano Hone BR-M601 203 mm	Hayes Sole V 7 180 mm	
REAR BRAKE	Avid Single Digit 3 V-Brake	Avid Single Digit 3 V-Brake	Hayes HFX V6 160 mm	Shimano LX BR-M 585 160 mm	Hayes Sole V 6 160 mm	Hayes HFX V 7 180 mm	Hayes HFX V 8 203 mm	Shimano Hone BR-M601 160 mm	Hayes Sole V 6 160 mm	
BRAKE LEVER	Avid FR 5	Avid FR 5	Hayes HFX	Shimano Deore BL-M 525	Hayes Sole	Hayes HFX	Hayes HFX	Shimano Deore Disc BL-M 525	Hayes Sole	
HEADSET	Tange ZS-TE	Tange ZS-TE	Tange ZS22	Tange ZS22	Tange ZS22	Tange ZS22	TH Orbit Z 1.5R	Tange Techno Glide DH	Tange Fatty MX	
HANDLEBAR	Tacoma X-treme Flat 560 mm	Ritchey OE Rizer 620 mm	FSA HB-XC-180OS 600 mm	Ritchey Comp Low Rider 620 mm	Tacoma X-treme Rizer 620 mm	FSA XC-190B OS Riser 630 mm	FSA HB-FR-270 Rizer OS 680 mm	FSA HB-FR-330B OS 640 mm	Tacoma X-treme Rizer 640 mm	
STEM	Zoom TDS-AL-200-8 adjustable	Tacoma X-treme	FSA ST-O5-150 A	Ritchey Comp	Tacoma X-treme	FSA ST-FR-230-OS	FSA ST-FR 200 OS	FSA ST-FR-230 OS	HL Zoom TDS-AL-262-8FOV	
SADDLE	Velo Lady VL- 4049	Velo VL-1093	Selle Italia C2 Trans Am	Selle Italia X2 Trans Am	Selle Italia FK	Selle Italia C2 Trans Am	Tacoma X-treme DS	Tacoma X-treme DS	Tacoma X-treme DS	
SEAT POST	Kallo SP-602	Kallo SP-602	FSA SP-FR 200	Ritchey Comp	Tacoma X-treme	FSA SP-FR 270	Tacoma X-treme	FSA SP-FR 270	Tacoma X-treme	
PEDALS	Wellgo LU-964S	Wellgo LU-964S	Shimano PD-M 505	Wellgo LU-964	Wellgo LU-964	Truvativ Hussefelt	Truvativ Hussefelt	VP-560	VP-565	
DYNAMO	-	-	-	-	-	-	-	-	-	
HEADLIGHT	-	-	-	-	-	-	-	-	-	
REAR LIGHT	-	-	-	-	-	-	-	-	-	
STAND	-	-	-	-	-	-	-	-	-	
MUDGUARD	-	-	-	-	-	-	-	-	-	
LUGGAGE CARRIER	-	-	-	-	-	-	-	-	-	
COLOUR	Sky blue / Air jet	Silver star / Chromium black	UPCT black / UPCT red	Grey mat	Blast charcoal	Blast grey / Blast gold	Hunter white / Chromium black	Greyhound mat	Champagne mat	

F.: front B.: back G.: gent L.: lady

Subject to change. Not responsible for printing errors.

**UNIVEGA RAM
X-FIGHTER SERIES****UNIVEGA
RAM TR/BX SERIES**

MODEL	RAM XP-922	RAM XP-912 FS	RAM XP-912	RAM XP-902	RAM XP-SPORT	RAM TRAMMILER	RAM BX KING	RAM BX PRINCE	RAM BX EARL
FRAME	26" Tacoma Alloy 7005 PG Reinforced	26" Tacoma Alloy 7005 PG Reinforced FS	26" Tacoma Alloy 7005 PG Reinforced	26" Tacoma Alloy 7005 PG Reinforced	26" Tacoma Alloy 7005 PG Reinforced	20" Tacoma Alloy 7005 PG Reinforced Trial Custom Short Version	20" Tacoma CR Moly Reinforced	20" Tacoma CR Moly Reinforced	20" Tacoma Hi Ten Reinforced
FRAME SIZE	37 cm	45, 50, 55 cm	37, 45 cm	37, 45 cm	37, 45 cm	Small	Small	Small	Small
DAMPER	-	A-Pro MA Coil 75 mm	-	-	-	-	-	-	-
FORK	Marzocchi DJ Comp 100 mm	Suntour SF-XCT-26 75 mm	Suntour SF-Duro-D-26	Suntour SF-XCM-26	Suntour SF-XCM-26	Mega Fork 31.8 mm Blade	CR Moly 32 mm Blade	CR Moly 32 mm Blade	Hi Ten 32 mm Blade
WHEEL	-	-	-	-	-	-	-	-	-
RIMS	Alex DP 20 Disc	Zac 2000	Femco BL66E	Femco BL66E	Femco NC565E	Alex DM-24/DX-32	Sunridge Ryno Lite XL	Sunridge ZX 25	Ace 303
FRONT HUB	Shimano HB-475	Formula DC-20FQR Disc	Formula DC-20FQR Disc	Formula OV-31FQR	Formula OV-31FQR	Keng Min Disc-F	A075-14	A075-14	JY-S01E
REAR HUB	Shimano FH-475	Formula DC-22RQR Disc	Formula DC-22RQR Disc	Formula OV-32-8RQR	Formula R:OV-31-7R	Keng Min K118 Old 116 mm	A076.1-14	A076.1-14	JY S01F-14
TYRES	Maxxis Hansventure 2.3	Geax Lobo Loco 2.3	Geax Lobo Loco 2.3	Geax Lobo Loco 2.3	Geax Lobo Loco 2.3	E: CST MI43 13 x 2.0 x 2.5 B: CST MI43 20 x 2.5	Kenda K-940 1.95	Kenda K-1040 2.1	Kenda K-1040 2.1
SPROCKET	Shimano CS-HG50-9 11-34 T.	Shimano CS-HG30-8 13-32 T.	Shimano CS-HG30-8 13-32 T.	Shimano CS-HG30-8 13-32 T.	Shimano TZ 07 14-28 T.	Li Dai LMA-7 Reinforced 1/2 x 1/8 x 13 T.	Odysee 4 -KEY W-280-00 1/2 x 1/8 x 13 T.	Odysee 4 -KEY W-280-00 1/2 x 1/8 x 13 T.	DNP LY-16T4 1/2 x 1/8 x 16 T.
BOTTOM BRACKET	Truvativ Hussefelt 42 T.	Prowheel SP-314 P 42/34/24 T.	TH CY-3458-8W/CG 42/34/22 T.	Suntour CW-CC150PBG 42/34/24 T.	Suntour CW-CC150PBG 42/34/24 T.	White Industrie Enzo Green 18 T.	Tacoma Tubular Crank with 8 mm spline 36 T.	Tacoma Tubular Crank with 8 mm spline 36 T.	Tacoma Tubular Crank with 8 mm spline 42 T.
BEARING	Truv.BB-03-SPL-DH IsisDrive	CH-52	CH-52	TH M-1-68NL	TH M-1-68NL	KC	Seal. Bear. CR Moly BP-901	CR Moly BP-901	CR Moly BP-901
SHIFTER	Shimano Deore SLM 510 Right	Shimano ST-EF50-8L	Sram MRX Twist Shifter	Shimano ST-EF50-8L	Shimano ASLR541	-	-	-	-
REAR DERAILLEUR	Shimano Deore XT RD-M 751	Shimano Deore XT RD-M 751	Shimano Deore RD-M 511	Shimano Deore RD-M 511	Shimano Acera RD-M 340	-	-	-	-
SPEED	9	24	24	24	21	1	1	1	1
FRONT DERAILLEUR	-	Shimano FD-C050	Shimano FD-C050	Shimano FD-C050	Shimano FD-C050	-	-	-	-
CHAIN	KMC-CNHG73	KMC IG-31	KMC IG-31	KMC IG-31	KMC Z 50	KMC-710	KMZ Z 410	KMZ Z 410	KMZ Z 410
FRONT BRAKE	Hayes Sole V 7 180 mm	Hayes MX2 V6 Mech 160 mm	Hayes MX2 V7 Mech 180 mm	Tektro 832AL V-Brake	Tektro 832AL V-Brake	Magura Louise Freeride 180 mm	Tektro DBU-907AFS	Tektro DBU-907AFS	Tektro DBU-907AFS
REAR BRAKE	Hayes Sole V 6 160 mm	Hayes MX2 V6 Mech 160 mm	Hayes MX2 V6 Mech 160 mm	Tektro 832AL V-Brake	Tektro 832AL V-Brake	Magura HS 33	Tektro DBU-907A	Tektro DBU-907A	Tektro DBU-907A
BRAKE LEVER	Hayes Sole	Shimano ST-EF50-8L	Hayes HML	Shimano ST-EF50-8L	Tektro TS-374	Magura Louise / HS33	Tektro DBL289A	Tektro DBL289A	Tektro DBL289A
HEADSET	CH-281B	CH-918T	Tange ER	Tange ER	Tange ER	FSA Orbit	TH-888 Black	TH-888 Black	TH-476 black
HANDLEBAR	Tacoma Ultra Rizer 610 mm	Tacoma Ultra Rizer 610 mm	Tacoma Ultra Rizer 640 mm	Tacoma Ultra Trail 640 mm	Tacoma Ultra Trail 640 mm	Ken Chang Trail 660 mm	Lead Tech 2-Piece 1.8 T 195 mm x 635 mm	Lead Tech 2-Piece 1.8 T 195 mm x 635 mm	Lead Tech 2-Piece 1.8 T 195 mm x 635 mm
STEM	HL Zoom TDS-AL-262-8FOV	Tacoma Ultra	HL TDS-C242	Kalloy BX-844	Kalloy AS-600	Ken Chang	Lee Chi DBA-79D	Lee Chi DBA-79D	Lee Chi DBA-79D
SADDLE	Tacoma X-treme DS	Velo 1093	Tacoma X-treme DS	Tacoma X-treme DS	Velo VL-1093	-	Velo BMX	Velo BMX	Cionlli BMX
SEAT POST	Tacoma X-treme	Kalloy SP-242	Kalloy SP-602	Kalloy SP-602	Kalloy SP-242	-	HL SP-38	HL SP-38	HL SP-38
PEDALS	Wellgo LU-987	Wellgo LU-895	Wellgo LU-987	Wellgo LU-987	Wellgo LU-987	VP-458A	Wellgo LU-313	Wellgo LU-313	SP-38-9
DYNAMO	-	-	-	-	-	-	-	-	-
HEADLIGHT	-	-	-	-	-	-	-	-	-
REAR LIGHT	-	-	-	-	-	-	-	-	-
STAND	-	-	-	-	-	-	-	-	-
MUDGUARD	-	-	-	-	-	-	-	-	-
LUGGAGE CARRIER	-	-	-	-	-	-	-	-	-
COLOUR	Nato mat	UPCT red / Chromium black	Gun metal mat	Shore blue mat	Bloody mat	Air jet	Kings gold	Nato mat	Cherry mat

F: front B: back G: gent L: lady

Subject to change. Not responsible for printing errors.

	UNIVEGA RAM BX	UNIVEGA TERRENO SERIES					UNIVEGA VIA SERIES		
MODEL	RAM BX DUKE	TERRENO DE ORO	TERRENO CARBINA	TERRENO SPORT	TERRENO 350	TERRENO 330	VIA MOUNTAIN KING UPCT COMPACT	VIA TT - UPCT CARBON PRIMESSET	VIA STRATO PRO CARBON
FRAME	20" Tacoma Hi Ten Reinforced	700C Fastrax Alloy 7005 DB SL Delta Force I	700C Tacoma Alloy 7005 PG	700 C Tacoma Alloy 7005 PG	26" Tacoma Alloy 7005 PG	26" Tacoma Alloy 7005 PG	700C Fastrax High Modular Carbon	700C Fastrax High Modular Carbon	700C Fastrax High Modular Carbon
FRAME SIZE	Small	G: 48, 54, 58 cm	G: 48, 54, 58 cm L: 48, 52, 56 cm	G: 48, 54, 58 cm L: 38, 48, 52, 56 cm	G: 38, 43, 48, 53, 58 cm L: 38, 43, 48, 53 cm	G: 38, 43, 48, 53, 58 cm L: 38, 43, 48, 53 cm	50, 52, 54, 56, 58, 60 cm	Medium, Large	50, 52, 54, 56, 58, 60 cm
DAMPER	-	-	-	-	-	-	-	-	-
FORK	Hi Ten 32 mm Blade	Suntour NRX 6500-LO 63 mm Lockout	Suntour CR-860 W-LO 50 mm Lockout	Suntour CR-850W 50 mm	Suntour XCT-26 80 mm	Suntour M 2000 63 mm	Fastrax Racing Full Carbon 1.1/8"	Easton EC 90 Aero 1"	Fastrax Racing Carbon 1.1/8"
WHEEL RIMS	-	-	-	-	-	-	FSA WH RD-400	-	Shimano WH-R550
FRONT HUB	JY-S01E	Shimano HB-M475	Shimano HB-RM40	Formula OV-31FQR	Formula OV-31FQR	Formula OV-31FQR	-	-	-
REAR HUB	JY-S01F-14	Shimano FH-M475	Shimano FH-RM30	Formula OV-32-8RQR	Shimano FH-M 308	Formula OV-31-7R	-	-	-
TYRES	Kenda K-1040 2.1	Continental Country Ride 700 x 35C	Geax Adventure Comfort 700 x 38 C	Geax Adventure Comfort 700 x 38 C	Geax Easy Runner 1.9	Geax Easy Runner 1.9	Vittoria Open Corsa EVO CX 22 mm	-	Vittoria Rubino Slik 23 mm
SPROCKET BOTTOM BRACKET	DNP LY-16T4 1/2 x 1/8 16 T.	Shimano CS-HG50-9 11-32 T.	Shimano CS-HG50-8 11-30 T.	Shimano CS-HG30-8 13-32 T.	Shimano CS HG 30 14-34 T.	Shimano MF-TZ37 12-25 T.	Campagnolo Record	-	Shimano Ultegra CS-HG 6600 12-25 T.
BEARING	Tacoma Seel Jump CW-DBC2 42 T.	FSA Gamma Drive 48/38/28 T.	Shimano FC-T303 48/38/28 T.	Shimano FC-TX71 48/38/28 T.	Shimano FC-TX70C 42/34/24 T.	Suntour XCC-150PBG 42/34/24 T.	FSA K-Force Mega Exo 50/34 T.	-	Shimano Ultegra FC-6600 52/42/30 T.
SHIFTER	VP-B35	Mega Exo	BB-CH 52	TH-M1	CH-52	CH-46	Campagnolo Record	Nachi Japan integrated	Shimano Ultegra PC-6600
REAR DERAILLEUR	-	Shimano Deore SL-M510	Shimano Alivio SL-M410	Shimano ST-EF50-8	Shimano ST-EF50-8	Shimano SL-RS41-7	Campagnolo Ergopower Record	-	Shimano Ultegra ST-6600
SPEED	1	27	24	24	24	21	20	-	30
FRONT DERAILLEUR	-	Shimano Deore FD-M510	Shimano FD-C051	Shimano FD-C051	Shimano FD-C050	Shimano FD-C050	Campagnolo Record	-	Shimano Ultegra FD-6600
CHAIN	KMZ Z 410	Shimano CN-HG53	KMC IG-31	KMC IG-31	KMC Z-51	KMC Z-50	Campagnolo Record	-	Shimano 105 CN-HG 5600
FRONT BRAKE	C-Star SB-N900NAL	Hayes Sole V6 160 mm	Tektro 845A V-Brake	Tektro 845A V-Brake	Tektro 845AL V-Brake	Tektro 845AL V-Brake	Campagnolo Record	-	Shimano Ultegra BR-6600
REAR BRAKE	C-Star UB933D	Hayes Sole V6 160 mm	Tektro 845A V-Brake	Tektro 845A V-Brake	Tektro 845AL V-Brake	Tektro 845AL V-Brake	-	-	-
BRAKE LEVER	C-Star BL-257D	Hayes Sole	Tektro 360A	Shimano ST-EF50-8	Shimano ST-EF50-8	Tektro 374AP	Campagnolo Ergopower Record	-	Shimano Ultegra ST- 6600
HEADSET	TH-888 Black	Tange ZS-TE	Tange ZS-TE	Tange ZS-TE	CH-918T	CH-918T	FSA Orbit CE NO.08b	FSA Orbit IS-2 1"	FSA Orbit CE NO.08b
HANDLEBAR	Expert Size BMX Steel 1.6 T. 170 x 610 mm	Ritchey Rizer 590 mm	H.L. MTB-152 Rizer 580 mm	H.L. MTB-152 Rizer 580 mm	H.L. MTB-152PP Rizer 580 mm	H.L. MTB-152PP Rizer 580 mm	FSA K-Force Carbon Ergonomic	Andys Aerobar 380 mm	FSA Carbon PRO
STEM	Lee Chi BA-90D	Tacoma X-treme	Kalloy AS-820 adjustable	Kalloy AS-812 adjustable	Kalloy AS-812 adjustable	Kalloy AS-AS-601	FSA ST-OS 115	-	FSA Carbon PRO
SADDLE	Cionlli BMX	Selle Italia X2 Man Kit B	Tacoma X-treme Gent/Lady	Tacoma X-treme Gent/Lady	Tacoma X-treme Gent/Lady	Tacoma X-treme Gent/Lady	Selle Italia SLR XP	-	Selle Italia XO Trans Am Special Edition
SEAT POST	Lead Tech	Ritchey	Tacoma Ultra spring loaded	Tacoma Ultra spring loaded	Tacoma Ultra spring loaded	Tacoma Ultra	FSA K-Force Carbon	Integrated	FSA Carbon PRO
PEDALS	SP-38-9	Wellgo LU-964S	Wellgo LU-964S	Wellgo LU-895	Wellgo LU-895	Wellgo LU-895	-	-	-
DYNAMO	-	-	-	-	-	-	-	-	-
HEADLIGHT	-	-	-	-	-	-	-	-	-
REAR LIGHT	-	-	-	-	-	-	-	-	-
STAND	-	-	-	-	-	-	-	-	-
MUDGUARD	-		Flinger SW-615 F/R	Flinger SW-615 F/R	Flinger SW-613 F/R	Flinger SW-613 F/R	-	-	-
LUGGAGE CARRIER	-	Massload TA1020	BY-343C	BY-343C	BY-343C	BY-343C	-	-	-
COLOUR	Mat azur	UPCT black / UPCT red	Silver / Ice blue	Anthracite / Snow white	Mat silver / mat basalt	Metal jacket / Platinum red	UPCT carbon black	UPCT carbon black	Carbon black

F.: front B.: back G.: gent L.: lady

Subject to change. Not responsible for printing errors.

UNIVEGA VIA SERIES						UNIVEGA GROOVE SERIES				
MODEL	VIA HITTARIS PRO	VIA SKY	VIA MOBIEN PRO	VIA SUPER CROSS UPCT FRAMESET	VIA MADISON KING FRAMESET	GROOVE 240 FS	GROOVE 240 STREET	GROOVE 200 STREET 6 GG	GROOVE ISO	
FRAME	700C Fastrax 7005 Alloy DB SL Delta Force I		700C Fastrax 705 Alloy DB SL Delta Force I		700C Tacoma Alloy 7005 PG	700C Fastrax High Modular Carbon	700C Fastrax 7000 Scandium DB SL Delta Force I	24" Tacoma Alloy 6061	24" Tacoma Groove Alloy 6061	20" Tacoma Groove Alloy 6061
FRAME SIZE	49, 52, 55, 58, 61 cm		46, 49, 52, 55 cm		49, 52, 55, 58, 61 cm	49, 52, 55, 58, 61 cm	49, 52, 55, 58 cm	36 cm	37 cm	32 cm
DAMPER	-		-		-		DNM DV-06		-	
FORK	Fastrax Full Carbon 1.1/8"	Fastrax Full Carbon 1.1/8"	Aprebic Alloy 7005	Fastrax Carbon Cross Plus 1.1/8"	Fastrax Carbon Track 1.1/8"	Suntour M-2000	Suntour M-3000L	Suntour M-3000L	Tacoma Hi Ten Fork	
WHEEL RIMS	Shimano WH-R500	Shimano WH-R500	-	-	-	-	-	-	-	
FRONT HUB	-	-	Formula RB-31FQR	-	-	Formula OV-31FQR	Formula OV-31FQR	Formula OV-31FQR	Kun Teng KT-104	
REAR HUB	-	-	Formula RB-32-8RQR	-	-	Formula OV-31R	Formula OV-31R	Formula OV-31R	Kun Teng KT-305R	
TYRES	Vittoria Zafiro 23 mm	Vittoria Zafiro 23 mm	Vittoria Zafiro 23 mm	-	-	Kenda black Tire 24 x 1.95	Kenda black Tire 24 x 1.75	CST C-1208+C-1212 Black Tire 20 x 1.95	Kenda 16 x 1.75	
SPROCKET	CS-HG 5600 12-25 T.	CS-HG 5600 12-25 T.	CS-HG50-8 12-25 T.	-	-	Shimano MF-TZ37 14-34 T.	Shimano MF-TZ37 14-34 T.	Shimano MF-TZ06 14-28 T.	KT 16 T.	
BOTTOM BRACKET	Shimano Ultegra FC-6600 52/42/30 T.	FSA Gossamer Mega Exo 52/42/30 T.	TH-CRD-335 52/42/32 T.	-	-	Suntour XCC-150PBG	Suntour XCC-150PBG	Prowheel RSS116PP	Lun Chi SL-5 AG	
BEARING	Shimano Ultegra FC-6600	Mega Exo	TH-M-168L Semi-Cartridge	-	-	CH-46	CH-46	CH-46	CH-46	
SHIFTER	Shimano Ultegra ST-6600	Shimano ST-R 700	Shimano ST-3304 Sora	-	-	Shimano SL-RS41A-7	Shimano SL-RS41A-7	Shimano SL-RS41-6 Right	-	
REAR DERAILLEUR	Shimano Ultegra RD-6600	Shimano Ultegra RD-6600	Shimano RD 2200	-	-	Shimano RD-TX30	Shimano RD-TX50	Shimano RD-TX30	-	
SPEED	30	30	24	-	-	21	21	6	1	
FRONT DERAILLEUR	Shimano Ultegra FD-6600	Shimano Ultegra FD-6600	Shimano FD-2203	-	-	Shimano FD-TY10	Shimano FD-TY10	-	-	
CHAIN	Shimano 105 CN-HG 5600	Shimano 105 CN-HG 5600	KMC HG 50	-	-	KMC Z-51	KMC Z-51	KMC Z-51	KMC Z-41	
FRONT BRAKE	Shimano Ultegra BR-6600	Tektro RX 20G with Cartridge brake shoes	Tektro 423 A with Cartridge brake shoes	-	-	Tektro 835A V-Brake	Tektro 835A V-Brake	Tektro 835A V-Brake	Tektro 862A	
REAR BRAKE	-	-	-	-	-	-	-	-	-	
BRAKE LEVER	Shimano Ultegra ST- 6600	Shimano ST-R 700	Shimano ST-3304 Sora	-	-	Tektro 328A	Tektro 328A	Tektro 328A	Tektro 289A	
HEADSET	FSA Orbit CE NO.08b	FSA Orbit CE NO.08b	TH NO10AY 1" integrated	FSA Orbit CE NO.08b	FSA Orbit CE NO.08b	CH-281B	CH-90-3BW	CH-664BW	CH-664	
HANDLEBAR	Tacoma X-treme	Tacoma X-treme	Kalloy AL-049	-	-	H.L. MTB-110 540 mm	Lee Chi HB-M201 520 mm	Lee Chi HB-M201 520 mm	Lee Chi HB-T203 500 mm	
STEM	Ritchey	Promax MA-549 adjustable	Kalloy AS 6056	-	-	Kalloy AL-230	Kalloy AL-219	Kalloy AL-219	Kalloy AL-219	
SADDLE	Velo Racing	Velo Comfort Sport	Velo Racing	-	-	Tacoma X-treme with diode light	Tacoma X-treme with diode light	Tacoma X-treme with diode light	Tacoma X-treme	
SEAT POST	Tacoma X-treme	Tacoma X-treme	Kalloy SP- 602	-	-	Kalloy SP 242	Kalloy SP-242	Kalloy SP-242	Kalloy SP-200	
PEDALS	-	-	Victor with hook and belt	-	-	VP-213 ball bearing	VP-213 ball bearing	VP-213 ball bearing	Wellgo LU-873 ball bearing	
DYNAMO	-	-	-	-	-	-	Basta Duo	Basta Duo	-	
HEADLIGHT	-	-	-	-	-	-	Basta Halogen	Basta Halogen	-	
REAR LIGHT	-	-	-	-	-	-	Top Light	Top Light	-	
STAND	-	-	-	-	-	-	Yuen I	Yuen I	Yuen I	
MUDGUARD	-	-	-	-	-	-	Sunny Wheel	Sunny Wheel	Sunny Wheel	
LUGGAGE CARRIER	-	-	-	-	-	-	Mass Load CL-301-1	Mass Load CL-301-1	Chien-KO CK-02	
COLOUR	Air jet	Sky blue / Air jet	Sun / Air jet	Carbon black	Pearl white	Air jet / Diamond grey	Ink blue / Snow white	Cherry red / Snow white	Sunny lemon	

F.: front B.: back G.: gent L.: lady

Subject to change. Not responsible for printing errors.

Univega Germany

Raleigh Univega GmbH
 Siemensstraße 1-3
 D-49661 Cloppenburg
 Phone +49 44 71 / 92 34-0
 Fax +49 44 71 / 92 34-240
 E-Mail info@raleigh-univega.de
www.raleigh-univega.de

Univega Switzerland

swissbike Vertriebs GmbH
 Buochserstr. 26
 CH-6375 Beckenried
 Phone +41 416 20 74 55
 Fax +41 416 22 05 55
 E-Mail info@swissbike.net

Univega Austria

Thalinger Vertriebs GmbH
 Bahnhofstraße 46
 A-4600 Wels
 Phone +43 7 242 497 221
 Fax +43 7 242 497 227
 E-Mail info@thalinger.at

Univega Croatia

DSG bicikli d.o.o
 A. Senoe 29 b
 HR-43000 Bjelovar
 Phone +385 43 24 38 94
 Fax +38 543 22 05 66
 E-Mail dsg-bicikli@bj.t-com.hr

Univega Denmark

Ebsen Danmark A/S
 Box 70 - Industriparken 8
 DK-6500 Vojens
 Phone +45 74 541 819
 Fax +45 74 542 919
 E-Mail ebsen-danmark@ebsen-danmark.dk

Univega Finland

Emilia Sport
 Sammonkatu 66 B
 SF-33540 Tampere
 Phone +358 33 562 155
 Fax +358 32 554 799
 E-Mail emilia.sport@co.inet.fi

Univega Great Britain

Raleigh International Ltd.
 136 Church Street/Eastwood
 GB-Nottingham NG16 3HT
 Phone +44 1 773 532 661
 Fax +44 1 773 532 606
 E-Mail muttbeighton@raleigh.co.uk

Univega Greece

Cross Hellas S.A.
 75 Spartis Str.
 GR-Haidari 12461 Athen
 Phone +30 2 105 324 990
 Fax +30 2 105 324 772
 E-Mail cross._@otenet.gr

Univega Holland/Belgium

Birecto B.V.
 Stadionstraat 2
 NL-4815 NG Breda
 Phone +31 76 578 5525
 Fax +31 76 571 9560
 E-Mail info@biretco.com

Univega Kazakhstan

Intelli Sports Ltd.
 125, Karasay Batyr str.
 KZ-480012 Almaty
 Phone +7 3 272 937 277
 Fax +7 3 272 921 333
 E-Mail nyakshev@netmail.kz

Univega Latvia

Veloserviss Ltd.
 Viskalu Str. 26
 LV-1026 Riga
 Phone +371 6 448 857
 Fax +371 7 554 399
 E-Mail veloserviss@veloserviss.lv

Univega Lithuania

Saginda, Ltd.
 Stoties 42
 LT-35106 Panevezys
 Phone +370 45 466 301
 Fax +370 45 582 848
 E-Mail saginda@takas.lt

Univega Norway

Larvik Sykkelsenter
 Kleiverveien 175
 NO-3268 Larvik
 Phone +47 33 192 800
 Fax +47 33 192 801
 E-Mail trond@focus-bikes.de

Univega Poland

R&P Pawlak SP.Z.O.O.
 Ul. Starolecka 18
 PL-61361 Poznan
 Phone +48 618 787 335
 Fax +48 618 787 266

Univega Portugal

Lenamotos
 Soc. De Representacoes, Lda.
 Rua de Ponte Nova
 P-2440-046 Batalha
 Phone +35 12 44 76 74 71
 Fax +35 12 44 76 73 10
 E-Mail lenamotos@netc.pt

Univega Ile de Réunion (France)

Comptoir des Isles
 10 Chemin des Tamarins
 F-97417 La Montagne
 Phone +262 262 238 774
 Fax +262 262 238 489
 E-Mail comptoirdi@wanadoo.fr

Univega Russia

Sport Club Kant
 Electrolitnij proezd, 7b
 RUS-113230 Moscow
 Phone +7 0953 179 577
 Fax +7 0 953 179 806
 E-Mail sckant@kant.ru

Univega Spain

Bicicletas Esteve S. L.
 C/Casino, 6
 E-17249 Castell D'Aro (Girona)
 Phone +34 97 28 18 696
 Fax +34 97 28 17 653
 E-Mail besteve@infonegocio.com

AUTHORIZED DEALER