

# catalogue 2010

BeOne® of Us.

**BEONE**<sup>®</sup>  
[www.beone-bikes.com](http://www.beone-bikes.com)



We are BeOne®

Bikes are all the world to us. Tough guys for off the road and fast ones for serious racing. Because we eat, drink and sleep bikes, we know exactly what cyclists want. Bikes fuse together with their riders as it were. Therefore BeOne. For the best performance. For the ultimate pleasure. For trendy looks and serious business. And, more importantly, at a very competitive price.

Choose the bike that suits you:

BeOne® of us.

catalogue **contents**

**Road**

**12 Pro Series**

Raw D12  
Raw SRAM Red  
Raw Dura-Ace  
Rosso

**18 RC Series**

Pearl  
Blue

**22 PF Series**

Mistral  
Blizzard

**24 SPS Series**

Storm  
Briza

**64** Leontien Team Replica

**MTB**

**28 Pro Series**

Raw SRAM XX  
Raw XTR

**34 RC Series**

Pearl  
Bronze

**38 PF Series**

Karma Beach Ltd  
Karma  
Aspire  
Chakra

**46 SPS Series**

Spirit  
Kosmos

**Hybride**

**50 HS Series**

Gunmetal  
Copper  
Flake Blue

**Cyclocross**

**58 CX Series**

Chase

**Frames**

**12 Road**

Raw  
Rosso

**28 MTB**

Raw

**58 Cyclocross**

Raw

**60 Track**

Scratch

## Hotmelt Carbon



Our carbon frames are designed for sport and racing. The quality needed to achieve these goals reflects the enormous confidence we have in these frames. Riders can only perform to their limits when they have full confidence in the bike underneath them.

Our carbon frames use only the highest quality carbon fibre, but even this is not enough for us. The advanced production technology that we use finally results in extreme rigidity, the lowest weight and, above all, superior handling. Once we had achieved this, and agreed that the carbon frames finally satisfied BeOne's demanding criteria, we allowed them to join the Be One bike range.

These are not just words. A serious professional manufacturing technology has resulted in the best product for you, the demanding racer. Everything that we develop is tested rigorously by world-class riders. Whether its cyclo-cross, MTB, track or on the road, nothing will find its way to you before our pros are satisfied. We want you to have total confidence in our BeOne products.



## Double Chamber Technology



For our down tubes and front forks, we use a unique construction method that we have labeled DOUBLE CHAMBER. We have integrated a secondary supporting internal carbon wall throughout the entire carbon downtube to prevent torsion.

The down tube is particularly susceptible to torsion, which results in a loss of energy and forward motion. Each pedal stroke causes immense pressure on the down tube and bottom bracket. With DOUBLE CHAMBER technology you can be assured that this is reduced to a minimum and that your energy is directed towards forward motion.

Normally a front fork is not an integral part of the frameset. Most of the time, a standard fork is sourced and added to the frame. For ultimate handling and a really responsive ride, we believe that the frame and the fork should be developed together as one unit. The front fork is the nerve centre of any bike as it transmits road conditions to the hands of the rider through the handlebars. Our forks have been designed only for our frames and this has resulted in a perfectly balanced unit. As in the case of the down tube, we have used DOUBLE CHAMBER tubing for our front forks. Once again, torsion is eliminated.

Front fork vibration has always been a major problem in fork technology. The rider loses 'feel' for the road, there is excessive vibration on fast descents and tight turns are not recommended. Our DOUBLE CHAMBER technology reduces vibration to a minimum.





## Oversized Bottom Bracket Shell

To achieve maximum frame rigidity, an extremely rigid bottom bracket shell is required to transmit maximum power from the bottom bracket to the chain. BeOne frames have a MONOBOX bottom bracket shell/chainstay construction and an OVERSIZED BOTTOM BRACKET. The MONOBOX construction means that our bottom bracket and the chainstays are one piece and not bonded together as in most other frames.



The MONOBOX construction means that our bottom bracket and the chainstays are one piece and not bonded together as in most other frames. As a result, the lowest possible tolerances are achieved. Combined with an OVERSIZED BOTTOM BRACKET, we estimate that this, should result in 100% energy input = 100% forward motion.



road carbon

## BeOne® for the best performance.

The superlative of BeOne. Fast, ultralight, extremely strong bikes and good-looking as well. With carbon frames and forks built for speed. Specially designed for the demanding race biker and the ambitious weekend-warrior. BeOne has listened carefully to the wishes and needs of professionals. Therefore the bikes are light, speedy and state-of-the-art. With a high bracket strength and a precise steering behaviour. The crème de la crème, the ultimate race frame. For the best performance.



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell



## RAW DURA-ACE DI2

### Specifications

Size	50   53   56   59   62
Frame	Hotmelt Carbon
Fork	Full Carbon
Drivetrain	Shimano Dura Ace
Brakes	Shimano Dura Ace
Wheels	Edco Furka Light TT
Tires	Continental Sprinter Gatorskin
Colour	Raw Clearcoated
Weight	6.6 kg

## RAW FRAME

### Specifications

Size	50   53   56   59   62
Framematerial	Hotmelt Carbon with Double Chamber downtube
Fork	Full Carbon with Double Chamber legs
Frameweight	960 gr*
Forkweight	320 gr**
Colour	Raw Clearcoated

\* Measured in 56cm

\*\* Measured with 25mm steerer

# RAW DURA-ACE

## Specifications

Size	50   53   56   59   62
Frame	Hotmelt Carbon
Fork	Full Carbon
Drivetrain	Shimano Dura Ace
Brakes	Shimano Dura Ace
Wheels	Easton EA90 SLX
Tires	Vredestein Fortezza Slick
Colour	Raw Clearcoated
Weight	6.4 kg

## Pro Series



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell



# RAW SRAM RED

## Specifications

Size	50   53   56   59   62
Frame	Hotmelt Carbon
Fork	Full Carbon
Drivetrain	SRAM Red
Brakes	SRAM Red
Wheels	Easton EA90 SLX
Tires	Vredestein Fortezza Slick
Colour	Raw Clearcoated
Weight	6.2 kg

## Pro Series



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell





## ROSSO

### Specifications

Size	50   53   56   59   62
Frame	Hotmelt Carbon
Fork	Full Carbon
Drivetrain	Shimano NEW Ultegra
Brakes	Shimano NEW Ultegra
Wheels	Easton EA70
Tires	Vredestein Fiammante
Colour	Racing Red
Weight	7.4 kg

## ROSSO FRAME

### Specifications

Size	50   53   56   59   62
Framematerial	Hotmelt Carbon with Double Chamber downtube
Fork	Full Carbon with Double Chamber legs
Frameweight	960 gr*
Forkweight	320 gr**
Colour	Raw Clearcoated

\* Measured in 56cm

\*\*Measured with 25mm steerer

### Pro Series



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell



# PEARL

## Specifications

Size	50   53   56   59   62
Frame	T700 Carbon
Fork	T700 Full Carbon
Drivetrain	Shimano NEW Ultegra / 105
Brakes	Tektro R530
Wheels	Gipiemme 40mm
Tires	Vredestein Fiammante
Colour	Pearl White
Weight	8.5 kg

## RC Series



1. T700 carbon



2. Double chamber technology



3. Oversized BB shell



# BLUE

## Specifications

Size	50   53   56   59   62
Frame	T700 Carbon
Fork	T700 Full Carbon
Drivetrain	Shimano NEW Ultegra / 105
Brakes	Tektro R530
Wheels	Gipiemme 40mm
Tires	Vredestein Fiammante
Colour	Racing Blue
Weight	8.5 kg

## RC Series



1. T700 carbon



2. Double chamber technology



3. Oversized BB shell





road alloy

## BeOne® for the ultimate pleasure.

The essence of BeOne. With the same geometry as our unsurpassed carbon frames, but produced in durable and high-quality 6061 T6 aluminium. Light, speedy frames with hydroforming tube shapes to boost firmness and enable an excellent biking performance. On sale in a wide range of designs with different options. Varying from simple but functional to semi-professional. Aimed at racers and sporty bikers, who prefer an active biking behaviour and a high speed. And, above all: for the ultimate pleasure.



1. Aluminium Lite



2. Hydroforming



## MISTRAL

### Specifications

Size	50   53   56   59   62
Frame	Hydroformed 6061 T6
Fork	T700 Full Carbon
Drivetrain	Shimano NEW Ultegra
Brakes	Shimano NEW Ultegra
Wheels	Mavic Aksium Noir
Tires	Vredestein Fiammante
Colour	Pearlized Black
Weight	9.1 kg

## BLIZZARD

### Specifications

Size	50   53   56   59   62
Frame	Hydroformed 6061 T6
Fork	T700 Full Carbon
Drivetrain	Shimano 105
Brakes	Shimano 105
Wheels	Easton Vista
Tires	Vredestein Fiammante
Colour	Pearlized White
Weight	9.1 kg

# STORM

## Specifications

Size	40   45   50   55   60
Frame	7005 T6 Alloy
Fork	Carbon w/alloy
Drivetrain	Shimano Ultegra Triple
Brakes	Shimano Ultegra
Wheels	Shimano RS10
Tires	Vredestein Fiammante
Colour	Matt Black
Weight	8.8 kg

## SPS Series



1. 7005 Aluminium



2. Hydroforming



# BRIZA

## Specifications

Size	40   45   50   55   60
Frame	7005 T6 Alloy
Fork	Carbon w/alloy
Drivetrain	Shimano 105 Triple
Brakes	Shimano 105
Wheels	Shimano RS10
Tires	Vredestein Fiammante
Colour	Pearlized White
Weight	9.1 kg

## SPS Series



1. 7005 Aluminium



2. Hydroforming





mtb carbon

## The bike of Dutch mountainbike Champion Thijs Al.

The tough guys of BeOne. Fast, ultralight and yet highly durable. With high-tech carbon frames and Hot Melt technology with special internal partitions for strength. Specifically designed for top sportsmen and women who can do nothing else but choose for the best of all material to improve their performance further still. And, what's more, it is also within the reach of ambitious sportsmen and women who simply want the very best for their sports and hobbies. The bikes can be equipped with V-brake for the typical Dutch tracks.



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell



## RAW SRAM XX

### Specifications

Size	17"   19"   21"
Frame	Hotmelt Carbon
Fork	Magura Durin Race
Drivetrain	SRAM XX
Brakes	Magura Marta SL
Wheels	DT Swiss XR400
Tires	Schwalbe Furious Fred
Colour	Raw Clearcoated
Weight	8.9 kg

## RAW FRAME

### Specifications

Size	17"   19"   21"
Framematerial	Hotmelt Carbon with Double Chamber downtube
Frameweight	1.020 gr*
Colour	Raw Clearcoated

\* Measured in 17"



This is AA Cycling Team Race: Dutch mountainbike Championship. Photo: Eppo Karstins



## RAW XTR

### Specifications

Size	17"   19"   21"
Frame	Hotmelt Carbon
Fork	Magura Durin Race
Drivetrain	Shimano XTR Shadow / XTR
Brakes	Magura Marta SL
Wheels	DT Swiss XR400
Tires	Schwalbe Furious Fred
Colour	Raw Clearcoated
Weight	8.9 kg

### Pro Series



1. Hotmelt carbon



2. Double chamber technology



3. Oversized BB shell



# PEARL

## Specifications

Size	17"   19"   21"
Frame	T700 Carbon
Fork	Rockshox Reba SL
Drivetrain	SRAM XO / X9
Brakes	Magura Louise
Wheels	DT Swiss X1800
Tires	Schwalbe Rocket Ron
Colour	Pearl White
Weight	9.9 kg

## RC Series



1. T700 carbon



2. Double chamber technology



3. Oversized BB shell



# BRONZE

## Specifications

Size	17"   19"   21"
Frame	T700 Carbon
Fork	Rockshox Recon SL
Drivetrain	Shimano XT Shadow / Deore
Brakes	Magura Julie
Hubs	Shimano Deore
Rims	Mavic XM117
Tires	Schwalbe Racing Ralph
Colour	Pearlized Bronze
Weight	10.8 kg

## RC Series



1. T700 carbon



2. Double chamber technology



3. Oversized BB shell





**mtb** beachbike ltd

## BeOne® for tough conditions on the beach.

The BeOne Special. This beachbike is a different story. Exclusively designed for bumpy rides on the beach. Whoever rode on the beach in Dutch autumns, knows what is expected from man and machine. Sand, sea and sometimes a speed of 50 km/h with a wind force 9 behind you, or battering against the wind at a speed of no more than 5 km/h, demands something very special. A fully equipped sandracer which serves as a sturdy mountain bike and a trendy city bike at the same time. A real BeOne Special. The mega balloon beach tyres, a solid racing fork and all-weather proof (sealed) cables will prevent sand and seawater to find their way in.

Hubs and all other rotating parts with extra sealing for permanent use even under the most extreme conditions. It's like dancing on the beach with the lowest possible rolling resistance and a natural suspension. The solid fork guarantees full control, almost like a racing bike. Details make a difference on a beachbike.

1. Aluminium Lite



2. Hydroforming



## KARMA BEACHBIKE LTD

### Specifications

Size	15"   17"   19"   21"
Frame	6061 T6 Alloy
Fork	Alloy Rigid
Drivetrain	Shimano Deore
Brakes	Shimano Deore
Hubs	Shimano Deore
Rims	DT Swiss XR4.1
Tires	Schwalbe Super Moto
Colour	Pearlized Black
Weight	10.4 kg



mtb alloy

## BeOne® for competitive biking, whatever the path you take.

The adventurers of BeOne. Designed according to the same principles as our high-tech carbon frames, but made of durable and high-quality 6061 T6 aluminium. Because here we're talking about reliability, safety and functionality, these bikes are severely tested in the woods, dunes and open country and simply must endure at all times. This makes BeOnes a class of their own.

On sale in a wide range of designs with different options. Most models equipped with lock-out system. Combined Shimano and SRAM group composition to guarantee an optimal functioning whatever the circumstances.

1. Aluminium Lite



2. Hydroforming



## KARMA

### Specifications

Size	15"   17"   19"   21"
Frame	6061 T6 Alloy
Fork	Carbon Rigid
Drivetrain	SRAM X9 / X7
Brakes	Avid Single Digit SL
Hubs	Shimano Deore
Rims	DT Swiss XR4.1
Tires	Schwalbe Furious Fred
Colour	Pearlized Black
Weight	10.4 kg

# ASPIRE

## Specifications

Size	15"   17"   19"   21"
Frame	6061 T6 Alloy
Fork	Rockshox Recon SL
Drivetrain	Sh. Deore XT Shadow / SLX
Hubs	Shimano Deore
Rims	Mavic XM117
Brakes	Magura Louise
Tires	Schwalbe Rocket Ron
Colour	Pearlized White
Weight	11.0 kg

## PF Series



1. Aluminium Lite



2. Hydroforming



# CHAKRA

## Specifications

Size	15"   17"   19"   21"
Frame	6061 T6 Alloy
Fork	Rockshox Tora SL
Drivetrain	Sh. Deore XT Shadow / Deore
Brakes	Avid Single Digit 3
Hubs	Shimano RM60
Rims	Exal ZX19
Tires	Schwalbe Smart Sam
Colour	Dark Red
Weight	12.0 kg

## PF Series



1. Aluminium Lite



2. Hydroforming



# SPIRIT

## Specifications

Size	15"   17"   19"   21"
Frame	7005 T6 Alloy
Fork	RST Gila Pro RL
Drivetrain	Sh. Deore XT Shadow / Deore
Brakes	Shimano BRM486
Hubs	Shimano RM65
Rims	Exal DC19
Tires	Schwalbe Smart Sam
Colour	Dutch Orange
Weight	13.1 kg

## SPS Series



1. 7005 Aluminium



2. Hydroforming



# KOSMOS

## Specifications

Size	15"   17"   19"   21"
Frame	7005 T6 Alloy
Fork	RST Gila Pro ML
Drivetrain	Shimano Deore
Brakes	Shimano BRM422
Hubs	Shimano RM60
Rims	Exal ZX19
Tires	Schwalbe Smart Sam
Colour	Army Green
Weight	12.8 kg

## SPS Series



1. 7005 Aluminium



2. Hydroforming





hybride alloy

## BeOne® for local rides and beyond.

The citybikes of BeOne. Nice and comfortably light for the demanding user as well as the recreational biker. A cross between a city bike and a mountain bike. Lightweight, between 11 and 13 kilos, convenient and easy manageable, always and everywhere. This good-looking bicycle comes in various models. A bike with a multi-functional usage. Suitable for both the commuter and leisure cyclist. For trendy looks and serious business.



1. 7005 Aluminium



2. Hydroforming



## GUNMETAL CROSSOVER

### Specifications

Frame	7005 T6 Alloy
Fork	Alloy Rigid
Drivetrain	Shimano Deore
Brakes	Shimano BRM422
Tires	Schwalbe Smart Sam
Accessory	Alloy Carrier Fenders, Kickstand
Colour	Gunmetal
Weight	10.5 kg

# COPPER CROSSOVER

## Specifications

Frame	7005 T6 Alloy
Fork	Alloy Rigid
Drivetrain	Shimano Tiagra / FD440
Brakes	Shimano BRM422
Tires	Schwalbe Marathon Supreme
Colour	Copper
Weight	10.4 kg

## HS Series



1. 7005 Aluminium



2. Hydroforming



# FLAKE BLUE CROSSOVER

## Specifications

Frame	7005 T6 Alloy
Fork	Alloy Rigid
Drivetrain	Shimano Deore
Brakes	Shimano BRM422
Tires	Schwalbe Smart Sam
Colour	Flake Blue
Weight	12.1 kg

## HS Series



1. 7005 Aluminium



2. Hydroforming



## AA Cycling Team

In January 2009 Michael Zijlaard started a new concept which includes a track and cyclocross team. BeOne takes part in this concept as a supplier. The group is active both on tracks and in the open country by the name AA Cycling Team.

### Track

Danny Stam (Ned)  
Peter Schep (Ned)  
Jeff Vermeulen (Ned)  
Patrik Ratajczyk (Pol)  
Willy Kanis (Ned)  
Dimitri de Fauw (Bel)

### Cyclocross

Thijs Al (Ned)  
Stef Boden (Bel)  
Mitchell Huenders (Ned)  
Eddy van IJzendoorn (Ned)  
Tom van den Bosch (Bel)  
Lars van der Haar (Ned)

Thijs Al AA Cycling Race WB Pizen (Tst) Photo: Photopress.be





cyclocross carbon/alloy

## One of the specialities of BeOne®.

One of the specialities of BeOne. After all, a cooperation with the AA CYCLING TEAM and world class cyclocrosser Thijs Al together with coach Richard Groenendaal can only lead to the best of all material. That's why there are some very reliable and fast bikes ready for action.

The self-developed very light carbon cyclocross frame which the AA team rides is now available to the public and, more importantly, it's on sale at a very competitive price. The aluminium cross-country bike is also developed in close cooperation with the professionals of the AA Drink/BeOne Cyclocross Team, but also tailored to a more common use by the competitive and recreational riders. A first-class bike which meets all specific cross-country requirements with regard to riding, running and carrying. Lightweight Easton carbon fork, aluminium 6061 frame, Shimano 105 groupset, 35 mm Schwalbe tyres. A very easy to handle, lightweight cross-country bike for every subsoil as well as on the road!



1. 7005 Aluminium



2. Hydroforming



## CHASE CYCLOCROSS

### Specifications

Size	50   53   56   59   62
Frame	7005 T6 Alloy
Fork	Easton EC70X
Drivetrain	Shimano 105
Brakes	Tektro CR520
Tires	Schwalbe Rocket Ron 35C
Colour	Pearlized Black
Weight	9.5 kg

## FRAME RAW CYCLOCROSS

### Specifications

Size	52   54   56   58   60   62
Framematerial	Hotmelt Carbon with Double Chamber downtube
Frameweight	1.135 gr*
Colour	Raw coated

1. 6061 Aluminium



2. Hydroforming



## SCRATCH TRACK FRAME

### Specifications

Size 50 | 53 | 56 | 59 62

Framematerial 6061 T6 Alloy

Framematerial Carbon w/alloy

Colour Pearlized Black

## Track cycling increasingly popular.

Together with the famous track riders of the AA Team and several track specialists of Leontien's ladies team, BeOne guarantees track sport fun. We have a top carbon model for both the absolute world-class rider and the recreational cyclist, designed in cooperation with Teschner. Danny Stam and Peter Schep in particular, who are both international six-day racing specialists, have had their influence on this fully self-developed aluminum frame.

Track cycling demands a very special geometry. Only too often the bikes that have to find their way on the steep track, are road bike derivatives. This certainly doesn't help track cycling. The valuable experience of our leading track bikers ensures that BeOne markets real track products, which guarantee optimal steering and reaction behaviour.



## Leontien Ladies Team

Since 2009, Leontien van Moorsel has a ladies' racing team consisting of ten female riders, besides her own pleasure ride (Leontien Ladies' Ride). Leontien.nl is a team which brings together mainly young talents. The fourfold Olympic champion personally provides these girls with training schedules and tips. The aim of Leontien.nl is of course to coach young talent for serious racing.

Montique van de Ree - Leontien Ladies Team - Race: Liss van Roden - Photo: Eppo Karsjins



## The ultimate limited edition of BeOne®.



A racing bike developed in close cooperation with the professional ladies-cycling team of Leontien van Moorsel. A genuine and pleasant lady's racer. Frame and parts are tailored to the use and position of sportswomen who want to look pretty at the same time. For this is what *Leontien van Moorsel* represents: sportsmanship and femininity.

The Leontien Team Replica guarantees the best performance: a perfect design and an excellent value for money. Personally approved by the fourfold Olympic Champion, but be quick: this bike comes in a limited edition only.

Team outfit worth € 72,90

Now FREE with purchase of a BeOne Leontien Team Replica, the official Leontien Team cyclewear kit by Shimano!

**leontien.nl**



1. 7005 Aluminium



2. Hydroforming



## LEONTIEN TEAM REPLICA


### Specifications

Size	40   45   50   55
Frame	7005 T6 Alloy
Fork	Carbon w/alloy
Drivetrain	Shimano Tiagra / Sora
Brakes	Shimano Sora
Tires	Vredestein Fortezza Pink
Colour	Rubine Red   Pearl White
Weight	8.8 kg

ROAD	RAW D12	RAW SRAM RED	RAW DURA-ACE	PRO ROSSO	RC PEARL	RC BLUE	PF MISTRAL	PF BLIZZARD
Size	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62	50   53   56   59   62
Frame	Hotmelt Carbon	Hotmelt Carbon	Hotmelt Carbon	Hotmelt Carbon	T700 Carbon	T700 Carbon	Hydroformed 6061 T6	Hydroformed 6061 T6
Fork	Full Carbon	Full Carbon	Full Carbon	Full Carbon	T700 Full Carbon	T700 Full Carbon	T700 Full Carbon	T700 Full Carbon
Front Der.	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano 105
Rear Der.	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Shimano 105	Shimano 105	Shimano NEW Ultegra	Shimano 105
Shifters	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano 105
Brakelevers	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano NEW Ultegra	Shimano 105
Brakes	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Tektro R530	Tektro R530	Shimano NEW Ultegra	Shimano 105
Crankset	Sh. Dura Ace (53-39)	SRAM Red (53-39)	Sh. Dura Ace (53-39)	Sh. NEW Ultegra (53-39)	FSA Omega Exo (50-39-30)	FSA Omega Exo (50-39-30)	Sh. NEW Ultegra (53-39)	Shimano 105 (53-39)
Handlebar	3T Rotundo Team	Syntace Racelite Carbon	Syntace Racelite Carbon	Syntace Racelite 2014	3T Rotundo Pro	3T Rotundo Pro	3T Rotundo Pro	3T Rotundo Pro
Stem	3T ARX Team	Syntace Force 109 TI	Syntace Force 109 TI	Syntace Force 149	3T ARX Pro	3T ARX Pro	3T ARX Pro	3T ARX Pro
Seatpost	3T Doric Team	Full Mat Carbon	Full Mat Carbon	Full Carbon	3T Dorico Pro	3T Dorico Pro	3T Dorico Pro	3T Dorico Pro
Saddle	Selle Italia SLR Kit Carb.	Selle Italia SLR Kit Carb.	Selle Italia SLR Kit Carb.	Pro Logo Nago Evo	Selle Italia XO SE	Selle Italia XO SE	Selle Italia XO SE	Selle Italia XO SE
Hubs	Edco	Easton	Easton	Easton	Gipiemme	Gipiemme	Mavic	Easton
Rims	Edco Furka Light TT	Easton EA90 SLX	Easton EA90 SLX	Easton EA70	Gipiemme 40mm	Gipiemme 40mm	Mavic Aksium Noir	Easton Vista
Chain	Shimano Dura Ace	SRAM Red	Shimano Dura Ace	Shimano NEW Ultegra	Shimano 105	Shimano 105	Shimano NEW Ultegra	Shimano 105
Cassette	Sh. Dura Ace (12-25)	SRAM Red (11-26)	Sh. Dura Ace (12-25)	Sh. NEW Ultegra (12-25)	Shimano 105 (12-25)	Shimano 105 (12-25)	Sh. NEW Ultegra (12-25)	Shimano 105 (12-25)
Tires	Continental Gatorskin	Vredestein Fortezza Slick	Vredestein Fortezza Slick	Vredestein Fiammante	Vredestein Fiammante	Vredestein Fiammante	Vredestein Fiammante	Vredestein Fiammante
Weight	6.6 kg	6.2 kg	6.4 kg	7.4 kg	8.5 kg	8.5 kg	9.1 kg	9.1 kg
Color	Raw Clearcoated	Raw Clearcoated	Raw Clearcoated	Racing Red	Pearl White	Racing Blue	Pearlized Black	Pearlized White

ROAD	STORM	BRIZA
Size	40   45   50   55   60	40   45   50   55   60
Frame	7005 T6 Alloy	7005 T6 Alloy
Fork	Carbon w/alloy	Carbon w/alloy
Front Der.	Shimano 105	Shimano 105
Rear Der.	Shimano NEW Ultegra	Shimano 105
Shifters	Shimano NEW Ultegra	Shimano 105
Brakelevers	Shimano NEW Ultegra	Shimano 105
Brakes	Shimano NEW Ultegra	Shimano 105
Crankset	NEW Ultegra (52-39-30)	Shimano 105 (52-39-30)
Handlebar	Uno	Uno
Stem	Uno	Uno
Seatpost	Uno	Uno
Saddle	Selle Italia XO	Selle Italia XO
Hubs	Shimano RS10	Shimano RS10
Rims	Shimano RS10	Shimano RS10
Chain	Shimano 105	Shimano 105
Cassette	Shimano 105 (12-25)	Shimano 105 (12-25)
Tires	Vredestein Fiammante	Vredestein Fiammante
Weight	8.8 kg	9.1 kg
Color	Matt Black	Pearlized White


RAW - ROSSO - PEARL - BLUE



A = Seattube Length  
 B = Effective Tootube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
50	500	535	125	74	71	993.4
53	530	555	135	73,5	72	999.9
56	560	565	155	73,5	73.5	996.1
59	590	585	175	73	73.5	1000.5
62	620	615	195	73	73.5	1040.4

STORM - BRIZA




A = Seattube Length  
 B = Effective Tootube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
40	400	513.6	-	74.3	71	975.0
45	450	535.0	-	74	72	975.9
50	500	555.0	-	73.3	73	982.9
55	550	585.0	-	73	74	998.6
60	600	605.0	-	73	74	1018.4

MODEL	RAW SRAM XX	RAW XTR	RD PEARL	RD BRONZE	PF KARMA	KARMA BEACH LTD	PF ASPIRE	PF CHAKRA
Size	17"   19"   21"	17"   19"   21"	17"   19"   21"	17"   19"   21"	15"   17"   19"   21"	15"   17"   19"   21"	15"   17"   19"   21"	15"   17"   19"   21"
Frame	Hotmelt Carbon	Hotmelt Carbon	T700 Carbon	T700 Carbon	6061 T6 Alloy	6061 T6 Alloy	6061 T6 Alloy	6061 T6 Alloy
Fork	Magura Durin Race	Magura Durin Race	Rockshox Reba SL	Rockshox Recon SL	Carbon Rigid	Alloy Rigid	Rockshox Recon SL	Rockshox Tora SL
Front Der.	SRAM XX	Shimano XTR	SRAM XO	Shimano Deore XT Sh.	SRAM X9	Shimano Deore	Shimano Deore XT Sh.	Shimano Deore XT Sh.
Rear Der.	SRAM XX	Shimano XTR	SRAM X9	Shimano Deore	SRAM X7	Shimano Deore	Shimano SLX	Shimano Deore
Shifters	SRAM XX	Shimano XTR	SRAM X9	Shimano Deore	SRAM X9	Shimano Deore	Shimano SLX	Shimano Deore
Brakelevers	Magura Marta SL	Magura Marta SL	Magura Louise	Magura Julie	Avid Speed Dial SL	Shimano Deore	Magura Louise	Avid FR5
Brakes	Magura Marta SL	Magura Marta SL	Magura Louise	Magura Julie	Avid Single Digit SL	Shimano Deore	Magura Louise	Avid Single Digit 3
Crankset	SRAM XX	Shimano XTR	Truvativ Stylo Giga X	Shimano Deore	FSA After Burner Comp.	Shimano Deore	Shimano Deore	Shimano FTM442
Handlebar	Easton EC90	Easton EC90	Easton EA70	Easton EA30	Easton EA30	Easton EA30	Easton EA30	Easton EA30
Stem	Easton EA90	Easton EA90	Easton EA70	Easton EA30	Easton EA30	Easton EA30	Easton EA30	Easton EA30
Seatpost	Easton EC90	Easton EC90	Easton EA70	Easton EA30	Easton EA30	Easton EA30	Easton EA30	Easton EA30
Saddle	Selle Italia SLR Kit Carb.	Selle Italia SLR Kit Carb.	Pro Logo Scratch Pro	Selle Italia XR	Pro Logo Nago Evo	Pro Logo Nago Evo	Selle Italia XR	Pro Logo Nago Evo
Hubs	DT Swiss 240 Disc	DT Swiss 240 Disc	DT Swiss	Shimano Deore	Shimano Deore XT	Shimano Deore	Shimano Deore	Shimano RM60
Rims	DT Swiss XR400	DT Swiss XR400	DT Swiss X1800	Mavic XM 117	DT Swiss XR4.1	DT Swiss XR4.1	Mavic XM117	Exal ZX19
Chain	SRAM XX	Shimano XTR	SRAM PC971	Shimano Deore	SRAM PC971	Shimano Deore	Shimano Deore	Shimano Deore
Cassette	SRAM XX (11-32)	Shimano XTR (11-32)	SRAM PG971	Shimano Deore (11-32)	SRAM P950 (11-32)	Shimano Deore (11-25)	Shimano Deore (11-32)	Shimano Deore (11-32)
Tires	Schwalbe Furious Fred	Schwalbe Furious Fred	Schwalbe Rocket Ron	Schwalbe Racing Ralph	Schwalbe Furious Fred	Schwalbe Super Moto	Schwalbe Rocket Ron	Schwalbe Smart Sam
Weight	8.9 kg	8.9 kg	9.9 kg	10.8 kg	10.4 kg	10.4 kg	11.0 kg	12.0 kg
Color	Raw Clearcoated	Raw Clearcoated	Pearl White	Pearlized Bronze	Pearlized Black	Pearlized Black	Pearlized White	Dark Red


RAW - PEARL - BRONZE



A = Seattube Length  
 B = Effective Toptube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
17"	440	579.9	110	73	70	1058.4
19"	490	595.3	130	73	70	1079.5
21"	530	605.3	150	73	70	1095.6

KARMA - BEACH LTD - ASPIRE - CHAKRA




A = Seattube Length  
 B = Effective Toptube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
15"	380	564.6	110	73	70	1033.6
17"	440	579.8	110	73	70	1058.4
19"	490	594.8	130	73	70	1079.5
21"	530	604.6	150	73	70	1095.6

MODEL	SPS SPIRIT	SPS KOSMOS	HS GUNMETAL	HS COPPER	HS FLAKE BLUE	CX CHASE	LEONTIEN REPLICIA
Size	15"   17"   19"   21"	15"   17"   19"   21"	-	-	-	15"   17"   19"   21"	40   45   50   55
Frame	7005 T6 Alloy	7005 T6 Alloy	7005 T6 Alloy	7005 T6 Alloy	7005 T6 Alloy	7005 T6 Alloy	7005 T6 Alloy
Fork	RST Gila Pro RL	RST Gila Pro RL	Alloy Rigid	Alloy Rigid	RST Suspension	Easton EC70X	Carbon w/alloy
Front Der.	Shimano Deore XT Sh.	Shimano Deore	Shimano Deore	Shimano Tiagra	Shimano Deore	Shimano 105	Shimano Tiagra
Rear Der.	Shimano Deore	Shimano Deore	Shimano Deore	Shimano FD440	Shimano Deore	Shimano 105	Shimano Sora
Shifters	Shimano Deore	Shimano Deore	Shimano Deore	Shimano SLR440	Shimano Deore	Shimano 105	Shimano Sora
Brakelevers	Shimano BRM486	Shimano BLM422	Shimano BLM421	Shimano BLM421	Shimano BLM421	Shimano 105	Shimano Sora
Brakes	Shimano BRM486	Shimano BRM442	Shimano BRM422	Shimano BRM422	Shimano BRM422	Tektro CR520	Shimano Sora
Crankset	Shimano FTM442	Shimano FTM442	Shimano Deore	Shimano Tiagra	Shimano Deore	FSA Vero Cross	Shimano Sora (50-34)
Handlebar	Easton EA30	Easton EA30	Alloy	Alloy	Alloy	Pro LT	Pro XLT
Stem	Easton EA30	Easton EA30	Alloy	Alloy	Alloy	Pro LT	Pro XLT
Seatpost	Easton EA30	Easton EA30	Alloy	Alloy	Alloy	Pro LT	Pro XLT
Saddle	Selle Italia X2	Selle Italia X2	Selle Italia Zoo Flow	Selle Italia Zoo Flow	Selle Italia Zoo Flow	Selle Italia XO	Selle Italia Lady
Hubs	Shimano RM65	Shimano RM60	Shimano Deore	Shimano HB2200	Shimano Deore	Shimano 105	Shimano R500
Rims	Exal DC19	Exal ZX19	Exal XP19	Exal XP19	Exal XP19	Mavic CXP22	Shimano R500
Chain	Shimano Deore	Shimano Deore	Shimano Deore	Shimano Tiagra	Shimano Deore	Shimano 105	Shimano HG53
Cassette	Shimano Deore (11-32)	Shimano Deore (11-32)	Shimano Deore (12-25)	Shimano Tiagra (12-25)	Shimano Deore (12-25)	Shimano 105 (12-25)	Shimano Tiagra (11-25)
Tires	Schwalbe Smart Sam	Schwalbe Smart Sam	Schwalbe Smart Sam	Schwalbe Marathon Supr.	Schwalbe Smart Sam	Schwalbe Rocket Ron 35C	Vredestein Fortezza Pink
Weight	13.1 kg	12.8 kg	10.5 kg	10.4 kg	12.1 kg	9.5 kg	8.8 kg
Color	Dutch Orange	Army Green	Gunmetal	Copper	Flake Blue	Pearlized Black	Rubine Red   Pearl White


SPIRIT - KOSMOS



A = Seattube Length  
 B = Effective Tuptube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
15"	380	554.9	-	74	70.3	1040.9
16"	410	555.0	-	74	70.3	1041.1
18.5"	460	578.0	-	73.3	70.3	1059.8
19.5"	510	589.0	-	73.3	71	1065.6
22"	560	610.0	-	73.3	71	1086.5

LEONTIEN REPLICIA



A = Seattube Length  
 B = Effective Tuptube Length  
 C = Headtube Length  
 D = Seattube Angle  
 E = Headtube Angle  
 F = Wheelbase

Size	A	B	C	D	E	F
40	400	513.6	-	74.3	71	975.0
45	450	535.0	-	74	72	975.9
50	500	555.0	-	73.3	73	982.9
55	550	585.0	-	73	74	998.6

catalogue **credits**

#### **Concept**

Blomson International BV

#### **Photography**

Ewoud Koster

#### **Printing office**

Boom & van Ketel Grafimedia

#### **Contact**

BeOne Bikes BV  
Salland 2  
1948 RE Beverwijk

*Phone* +31(0)251 267 287

*Fax* +31(0)251 267 297

[info@beone-bikes.com](mailto:info@beone-bikes.com)

[www.beone-bikes.com](http://www.beone-bikes.com)

All colors, specifications and availability are subject to change without prior notice. All designs are the copyright of BeOne / Blomson International BV and may not be copied, reproduced or otherwise distributed without express written consent of BeOne / Blomson International BV. All other trademarks and brandnames are the property of their respective owners.



**BeOne Bikes BV**

Salland 2

1948 RE Beverwijk

Phone +31(0)251 267 287

Fax +31(0)251 267 297

info@beone-bikes.com

www.beone-bikes.com

BeOne® catalogue is also available in a digital format at [www.beone-bikes.com](http://www.beone-bikes.com)