



0'11

SUPERIOR





SUPERIOR PRODUCT RANGE STRATEGY

SYMBOL:

LOGOTYPE:

MISSION:

CATEGORIES:



(MACH)

SUP

SUPERIOR

RACE
TRAINING

RACING TEAM
ROAD
XP PROFESSIONAL
29
PRESTIGE COLLECTION
WOMEN TEAM
JUNIOR RACE

SPORT
FITNESS
MOVING
TRANSPORT

OXIDE
MODO
RX
29
BLOXX
JUNIOR
KIDS



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE



A male mountain biker is shown in action, riding a full-suspension mountain bike on a dirt trail. He is wearing a red and white cycling jersey, red shorts, a black helmet, and sunglasses. The bike is black with a prominent front fork and a rear shock absorber. The background features a dense forest of tall evergreen trees under a cloudy sky. The rider is leaning forward, gripping the handlebars, and the bike is angled slightly to the right. The overall scene conveys a sense of speed and adventure.

SUPERIOR SPEED UPGRADE
COLLECTION 0.11 New bike. > New story.

[illegible]

ROAD 

ROAD



SUPERIOR
RACING TEAM

SUPERIOR

RACING TEAM OVERVIEW



TEAM ROAD ISSUE



TEAM ROAD ELITE



FRAME SET ROAD RACING



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE



FRAME SIZE


52, 54, 56, 58 cm

WHEEL SIZE

28"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	52, 54, 56, 58 cm
FRAME	CARBON UD
FORK	CARBON UD
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	FSA Orbit IS2
BB PARTS	SHIMANO Ultegra (BSA)
STEM	ONE Team Issue 31.8 mm 52/100 mm, 54, 56, 58/120 mm
HANDLEBAR	FSA HB-RD 255S Ø31.8 mm, 440 mm
SEAT POST	ONE Team CRB 31.6 mm/350 mm
GRIPS	FIZIK tape
SADDLE	FIZIK Antares MG
BRAKE LEVERS	SHIMANO Ultegra

* weight without pedals

BRAKES (front/rear)	SHIMANO Ultegra
SHIFT LEVERS	SHIMANO Ultegra
FRONT DERAILLEUR	SHIMANO Ultegra 34.9 mm
REAR DERAILLEUR	SHIMANO Ultegra
CRANKS w/CHAINWHEELS	SHIMANO Ultegra 53X39T, 52/172.5 mm; 54, 56, 58/175 mm
FREEWHEEL/CASSETTE	SHIMANO Ultegra 11-25T
CHAIN	SHIMANO 105
FRONT HUB	
REAR HUB	FULCRUM Racing 3 black clincher HG 10
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Ultramo ZX, 700x23C
PEDALS	X
GEARS	20
WEIGHT*	7.2 kg



ROAD TEAM LINE

TEAM ROAD ELITE

FRAME SIZE

52, 54, 56, 58 cm

WHEEL SIZE

28"


NEW

MODEL



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	52, 54, 56, 58 cm
FRAME	CARBON UD
FORK	CARBON UD
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	FSA Orbit IS2
BB PARTS	SHIMANO 105 (BSA)
STEM	ONE Team Issue 31.8 mm 52/100 mm, 54, 56, 58/120 mm
HANDLEBAR	FSA HB-RD 255S Ø31.8 mm, 440 mm
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	FIZIK tape
SADDLE	FIZIK Antares MG
BRAKE LEVERS	SHIMANO 105

BRAKES (front/rear)	SHIMANO 105
SHIFT LEVERS	SHIMANO 105
FRONT DERAILLEUR	SHIMANO 105 34.9 mm
REAR DERAILLEUR	SHIMANO 105
CRANKS w/CHAINWHEELS	SHIMANO 105 53X39T; 52/172.5mm, 54, 56, 58/175 mm
FREEWHEEL/CASSETTE	SHIMANO 105 11-25T
CHAIN	SHIMANO 105
FRONT HUB	
REAR HUB	
RIMS	FULCRUM Racing 7 black clincher HG 10
SPOKES	
TIRES (front/rear)	SCHWALBE Ultremo ZX, 700x23C
PEDALS	X
GEARS	20
WEIGHT*	7.9 kg

* weight without pedals






FRAME SET ROAD RACING

FRAME SIZE 52, 54, 56, 58 cm
WHEEL SIZE 28"

ROAD



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE 52, 54, 56, 58 cm

FRAME CARBON UD

FORK CARBON UD

(system spring//
damping)

(travel)

REAR SPRING

HEAD PARTS FSA Orbit IS2

BB PARTS

STEM

HANDLEBAR

SEAT POST

GRIPS

SADDLE

BRAKE LEVERS

BRAKES (front/rear)

SHIFT LEVERS

FRONT DERAILLEUR

REAR DERAILLEUR

CRANKS w/CHAINWHEELS

FREEWHEEL/CASSETTE

CHAIN

FRONT HUB

REAR HUB

RIMS

SPOKES


TIRES (front/rear)

PEDALS


GEARS

WEIGHT





SPEED UPGRADE





SUPERIOR RACING TEAM

SUPERIOR

RACING TEAM OVERVIEW

MTB



TEAM RACING F80



RACING TEAM ISSUE



RACING TEAM ELITE



0.11
SUP.R STAR COLLECTION
SPEED UPGRADE



TEAM RACING F80

FRAME SIZE

16.5", 18.5", 20.5"


WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 18.5", 20.5"
FRAME	Aluminium 7005/carbon
FORK	MANITOU R7 PRO + MILO
(system spring// damping)	Absolute + damper, Externally adjustable low speed damping, Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	DT SWISS 210M Remote Lockout (190 mm)
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Team Issue 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race Elite 31.6 mm/350mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra K-ium
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore XT Rapidfire plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM RED Metal 5 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	X



MTB TEAM LINE

RACING TEAM ISSUE

FRAME SIZE 16.5", 18.5", 20.5"
WHEEL SIZE 26"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	16.5", 18.5", 20.5"
FRAME	CARBON UD
FORK	MANITOU R7 MRD + MILO
(system spring//damping)	Light weight, Externally adjustable low speed damping, Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	BB30
STEM	ONE Team Issue 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Team CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra K-ium
BRAKE LEVERS	FORMULA R1

* weight without pedals

BRAKES (front/rear)	FORMULA R1 hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO XTR Rapidfire Plus 2x10
FRONT DERAILLEUR	SHIMANO XTR 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO XTR 44x30/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore XT 11-34T
CHAIN	Shimano HG 94 super narrow
FRONT HUB	
REAR HUB	DT SWISS wheels w/Comp. stainless spoke, alu nipples, hubs 240S; rims XR400 28H
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Rocket Ron Evolution, Folding 26x2.10
PEDALS	X
GEARS	20
WEIGHT*	X





FRAME SIZE

16.5", 18.5", 20.5"

WHEEL SIZE


26"

NEW
MODEL



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 18.5", 20.5"
FRAME	CARBON UD
FORK	SR SUNTOUR Epicon RLD
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	BB30
STEM	ONE Team Issue 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore SLX 34.9 mm
REAR DERAILLEUR	SHIMANO Deore SLX shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore SLX 224/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM RED Metal 10 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	X





SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE

SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE

SPEED UPGRADE

MTB

MTB



SUPERIOR
XP PROFESSIONAL

SUPERIOR

XP PROFESSIONAL OVERVIEW

MTB



XP 950



XP 910



XP 930



XP 905



XP 920



XP 900



XP 915



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE




XP 950

FRAME SIZE 16.5", 18.5", 20.5"
WHEEL SIZE 26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 18.5", 20.5"
FRAME	CARBON UD
FORK	Manitou R7 PRO + MILO
(system spring//damping)	Absolute + damper, Externaly adjustable low speed damping, Internaly tuneable high-speed damping
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	BB30
STEM	ONE Race Pro 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8mm flat type 600mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore XT Rapidfire plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM RED Metal 5 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	X



MTB RACE LINE

XP 930

FRAME SIZE 16.5", 19", 21.5"
WHEEL SIZE 26"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	16.5", 18.5", 20.5"
FRAME	ALUMINUM U6 SuperLite
FORK	MANITOU R7 PRO + MILO
(system spring//damping)	Absolute + damper, Externally adjustable low speed damping, Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Race Elite 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore XT Rapidfire plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/hollowtech 2 16.5"/170 mm, 19", 21.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM RED Metal 5 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	10.7 kg






XP 920

FRAME SIZE 16.5", 19", 21.5"
WHEEL SIZE 26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 18.5", 20.5"
FRAME	ALUMINUM U6 SuperLite
FORK	MANITOU Minute Expert + MILO
(system spring//damping)	Absolute + damper, Externaly adjustable low speed damping, Internaly tuneable high-speed damping
(travel)	100 mm
REAR SPRING	
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	Shimano BSA
STEM	ONE Race Elite 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO DEORE SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	Shimano Deore SLX 224/ hollowtech 2 16.5"/170 mm 19", 21.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM RED Metal 10 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	11.2 kg



MTB RACE LINE

XP 915

FRAME SIZE 17.0", 18.5", 20.0"
WHEEL SIZE 26"


MTB

NEW MODEL



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	17.0", 18.5", 20.0"
FRAME	CARBON UD
FORK	SR SUNTOUR Epicon RLD
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Race Pro 31.8 mm 17", 18.5"/90 mm, 20"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nissene Sport
BRAKE LEVERS	HAYES STROKER Trail hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 17"/170 mm, 18.5", 20"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT - alloy Disc industrial bearings w/QR
REAR HUB	KT - alloy Disc industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	11.4 kg





XP 910

FRAME SIZE

14.0", 16.5", 19.0", 21.5"


WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	14.0", 16.5", 19.0", 21.5"
FRAME	ALUMINUM U6 SuperLite
FORK	SR SUNTOUR Epicon RLD
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Race Pro 31.8 mm 14", 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nissene Sport
BRAKE LEVERS	HAYES STROKER Trail hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 14", 16.5"/170 mm, 19", 21.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT - alloy Disc industrial bearings w/QR
REAR HUB	KT - alloy Disc industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	11.7 kg



MTB RACE LINE

XP 905

FRAME SIZE 17.0", 18.5", 20.0"
WHEEL SIZE 26"


MTB

NEW MODEL



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	17.0", 18.5", 20.0"
FRAME	CARBON UD
FORK	SR SUNTOUR Raidon RLD Air
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Race Pro 31.8 mm 17", 18.5"/90 mm, 20"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nissene Sport
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system 3x10
FRONT DERAILLEUR	SRAM X-7 DUAL PULL 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-9 long cage carbon
CRANKS w/CHAINWHEELS	FSA Comet Mega Exo 44/32/24 10 speed 17"/170 mm, 18.5", 20"/175 mm
FREEWHEEL/CASSETTE	SRAM PG1050 11-32T
CHAIN	SRAM CN-PC1050
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	11.7 kg





XP 900

FRAME SIZE

14.0", 16.5", 19.0", 21.5"

WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	14.0", 16.5", 19.0", 21.5"
FRAME	ALUMINUM U6 SuperLite
FORK	SR SUNTOUR Raidon RLD Air
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Race Pro 31.8 mm 14", 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nissene Sport
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system 3x10
FRONT DERAILLEUR	SRAM X-7 DUAL PULL 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Comet Mega Exo 44/32/24 10 speed 14", 16.5"/170 mm, 19", 21.5"/175 mm
FREEWHEEL/CASSETTE	SRAM PG1050 11-32T
CHAIN	SRAM CN-PC1050
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	X
GEARS	30
WEIGHT*	11.9 kg





SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE



SPEED UPGRADE



MTB/CROSS



**SUPERIOR
PRESTIGE**

SUPERIOR

PRESTIGE OVERVIEW



MACH CARBON DRIVE



DARK FACE CARBON DRIVE



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE






MACH CARBON DRIVE

FRAME SIZE 17.0"; 19.0"; 21.0"
WHEEL SIZE 26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	17.0"; 19.0"; 21.0"
FRAME	ALUMINUM 6066 DB
FORK	SR SUNTOUR Raidon RLD Air
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE Race Elite 31.8 mm 17"/90 mm, 19", 21"/110 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	SELLE ROYAL Respiro Athletic
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO ALFINE Rapidfire plus 11 speed
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	FRONT SPROCKET 50T , 5BOLT 130 mm BC
FREEWHEEL/CASSETTE	X
CHAIN	BELT CARBON DRIVE 11M-113T-10
FRONT HUB	KT - alloy Disc industrial bearings w/OR
REAR HUB	ALFINE internal hub gear 11 speed for disc
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE Racing Ralph 26x2.10
PEDALS	SHIMANO PD-M520RS clipless
GEARS	11
WEIGHT*	11.6 kg



PRESTIGE

DARK FACE CARBON DRIVE

FRAME SIZE 18.5; 20.0"
WHEEL SIZE 28"

CROSS

NEW MODEL



TECHNICAL DETAILS:



SIZE	18.5; 20.0"
FRAME	ALUMINUM 6061
FORK	CARBON Rigid
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	Metropolis STCT 160 90 mm x 31.8 x ID28.6xH70, 30°
HANDLEBAR	FSA HBCT3080S Metropolis W620/45°/31.8/R32 Alloy
SEAT POST	SPCT270 METROPOLIS D27.2/L350/20 mm, alloy, brushed silver
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	SELLE ROYAL Respiro Athletic
BRAKE LEVERS	HAYES STROKER hydraulic system

BRAKES (front/rear)	HAYES STROKER hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO ALFINE Rapidfire plus 11 speed
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	FRONT SPROCKET 50T , 5BOLT 130 mm BC
FREEWHEEL/CASSETTE	X
CHAIN	BELT CARBON DRIVE 11M-113T-10
FRONT HUB	KT - alloy Disc industrial bearings w/QR
REAR HUB	ALFINE internal hub gear 11 speed for disc
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE MARATHON 700x35C
PEDALS	XCF08AC Alloy black
GEARS	11
WEIGHT	X





SPEED UPGRADE

SPEED UPGRADE

MTB



MTB



SUPERIOR
FULL

SUPERIOR

FULL OVERVIEW

MTB



F50



F40



F30



0.11
SUP.R STAR COLLECTION
SPEED UPGRADE



FULL F50

FRAME SIZE


15.0", 16.5", 18.5", 20.5"

WHEEL SIZE

26"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	15.0", 16.5", 18.5", 20.5"
FRAME	ALUMINUM 7005.T6 Hydroforming
FORK	MANITOU Minute Pro + MILO 20mm Hex lock
(system spring//damping)	Absolute + damper, Externaly adjustable low speed damping, Internaly tuneable high-speed damping
(travel)	120/130 mm
REAR SPRING	DT SWISS 210M Remote Lockout (190 mm)
HEAD PARTS	ONE IHS 1.5/1-1/8"with/sealed bearings
BB PARTS	Shimano BSA
STEM	ONE Race Elite 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Gobi XM
BRAKE LEVERS	HAYES STROKER Trail hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V7" 180 mm
SHIFT LEVERS	SHIMANO DEORE XT Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT Shadow
CRANKS w/CHAINWHEELS	Shimano Deore XT, 224/ hollowtech 2 15", 16.5"/170 mm 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	FULCRUM Red Zone; front 20 mm axle, rear 9 mm QR
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE NOBBY NIC Evolution 26x2.25
PEDALS	X
GEARS	30
WEIGHT*	13.6 kg



MTB F SERIES

FULL F40

FRAME SIZE 15.0", 16.5", 18.5", 20.5"
WHEEL SIZE 26"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	15.0", 16.5", 18.5", 20.5"
FRAME	ALUMINUM 7005.T6 Hydroforming
FORK	MANITOU Minute Expert + MILO
(system spring//damping)	Absolute + damper, Externaly adjustable low speed damping, Internaly tuneable high-speed damping
(travel)	130/130 mm
REAR SPRING	DT SWISS 210M Remote Lockout (190 mm)
HEAD PARTS	ONE IHS 1.5/1-1/8" with/sealed bearings
BB PARTS	FSA Mega Exo
STEM	ONE Race Elite 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK NISENE Sport
BRAKE LEVERS	HAYES STROKER Trail hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V7" 180 mm
SHIFT LEVERS	SRAM 1:1 X-9 Trigger system 3x10
FRONT DERAILLEUR	SRAM X-9 DUAL PULL 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-9 long cage
CRANKS w/CHAINWHEELS	FSA Comet 44-32-22T MegaExo 10 speed 15", 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SRAM PG1050 12-36T
CHAIN	SRAM CN-PC1050
FRONT HUB	
REAR HUB	FULCRUM RED Metal 10 disc
RIMS	
SPOKES	
TIRES (front/rear)	SCHWALBE NOBBY NIC Evolution 26x2.25
PEDALS	X
GEARS	30
WEIGHT*	13.9 kg





FULL F30

FRAME SIZE

15.0", 16.5", 18.5", 20.5"


WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	15.0", 16.5", 18.5", 20.5"
FRAME	ALUMINUM 7005.T6 Hydroforming
FORK	RST Saturn
(system spring// damping)	Hydraulic cartridge, coil MCU with adjust lock out
(travel)	130/130 mm
REAR SPRING	MANITOU Radium Comp (190 mm)
HEAD PARTS	ONE IHS 1.5/1-1/8" with/sealed bearings
BB PARTS	Shimano BSA
STEM	ONE Race Pro 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/ diam 31.8 mm
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK NISENE Sport
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

* weight without pedals

BRAKES (front/rear)	HAYES STROKER Ryde hydraulic disc brake, rotor V7" 180 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore SLX 34.9 mm
REAR DERAILLEUR	SHIMANO Deore SLX shadow
CRANKS w/CHAINWHEELS	Shimano FCM552C 224 10 speed 15", 16.5"/170 mm 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT - DISC alloy industrial bearings w/QR
REAR HUB	KT - DISC alloy industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.25
PEDALS	X
GEARS	30
WEIGHT*	14.3 kg





SUPERIOR **SPORT OXIDE**

SUPERIOR

SPORT OXIDE OVERVIEW

MTB



OXIDE 870



OXIDE NEON BLUE



OXIDE 825



OXIDE 840



OXIDE NEON PURPLE



OXIDE 810



OXIDE NEON YELLOW



OXIDE NEON RED



OXIDE 800



OXIDE NEON GREEN



OXIDE NEON ORANGE



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE




OXIDE 870

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR Raidon RLD Air
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Respiro Athletic
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT Shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT - DISC alloy industrial bearings w/QR
REAR HUB	KT - DISC alloy industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	30
WEIGHT	12.6 kg



MTB SPORT LINE

OXIDE 840

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



TECHNICAL DETAILS:



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring//damping)	coil spring/hydraulic remote speed lockout
(travel)	100mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg





FRAME SIZE

16.0", 18.0", 20.0", 22.0"


WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring// damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg



MTB SPORT LINE

OXIDE NEON GREEN

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



TECHNICAL DETAILS:



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring// damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg





OXIDE NEON BLUE

FRAME SIZE

16.0", 18.0", 20.0", 22.0"


WHEEL SIZE

26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring// damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg



MTB SPORT LINE

OXIDE NEON PURPLE

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



TECHNICAL DETAILS:



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring// damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg





OXIDE NEON RED

FRAME SIZE


16.0", 18.0", 20.0", 22.0"

WHEEL SIZE

26"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring// damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg



MTB SPORT LINE

OXIDE NEON ORANGE

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



TECHNICAL DETAILS:



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring//damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg





OXIDE 825

FRAME SIZE 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM PM HLO
(system spring// damping)	coil spring/ hydraulic speed lockout
(travel)	100 mm
REAR SPRING	
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Freccia
BRAKE LEVERS	TEKTRO DRACO Hydraulic system

BRAKES (front/rear)	TEKTRO DRACO Hydraulic system, 160 mm rotor
SHIFT LEVERS	SHIMANO DEORE Rapidfire plus
FRONT DERAILLEUR	SHIMANO DEORE 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE
CRANKS w/CHAINWHEELS	FSA Dyna Drive 9spd 44/32/22 14", 16"/170 mm, 18", 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	KMC Z9000
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA X-Star Disc double wall
SPOKES	stainless black
TIRES (front/rear)	IMPAC CrossPac 26x2.1
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	14.4 kg



MTB SPORT LINE


OXIDE 810

FRAME SIZE 14.0", 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	14.0", 16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM HLO
(system spring//damping)	coil spring/ hydraulic lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL New Freccia
BRAKE LEVERS	TEKTRO DRACO Hydraulic system

BRAKES (front/rear)	TEKTRO DRACO Hydraulic system, 160 mm rotor
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus
FRONT DERAILLEUR	SHIMANO FD-M190
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SHIMANO FC-M171 42/34/24 170 mm
FREEWHEEL/CASSETTE	SHIMANO HG40 11-30T
CHAIN	KMC Z51
FRONT HUB	KT - DISC alloy w/QR
REAR HUB	KT - DISC alloy w/QR; cassette type
RIMS	RIGIDA X-Star Disc double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 26x2.1
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	24
WEIGHT	14.5 kg






OXIDE 800

FRAME SIZE 14.0", 16.0", 18.0", 20.0", 22.0"
WHEEL SIZE 26"



MTB

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	14.0", 16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM V3 MLO
(system spring//damping)	coil spring
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9°, 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Freccia ActTex
BRAKE LEVERS	TEKTRO 392A

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus
FRONT DERAILLEUR	SHIMANO FD-M190
REAR DERAILLEUR	SHIMANO ACERA
CRANKS w/CHAINWHEELS	SHIMANO FC-M131 42/34/24 170 mm
FREEWHEEL/CASSETTE	SHIMANO HG40 11-30T
CHAIN	KMC Z51
FRONT HUB	KT - paralax alloy w/QR
REAR HUB	KT - paralax alloy w/QR; cassette type
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 26x2.1
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	24
WEIGHT	14.3 kg





MTB

MTB



SUPERIOR
BIG WHEELS 29"

SUPERIOR

BIG WHEELS 29" OVERVIEW

MTB



TEAM 29



929



829



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE



TEAM 29

FRAME SIZE


16.0", 19.0", 21.5", 23"

WHEEL SIZE

29"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 19.0", 21.5", 23"
FRAME	ALUMINUM U6 SuperLite
FORK	MANITOU Tower29er PRO + MILO
(system spring//damping)	Mars Air - Adjustment Air, compression, lock out, rebound.
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Team Issue 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm, 23"/130 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG

* weight without pedals

BRAKE LEVERS	FORMULA RX
BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 180 mm
SHIFT LEVERS	SHIMANO DEORE SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT Shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/ hollowtech 2 16.5"/170 mm, 19", 21.5", 23"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	
REAR HUB	
RIMS	FULCRUM RED Metal SL29 disc
SPOKES	
TIRES (front/rear)	SCHWALBE Racing Ralph Evolution; folding 29x2.25
PEDALS	SHIMANO PD-M520 clipless
GEARS	30
WEIGHT*	11.4 kg



MTB BIG WHEELS 29"

929


FRAME SIZE
WHEEL SIZE

19.0", 21.5", 23"
29"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	19.0", 21.5", 23"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	MANITOU Tower29er Expert + MILO
(system spring//damping)	ACT Air - Adjustment Air, compression, lock out, rebound
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Race Pro 31.8 mm 19", 21.5"/110 mm, 23"/130 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	HAYES STROKER Trail hydraulic system

BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V7" 180 mm
SHIFT LEVERS	SHIMANO DEORE SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT Shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT - DISC alloy industrial bearings w/QR
REAR HUB	KT - DISC alloy industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE Racing Ralph Evolution; folding 29x2.25
PEDALS	SHIMANO PD-M520 clipless
GEARS	30
WEIGHT*	12.5 kg

* weight without pedals





RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.0", 19.0", 21.5", 23"
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	MANITOU Tower 29er Comp
(system spring//damping)	Coil - Preload, compression, lock out, rebound
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm, 23"/130 mm
HANDLEBAR	ONE Race 20 butted AL6061 660 mm back 9°/Rised 18-20 mm/diam 31.8 mm
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK NISENE Sport
BRAKE LEVERS	HAYES Stroker Ryde hydraulic system

BRAKES (front/rear)	HAYES STROKER Ryde hydraulic disc brake, rotor V7" 180 mm
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE Shadow
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 16.5"/170 mm, 19", 21.5", 23"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT DISC alloy w/QR
REAR HUB	KT DISC alloy /QR; cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE Racing Ralph Evolution; folding 29x2.25
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.32 kg





SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE
SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE SPEED UPGRADE



SPEED UPGRADE

MTB/CROSS



WOMEN



SUPERIOR
WOMEN'S LINE

SUPERIOR

WOMEN'S LINE OVERVIEW



TEAM WOMAN



MOD0 760



MOD0 845



RX 625 W



MOD0 830



RX 615 W



MOD0 815



RX 600 W



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE

WOMEN



TEAM WOMAN

FRAME SIZE

17", 19" W


WHEEL SIZE

26"



WOMEN

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	17", 19"W
FRAME	ALUMINUM U6 SuperLite
FORK	SR SUNTOUR Raidon RLD Air
(system spring//damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Race Elite 31.8 mm 90 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK Vitesse CP
BRAKE LEVERS	FORMULA RX

* weight without pedals

BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-9 Trigger system 3x10
FRONT DERAILLEUR	SRAM X-9 34.9 mm DUAL PULL
REAR DERAILLEUR	SRAM 1:1 X-9 long cage
CRANKS w/CHAINWHEELS	FSA V-Drive 44-32-22T MegaExo 10 speed 170 mm
FREEWHEEL/CASSETTE	SRAM PG1050 11-32T
CHAIN	SRAM CN-PC1050
FRONT HUB	KT - DISC alloy industrial bearings w/QR
REAR HUB	KT - DISC alloy industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	SHIMANO PD-M520 White clipless
GEARS	30
WEIGHT*	X



MTB WOMEN'S LINE

MODO 845

FRAME SIZE 15.0", 17.0", 19.0"W
WHEEL SIZE 26"



TECHNICAL DETAILS:

RACE SPORT COMFORT

SIZE	15.0", 17.0", 19.0"W
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM HLO
(system spring// damping)	coil spring/ hydraulic lockout
(travel)	80 mm
REAR SPRING	
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Modos 31.8 mm, 90 mm
HANDLEBAR	ONE Modos 31.8 mm flat type 600 mm; back swept 6°
SEAT POST	ONE Modos 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	FIZIK Vitesse OEM
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 170 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74 10 speed
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA X-Star double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	SHIMANO PD-M520 White clipless
GEARS	30
WEIGHT	12.9 kg






MOD0 830

FRAME SIZE 15.0", 17.0"W
WHEEL SIZE 26"



WOMEN

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	15.0", 17.0"W
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM HLO
(system spring//damping)	coil spring/ hydraulic lockout
(travel)	80 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE Mod0 31.8 mm, 90 mm
HANDLEBAR	ONE Mod0 31.8 mm flat type 600 mm; back swept 6°
SEAT POST	ONE Mod0 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Gel
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE Rapidfire plus
FRONT DERAILLEUR	SHIMANO DEORE 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE
CRANKS w/CHAINWHEELS	FSA Dyna Drive 9spd 42/32/22 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA X-Star double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.2 kg



MTB WOMEN'S LINE

MODO 815

FRAME SIZE 15.0", 17.0", 19.0"W
WHEEL SIZE 26"



TECHNICAL DETAILS:



SIZE	15.0", 17.0", 19.0"W
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM HLO
(system spring//damping)	coil spring/ hydraulic lockout
(travel)	80 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE Modos 31.8 mm, 90 mm
HANDLEBAR	ONE Modos 31.8 mm flat type 600 mm; back swept 6°
SEAT POST	ONE Modos 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Royal
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO ALIVIO Rapidfire Plus
FRONT DERAILLEUR	SHIMANO ALIVIO 34.9 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	FSA Dyna Drive 9spd 42/32/22 170 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG30-9 11-32T
CHAIN	KMC Z9000
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA X-Star double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10
PEDALS	Alloy/STEEL w/reflectors
GEARS	27
WEIGHT	13.2 kg






MOD0 760

FRAME SIZE 15.0", 17.0"W
WHEEL SIZE 26"



WOMEN

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	15.0", 17.0"W
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR XCM V3 MLO
(system spring//damping)	Coil spring
(travel)	80 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system
STEM	ONE Mod0 31.8 mm, 90 mm
HANDLEBAR	ONE Mod0 31.8 mm flat type 600 mm; back swept 6°
SEAT POST	ONE Mod0 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Royal
BRAKE LEVERS	TEKTRO 392A

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus
FRONT DERAILLEUR	SHIMANO FD-M190 34.9 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SHIMANO FCM171 24/34/42
FREEWHEEL/CASSETTE	SHIMANO CS-HG40-8 11-30T
CHAIN	KMC Z51
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR; cassette type
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 26x2.1
PEDALS	Alloy/STEEL w/reflectors
GEARS	24
WEIGHT	13.9 kg



CROSS WOMEN'S LINE

RX 625 W


FRAME SIZE 16.5"W, 19.0"W
WHEEL SIZE 28"



WOMEN

TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	16.5"W, 19.0"W
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NCX-D RL Lite
(system spring//damping)	coil spring/hydraulic remote lockout
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 90 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27,2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Royal gel
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE LX
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 9 speed 26/36/48 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T
CHAIN	SRAM CN-951
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA Zac 2000 double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE XC Comp 700x38C
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.9 kg






RX 615 W

FRAME SIZE 16.5", 19.0"W
WHEEL SIZE 28"



WOMEN

RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 19.0"W
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NEX4610 V2 HLO
(system spring//damping)	coil spring, hydraulic lock out
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 90 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27,2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 9 speed 26/36/48 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T
CHAIN	SRAM CN-951
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA Zac 2000 double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SILENTO 700x38C
PEDALS	ALLOY/STEEL w/reflectors
GEARS	27
WEIGHT	13.9 kg



CROSS WOMEN'S LINE

RX 600 W

FRAME SIZE 16.5", 19.0"W
WHEEL SIZE 28"



TECHNICAL DETAILS:

RACE SPORT COMFORT




SIZE	16.5", 19.0"W
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NEX4610 V2 HLO
(system spring// damping)	coil spring, hydraulic lock out
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system
STEM	ONE 31.8 mm, 90 mm 6° Alloy
HANDLEBAR	ONE MTB 620mm 31.8mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Royal gel
BRAKE LEVERS	TEKTRO RS392A

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus
FRONT DERAILLEUR	SHIMANO FD-M191 31.8 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	FSA A-Drive trekking 28/38/48 170 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG40-8 11-32T
CHAIN	KMC Z51
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 700x38C
PEDALS	ALLOY/STEEL w/reflectors
GEARS	24
WEIGHT	14.2 kg



SPEED UPGRADE

SPEED UPGRADE

CROSS 



SUPERIOR
RX SPORT LINE

CROSS

CROSS SPORT LINE

RX SPORT LINE OVERVIEW



RX 650



RX 620 – 2 GREY



RX 640



RX 610 – 1 GREY



RX 630



RX 610 – 2 WHITE



RX 620 – 1 RED



O.11

SUP.R STAR COLLECTION

SPEED UPGRADE

CROSS




RX 650

FRAME SIZE 19.0", 21.5"
WHEEL SIZE 28"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	19.0", 21.5"
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NCX-D RL Lite
(system spring//damping)	coil spring/hydraulic remote lockout
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BB-ES25 BSA
STEM	ONE 31.8 mm, 110 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL RESPIRO ATHLETIC
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system

BRAKES (front/rear)	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO DEORE LX Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE XT 31.6 mm
REAR DERAILLEUR	SHIMANO DEORE XT
CRANKS w/CHAINWHEELS	SHIMANO FC-M521 48/36/26T 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy industrial bearings w/QR
REAR HUB	KT - DISC alloy industrial bearings w/QR
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE CX COMP 700x38C
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg

CROSS



RX 640

FRAME SIZE

19.0", 21.5"

WHEEL SIZE

28"



RACE SPORT COMFORT

THE UNIVERSITY OF CHICAGO

TECHNICAL DETAILS:

SIZE	19.0", 21.5"
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NCX-D RL Lite
(system spring// damping)	coil spring/hydraulic remote lockout
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 110 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA
BRAKE LEVERS	AVID SPEED DIAL 5


BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE XT 31.6 mm
REAR DERAILLEUR	SHIMANO DEORE XT
CRANKS w/CHAINWHEELS	FSA Alpha Drive Trekking 48/36/26, 9 speed 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T
CHAIN	SRAM CN-951
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA Zac 2000 double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE XC COMP 700x38C
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.34 kg



RACE

SPORT

COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 19.0", 21.5", 23.0"
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NCX-D RL Lite
(system spring// damping)	coil spring/hydraulic remote lockout
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 110 mm 6" Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA
BRAKE LEVERS	TEKTRO DRACO Hydraulic brake system

BRAKES (front/rear)	TEKTRO DRACO Hydraulic brakes, rotor 160 mm
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE LX
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 48/36/26, 9 speed 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T
CHAIN	SRAM CN-951
FRONT HUB	KT DISC alloy w/QR
REAR HUB	KT DISC alloy /QR; cassette type
RIMS	Rigida Zac 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE CX COMP 700x38C
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.9 kg



CROSS SPORT LINE

RX 620

FRAME SIZE 16.5", 19", 21.5", 23"
WHEEL SIZE 28"



TECHNICAL DETAILS:

SIZE	16.5", 19", 21.5"
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NEX4610 V2 HLO
(system spring//damping)	coil spring, hydraulic lock out
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 110 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA
BRAKE LEVERS	AVID SPEED DIAL 5

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 48/36/26, 9 speed 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T
CHAIN	SRAM CN-951
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA Zac 2000 double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SILENTO 700x38C
PEDALS	ALLOY/STEEL w/reflectors
GEARS	27
WEIGHT	13.9 kg






RX 610

FRAME SIZE 16.5", 19", 21.5", 23"
WHEEL SIZE 28"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 19.0", 21.5"
FRAME	ALUMINUM 6061.T6 Double butted
FORK	SR SUNTOUR NEX4610 V2 HLO
(system spring// damping)	coil spring, hydraulic lock out
(travel)	63 mm
REAR SPRING	X
HEAD PARTS	ONE IHS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system
STEM	ONE 31.8 mm, 110 mm 6° Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ZOOM MTB 27.2 mm alloy w/steel clamp
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL FRECCIA Royal gel
BRAKE LEVERS	TEKTRO RS392A

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus
FRONT DERAILLEUR	SHIMANO FD-M191 31.8 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	FSA AL-8TTTG 28/38/48 170 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG40-8 11-32T
CHAIN	KMC Z51
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA Zac 2000 double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWALBE SILENTO 700x38C
PEDALS	ALLOY/STEEL w/reflectors
GEARS	24
WEIGHT	13.9 kg







SUPERIOR BLOXX LINE

NEW
CATEGORY

CROSS



CROSS

SUPERIOR

BLOXX LINE OVERVIEW



BLOXX 590



BLOXX 540 L



BLOXX 590 L



BLOXX 520



BLOXX 540



BLOXX 520 L



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE

CROSS




RX 590

FRAME SIZE 19.0", 21.5"G / 18.0"L
WHEEL SIZE 28"



RACE SPORT COMFORT



CROSS

TECHNICAL DETAILS:

SIZE	19.0", 21.5"G / 18.0"L
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR CR8V V3 MLO
(system spring// damping)	coil spring/ preload adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	MH 309AP 1-1/8" IHS 44/50 ALLOY
BB PARTS	THUN Jive Square system
STEM	MTS-AL476-5SUS Adjustable 0°-90° 25.4 mm x 230 mm
HANDLEBAR	ATB ALLOY W-590mm
SEAT POST	ATB 27.2 mm alloy w/steel clamp
GRIPS	ERGO DualDensity kraton-gel
SADDLE	VELO VL4111 GEL
BRAKE LEVERS	SHIMANO ST-EF60 2-fingers

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO ST-EF60 EZ-Fire Plus
FRONT DERAILLEUR	SHIMANO FD-M191 31.8 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SHIMANO FCM171 28/38/48 170 mm
FREEWHEEL/CASSETTE	SHIMANO CS-HG40-8 13-32T
CHAIN	KMC Z51
FRONT HUB	KT parallax alloy w/QR
REAR HUB	SHIMANO FH-RM60-8
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 700x38C
PEDALS	Alloy/Plast w/reflectors
GEARS	24
WEIGHT	14.5 kg



CROSS BLOXX

RX 540

FRAME SIZE 16.5"; 19.0", 21.5"G / 18.0"L
WHEEL SIZE 28"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	16.5", 19.0", 21.5"G / 18.0"L
FRAME	ALUMINUM 6061.T6 Hydroforming
FORK	SR SUNTOUR CR8V V3 MLO
(system spring// damping)	coil spring/ preload adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	MH 309AP 1-1/8" IHS 44/50 ALLOY
BB PARTS	THUN Jive Square system
STEM	MTS C232N5 Adjustable 90 mm + 0°-50°
HANDLEBAR	ATB Steel W-590 mm
SEAT POST	ATB 27.2 mm alloy w/steel clamp
GRIPS	ERGO DualDensity kraton-gel
SADDLE	VELO VL4111 GEL
BRAKE LEVERS	SHIMANO ST-EF51 2-fingers

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO ST-EF51 2-fingers
FRONT DERAILLEUR	SHIMANO FD-TZ31 31.8 mm
REAR DERAILLEUR	SHIMANO ACERA
CRANKS w/CHAINWHEELS	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system
FREEWHEEL/CASSETTE	SHIMANO MF-TZ07-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT - paralax alloy w/QR
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC CrossPac 700x38C
PEDALS	Plast w/reflectors
GEARS	21
WEIGHT	14.5 kg






RX 520

FRAME SIZE 19.0", 21.5"G / 18.0"L
WHEEL SIZE 28"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	19.0", 21.5"G / 18.0"L
FRAME	ALUMINUM 6061.T6
FORK	SR SUNTOUR CR8V V3
(system spring//damping)	coil spring
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	MH 309AP 1-1/8" IHS 44/50 ALLOY
BB PARTS	THUN Jive Square system
STEM	MTS C232N5 Adjustable 90 mm + 0°-50°
HANDLEBAR	ATB Steel W-590 mm
SEAT POST	ATB 27.2 mm alloy w/steel clamp
GRIPS	ERGO DualDensity kraton-gel
SADDLE	VELO VL4111 GEL
BRAKE LEVERS	ATB 3-fingers; for linear pull brake

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS35-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO RD-TZ31 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX-51
CRANKS w/CHAINWHEELS	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system
FREEWHEEL/CASSETTE	SHIMANO MF-TZ07-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT - paralax alloy w/QR
REAR HUB	KT - paralax alloy w/QR
RIMS	RIGIDA X-Star double wall
SPOKES	galvanized
TIRES (front/rear)	IMPAC CrossPac 700x38C
PEDALS	Plast w/reflectors
GEARS	21
WEIGHT	14.4 kg





JUNIOR 



SUPERIOR
JUNIOR LINE

JUNIOR

SUPERIOR

JUNIOR LINE OVERVIEW



RACING TEAM CADET 24



XC 24 PANDA PURPLE



XC 20 PANDA BLACK



XC 20 PANDA RED



XC 24 PANDA BLACK



XC 24 PANDA RED



XC 20 PANDA YELLOW



XC 20 PANDA ORANGE



XC 24 PANDA YELLOW



XC 24 PANDA ORANGE



XC 20 PANDA GREEN



XC 20 PAINT WHITE



XC 24 PANDA GREEN



XC 24 PAINT WHITE



XC 20 PANDA BLUE



XC 20 PAINT BLUE



XC 24 PANDA BLUE



XC 24 PAINT BLUE



XC 20 PANDA PURPLE



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE




RACING TEAM CADET 24

FRAME SIZE 13.0"
WHEEL SIZE 24"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	13.0"
FRAME	ALUMINUM 6061.T6
FORK	RST CAPA
(system spring// damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1-1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	MTB alloy, flat type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	TEKTRO RS360A 2-fingers

BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z51
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 2000 double wall
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Outpac 24x2.1"
PEDALS	ALLOY/STEEL w/reflectors
GEARS	21
WEIGHT	12.9 kg



JUNIOR MTB STARTER

XC 24 PANDA BLACK


FRAME SIZE
WHEEL SIZE

13" UNISEX
24"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	13" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RST CAPA
(system spring// damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers; for linear pull brake

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX31D
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg





XC 24 PANDA YELLOW



XC 24 PANDA PURPLE



XC 24 PANDA GREEN



XC 24 PANDA RED



XC 24 PANDA BLUE



XC 24 PANDA ORANGE



JUNIOR MTB STARTER

XC 24 PAINT WHITE

FRAME SIZE

13" UNISEX

WHEEL SIZE

24"



TECHNICAL DETAILS:

RACE SPORT COMFORT



SIZE	13" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RST CAPA
(system spring// damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers; for linear pull brake

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX31D
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg





XC 24 PAINT BLUE

FRAME SIZE


13" UNISEX

WHEEL SIZE

24"



RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	13" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RST CAPA
(system spring// damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers; for linear pull brake

BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX31D
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg

JUNIOR



JUNIOR MTB STARTER

XC 20 PANDA BLACK

FRAME SIZE
WHEEL SIZE

13" UNISEX
24"



TECHNICAL DETAILS:



SIZE	11" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	MTB 60 mm alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	MTB 27.2 mm alloy w/o clamp 300 mm
GRIPS	MTB transparent
SADDLE	VELO SPORT5062
BRAKE LEVERS	MTB junior 3-fingers; for linear pull brake
BRAKES (front/rear)	ALLOY linear pull brake

SHIFT LEVERS	SHIMANO SL-RS35-6 Revoshift
FRONT DERAILLEUR	X
REAR DERAILLEUR	SHIMANO RD-FT30D
CRANKS w/CHAINWHEELS	PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ06-6 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 20x1.9
PEDALS	PP BMX junior w/reflectors
GEARS	6
WEIGHT	9.9 kg



XC 20PANDA YELLOW



XC 20 PANDA PURPLE



XC 20 PANDA GREEN



XC 20 PANDA RED



XC 20 PANDA BLUE



XC 20 PANDA ORANGE



JUNIOR MTB STARTER

XC 20 PAINT WHITE

FRAME SIZE
WHEEL SIZE

11" UNISEX
20"



TECHNICAL DETAILS:



SIZE	11" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	MTB 60 mm alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	MTB 27.2 mm alloy w/o clamp 300 mm
GRIPS	MTB transparent
SADDLE	VELO SPORT5062
BRAKE LEVERS	MTB junior 3-fingers; for linear pull brake
BRAKES (front/rear)	ALLOY linear pull brake

SHIFT LEVERS	SHIMANO SL-RS35-6 Revoshift
FRONT DERAILLEUR	X
REAR DERAILLEUR	SHIMANO RD-FT30D
CRANKS w/CHAINWHEELS	PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ06-6 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 20x1.9
PEDALS	PP BMX junior w/reflectors
GEARS	6
WEIGHT	9.9 kg






XC 20 PAINT BLUE

 FRAME SIZE
WHEEL SIZE

 11" UNISEX
20"


RACE SPORT COMFORT



TECHNICAL DETAILS:

SIZE	11" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	MTB 60 mm alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	MTB 27.2 mm alloy w/o clamp 300 mm
GRIPS	MTB transparent
SADDLE	VELO SPORT5062
BRAKE LEVERS	MTB junior 3-fingers; for linear pull brake
BRAKES (front/rear)	ALLOY linear pull brake

SHIFT LEVERS	SHIMANO SL-RS35-6 Revoshift
FRONT DERAILLEUR	X
REAR DERAILLEUR	SHIMANO RD-FT30D
CRANKS w/CHAINWHEELS	PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ06-6 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/QR
REAR HUB	KT parallax alloy w/QR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 20x1.9
PEDALS	PP BMX junior w/reflectors
GEARS	6
WEIGHT	9.9 kg





KIDS



SUPERIOR
KIDS LINE

KIDS

SUPERIOR

KIDS GAME OVERVIEW



SUP 16



HERO 12



HERO 16



SKY 12



SKY 16



CHICKS 12



CHICKS 16



0.11

SUP.R STAR COLLECTION

SPEED UPGRADE



TECHNICAL DETAILS:

SIZE	11" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THUN JIVE CARTRIDGE Square system
STEM	ALLOY/ STEEL 22.2/40 mm
HANDLEBAR	ALLOY RAISED 460 mm x 50 mm
SEAT POST	ALLOY 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/plast caliper roll brake

** weight without balancing wheels

BRAKES (front/rear)	SHIMANO BRC791MF
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL/ALLOY 28T/102 mm
FREEWHEEL/CASSETTE	18T
CHAIN	KMC Z410
FRONT HUB	KT parallax alloy w/QR
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	galvanized silver
TIRES (front/rear)	SHWALBE CITY JET 16x1.95
PEDALS	PLASTIC
GEARS	1
WEIGHT**	9.4 kg



KIDS GAME

HERO 16

FRAME SIZE
WHEEL SIZE

10" UNISEX
16"



TECHNICAL DETAILS:

SIZE	10" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22.2/40 mm
HANDLEBAR	STEEL RAISED 460 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/plast adjustable for kids

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 16x1.75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	9.8 kg

** weight without balancing wheels





SKY 16

FRAME SIZE

10" UNISEX

WHEEL SIZE

16"



TECHNICAL DETAILS:

SIZE	10" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22.2/40 mm
HANDLEBAR	STEEL RAISED 460 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/plast adjustable for kids

** weight without balancing wheels

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 16x1.75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	9.8 kg



KIDS GAME

CHICKS 16

FRAME SIZE

10" UNISEX

WHEEL SIZE

16"



TECHNICAL DETAILS:

SIZE	10" UNISEX
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22.2/40 mm
HANDLEBAR	STEEL RAISED 460 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/plast adjustable for kids

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 16x1.75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	9.8 kg

** weight without balancing wheels





HERO 12

FRAME SIZE

9" UNISEX

WHEEL SIZE

12"



TECHNICAL DETAILS:

SIZE	UNISEX 9"
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring// damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22,2/40 mm
HANDLEBAR	STEEL RAISED 400 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/adjustable for kids

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 12X1,75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	8.6 kg

** weight without balancing wheels



FRAME SIZE

9" UNISEX

WHEEL SIZE

12"



TECHNICAL DETAILS:

SIZE	UNISEX 9"
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22,2/40 mm
HANDLEBAR	STEEL RAISED 400 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/adjustable for kids

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 12X1,75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	8.6 kg

** weight without balancing wheels



CHICKS 12

FRAME SIZE 9" UNISEX
WHEEL SIZE 12"



TECHNICAL DETAILS:

SIZE	UNISEX 9"
FRAME	ALUMINUM 6061.T6
FORK	RIGID
(system spring//damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	THREAD 1"
BB PARTS	THUN Twist Square system
STEM	ALLOY/ STEEL 22,2/40 mm
HANDLEBAR	STEEL RAISED 400 x 50 mm
SEAT POST	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073
BRAKE LEVERS	alloy/adjustable for kids

** weight without balancing wheels

BRAKES (front/rear)	V brake ALLOY
SHIFT LEVERS	X
FRONT DERAILLEUR	X
REAR DERAILLEUR	X
CRANKS w/CHAINWHEELS	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	16T
CHAIN	KMC Z410
FRONT HUB	FORMULA 28H
REAR HUB	Coaster brake
RIMS	RIGIDA Zac 20
SPOKES	CP
TIRES (front/rear)	DURO 12X1,75
PEDALS	PLASTIC
GEARS	1
WEIGHT**	8.6 kg



[illegible]

SPEED UPGRADE

EXTRAS



SUPERIOR
EXTRAS



Spare parts for cross models Bloxx and RX



Fenders



Carrier



Kickstand



Front Light



Rear Light





Jerseys



Jersey Oxide white




Jersey Oxide black








TEAM ROAD RACING ISSUE - ROAD RACING ELITE



FRAME	520 460	540 480	560 500	580 520	FRAME	520 460	540 480	560 500	580 520
A	520	540	560	580	F	979	976	992	997
A1	460	480	500	520	BB	BSA			
B	540	550	565	580	HS	IHS 1-1/8" ID44.0/OD50.0 mm			
C	73°	73°	73°	73°	SP	31.6	31.6	31.6	31.6
D	74°	73.5°	73.5°	74°	SC	34.9	34.9	34.9	34.9
E	410	410	405	405	FD	34.9	34.9	34.9	34.9
G	120	140	155	175					

A	seat tube length (mm)
A1	seat tube length c/c (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


RACING TEAM FULL



FRAME	17.0"	19.0"	21.0"	FRAME	17.0"	19.0"	21.0"
A	430	470	520	BB	BC 1.37"x24TPI / 73 mm		
B	575	595	620	HS	BC 1-1/8" ID34.0/OD41 mm		
C	73	73	73	SP	31.6	31.6	31.6
D	70°	70°	70°	SC	34.9	34.9	34.9
E	425	425	425	FD	34.9	34.9	34.9
G	110	120	135	RS	190	190	190

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)
RS	rear shock length (mm)


RACING TEAM ISSUE - RACING TEAM ELITE - XP 950



FRAME	16.5"	18.5"	20.5"	FRAME	16.5"	18.5"	20.5"
A	420	470	520.00	F	1 062	1092	1103
B	585	610	630	BB	BB30/ FSA 73mm		
C	73°	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm		
D	71°	71°	71.5°	SP	31.6	31.6	31.6
E	425	425	425	SC	34.9	34.9	34.9
G	120	130	140	FD	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


XP 915 - XP 905



FRAME	17"	18.5"	20.0"	FRAME	17"	18.5"	20.0"
A	430	470	510	F	1049	1064	1087
B	575	590	612	BB	BC 1.37"x24TPI / 73 mm		
C	73°	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm		
D	71°	71°	71°	SP	31.6	31.6	31.6
E	425	425	425	SC	34.9	34.9	34.9
G	110	115	130	FD	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


XP 930 - XP 920 - XP 910 - XP 900



FRAME	14.0"	16.5"	19.0"	21.5"	FRAME	14.0"	16.5"	19.0"	21.5"
A	355	419	483	546	F	1 032	1058	1088	1103
B	550	580	613	627	BB	BC 1.37"x24TPI / 73 mm			
C	73,5°	73°	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm			
D	70,5°	71°	71°	71,5°	SP	31.6	31.6	31.6	31.6
E	425	425	425	425	SC	34.9	34.9	34.9	34.9
G	115	125	135	145	FD	34.9	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)

MACH CARBON DRIVE




FRAME	17.0"	19.0"	21.0"	FRAME	17.0"	19.0"	21.0"
A	430	483	530	F	1061	1082	1082
B	585	605	615	BB	BC 1.37"x24TPI / 73 mm		
C	73°	73°	72.5°	HS	IHS 1-1/8" ID44.0/OD50.0 mm		
D	71°	71°	71.5°	SP	31.6	31.6	31.6
E	425	425	425	SC	34.9	34.9	34.9
G	125	135	145	FD	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)






DARK FACE CARBON DRIVE



FRAME	19.0"G	21.5"	FRAME	19.0"G	21.5"
A	475	546	F	1069	1079
B	604	614	BB	BC 1.37"x24TPI / 68 mm	
C	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm	
D	73.5°	73.5°	SP	27.2	27.2
E	445	445	SC	31.8	31.8
G	140	160	FD	31.8	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


FULL F50 - F40 - F30



FRAME	15.0"	16.5"	18.5"	20.5"	FRAME	15.0"	16.5"	18.5"	20.5"
A	381	420	470	520	BB	BC 1.37"x24TPI / 73 mm			
B	550	575	595	615	HS	BC 1-1/8" *1.5"			
C	72°	72°	72°	72°	SP	31.6	31.6	31.6	31.6
D	69°	69°	69°	69°	SC	34.9	34.9	34.9	34.9
E	430	430	430	430	FD	34.9	34.9	34.9	34.9
G	115	125	135	145	RS	190	190	190	190
F	1059	1084	1105	1125					

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)
RS	rear shock length (mm)


OXIDE 870 - 840 - NEON - 825 - 810 - 800



FRAME	14.0"	16.0"	18.0"	20.0"	22.0"	FRAME	14.0"	16.0"	18.0"	20.0"	22.0"
A	355	406	457	508	559	F		1050	1050	1061	1060
B	550	564	575	585	595	BB	BC 1.37"x24TPI / 73 mm				
C	74°	73.5°	73°	73°	72.5°	HS	IHS 1-1/8" ID44.0/OD50.0 mm				
D	70°	70.5°	71°	71°	71.5°	SP	31.6	31.6	31.6	31.6	31.6
E	425	425	425	425	425	SC	34.9	34.9	34.9	34.9	34.9
G	110	120	120	140	160	FD	34.9	34.9	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


BIG WHEELS 29" - TEAM 29"



FRAME	16.5"	19.0"	21.5"	23.0"	FRAME	16.5"	19.0"	21.5"	23.0"
A	419	483	546	584	F	1110	1110	1121	1150
B	594	612	630	650	BB	BC 1.37"x24TPI / 73 mm			
C	72,40°	72,40°	72,40°	72,40°	HS	IHS 1-1/8" ID44.0/OD50.0 mm			
D	70°	70°	70°	70°	SP	31.6	31.6	31.6	31.6
E	450	450	450	450	SC	34.9	34.9	34.9	34.9
G	120	120	120	140	FD	34.9	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


BIG WHEELS 29" - 929 - 829



FRAME	16.5"	19.0"	21.5"	23.0"	FRAME	16.5"	19.0"	21.5"	23.0"
A	419	483	546	584	F	1110	1110	1121	1150
B	594	612	630	650	BB	BC 1.37"x24TPI / 73 mm			
C	72,40°	72,40°	72,40°	72,40°	HS	IHS 1-1/8" ID44.0/OD50.0 mm			
D	70°	70°	70°	70°	SP	31.6	31.6	31.6	31.6
E	450	450	450	450	SC	34.9	34.9	34.9	34.9
G	120	120	120	140	FD	34.9	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)

TEAM WOMAN




FRAME	17.0"	19.0"	FRAME	17.0"	19.0"
A	430	483	F	1061	1082
B	585	605	BB	BC 1.37"x24TPI / 73 mm	
C	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm	
D	71°	71°	SP	31.6	31.6
E	425	425	SC	34.9	34.9
G	125	135	FD	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)






MOD0 845 W - 830 W - 815 W - 760 W



FRAME	15.0"	17.0"	19.0"	FRAME	15.0"	17.0"	19.0"
A	381	432	483	F	1037	1047	1058
B	555	565	582	BB	BC 1.37"x24TPI / 68 mm		
C	73.5°	73.5°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm		
D	70.5°	70.5°	71°	SP	31.6	31.6	31.6
E	425	425	425	SC	34.9	34.9	34.9
G	110	120	130	FD	34.9	34.9	34.9

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


CROSS WOMAN



FRAME	16.5"	19.0"	FRAME	16.5"	19.0"
A	420	483	F	1059	1071
B	572	584	BB	BC 1.37"x24TPI / 68 mm	
C	74°	73.5°	HS	IHS 1-1/8" ID44.0/OD50.0 mm	
D	69°	70°	SP	27.2	27.2
E	445	445	SC	31.8	31.8
G	120	140	FD	31.8	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


CROSS SPORT



FRAME	16.5"	19.0"	21.5"	23.0"	FRAME	16.5"	19.0"	21.5"	23.0"
A	420	483	546	584	F	1059	1071	1088	1104
B	572	584	600	615	BB	BC 1.37"x24TPI / 68 mm			
C	74°	73.5°	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm			
D	69°	70°	71°	71.5°	SP	27.2	27.2	27.2	27.2
E	445	445	445	445	SC	31.8	31.8	31.8	31.8
G	120	140	160	180	FD	31.8	31.8	31.8	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


BLOXX 590 - 540 - 520



FRAME	18.0"L	16.5"G	19.0"G	21.5"G	23.0"G	FRAME	18.0"L	16.5"G	19.0"G	21.5"G	23.0"G
A	457	420	483	546	584	F	1061	1088	1075	1084	1094
B	552	572	575	600	615	BB	BC 1.37"x24TPI / 68 mm				
C	74°	74°	73.3°	73°	73°	HS	IHS 1-1/8" ID44.0/OD50.0 mm				
D	70°	69°	70°	71°	71.3°	SP	27.2	27.2	27.2	27.2	27.2
E	445	445	445	445	445	SC	31.8	31.8	31.8	31.8	31.8
G	160	140	140	160	180	FD	31.8	31.8	31.8	31.8	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


TEAM RACE 24 CADET



FRAME	13.0"	FRAME	13.0"
A	330	F	991
B	525	BB	BC 1.37"x24TPI / 68 mm
C	73°	HS	BC 1-1/8" ID34.0/OD41 mm
D	71°	SP	27.2
E	410	SC	31.8
G	100	FD	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)


XC JUNIOR



FRAME	24"	20"	FRAME	24"	20"
A	330	280	F	991	867
B	525	460	BB	BC 1.37"x24TPI / 68 mm	
C	73°	71°	HS	BC 1-1/8" ID34.0/OD41 mm	
D	71°	71°	SP	27.2	27.2
E	410	360	SC	31.8	31.8
G	100	100	FD	31.8	31.8

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)

KIDS



FRAME	16"	12"	FRAME	16"	12"
A	250	228	F	682	572
B	382	307	BB	BC 1.37"x24TPI / 68 mm	
C	71°	71°	HS	JIS 1" ID30.0/OD37.0 mm	
D	71°	71°	SP	27.2	27.2
E	280	240	SC	31.8	31.8
G	100	100	FD	X	X

A	seat tube length (mm)
B	effective top tube length (mm)
C	seat tube angle
D	head tube angle
E	chainstay length (mm)
G	head tube length (mm)
F	wheelbase (mm)
BB	bb shell size
HS	head tube size
SP	seat post diameter (mm)
SC	seat clamp diameter (mm)
FD	front derailleur diameter (mm)





TEAM ROAD ISSUE



TEAM ROAD ELITE



FRAME SET ROAD RACING



TEAM RACING F80



RACING TEAM ISSUE



SIZE	52, 54, 56, 58 cm	52, 54, 56, 58 cm	52, 54, 56, 58 cm	16.5", 18.5", 20.5"	16.5", 18.5", 20.5"
FRAME	CARBON UD	CARBON UD	CARBON UD	Aluminium 7005/carbon	CARBON UD
FORK	CARBON UD	CARBON UD	CARBON UD	MANTOU R7 PRO + MILO	MANTOU R7 MRD + MILO
(system spring/damping)	X	X	X	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping	Light weight. Externally adjustable low speed damping. Internally tuneable high-speed damping
(travel)	X	X	X	100 mm	100 mm
REAR SPRING	X	X	X	DT SWISS 210M Remote Lockout (190 mm)	X
HEAD PARTS	FSA Orbit IS2	FSA Orbit IS2	FSA Orbit IS2	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO Ultegra (BSA)	SHIMANO 105 (BSA)		SHIMANO BSA	BB30
STEM	ONE Team Issue 31.8 mm 52/100 mm, 54, 56, 58/120 mm	ONE Team Issue 31.8 mm 52/100 mm, 54, 56, 58/120 mm		ONE Team Issue 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm	ONE Team Issue 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	FSA HB-RD 255S Ø31.8 mm, 440 mm	FSA HB-RD 255S Ø31.8 mm, 440 mm		ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°	ONE Team Issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Team CRB 31.6 mm/350 mm	ONE Race CRB 31.6 mm/350 mm		ONE Race Elite 31.6 mm/350mm AL6061	ONE Team CRB 31.6 mm/350 mm
GRIPS	FIZIK tape	FIZIK tape		ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Antares MG	FIZIK Antares MG		FIZIK Tundra Kium	FIZIK Tundra Kium
BRAKE LEVERS	SHIMANO Ultegra	SHIMANO 105		FORMULA RX	FORMULA R1
BRAKES (front/rear)	SHIMANO Ultegra	SHIMANO 105		FORMULA R1 hydraulic disc brake, rotor 160 mm	FORMULA R1 hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Ultegra	SHIMANO 105		SHIMANO Deore XT Rapidfire Plus 3x10	SHIMANO XTR Rapidfire Plus 2x10
FRONT DERAILLEUR	SHIMANO Ultegra 34.9 mm	SHIMANO 105 34.9 mm		SHIMANO Deore XT 34.9 mm	SHIMANO XTR 34.9 mm
REAR DERAILLEUR	SHIMANO Ultegra	SHIMANO 105		SHIMANO XTR shadow	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Ultegra 53x39T, 52/172.5 mm, 54, 56, 58/175 mm	SHIMANO 105 53x39T, 52/172.5mm, 54, 56, 58/175 mm		SHIMANO Deore XT 22x/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm	SHIMANO XTR 44x/30/hollowtech 2 16.5"/170 mm, 18.5", 20.5"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Ultegra 11-25T	SHIMANO 105 11-25T		SHIMANO Deore SLX 11-34T	SHIMANO Deore XT 11-34T
CHAIN	SHIMANO 105	SHIMANO 105		SHIMANO H574 10 speed	Shimano H5 94 super narrow
FRONT HUB					
REAR HUB					
RIMS	FULCRUM Racing 3 black clincher HG 10	FULCRUM Racing 7 black clincher HG 10		FULCRUM RED Metal 5 disc	DT SWISS wheels w/Comp. stainless spoke, alu nipples, hubs 240S; rims XRA400 28H
SPOKES					
TIRES (front/rear)	SCHWALBE Ultrero ZX, 700x23C	SCHWALBE Ultrero ZX, 700x23C			SCHWALBE Rocket Ron Evolution, Folding 26x2 10
PEDALS	X	X			X
GEARS	20	20		30	20
WEIGHT	7.2** kg	7.9* kg		X	X

* weight without pedals

** weight without balancing wheels

RACING TEAM ELITE

XP 950



SIZE	16.5", 18.5", 20.5"
FRAME	CARBON UD
FORK	Manitou R7 PRO + MILO
(system spring/ damping)	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	BB30
STEM	ONE Race Pro 31.8 mm 16.5", 18.5"/90 mm, 20.5"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8mm flat type 600mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX
BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore XT Rapidfire plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/hollowtech 2 16.5/170 mm, 18.5", 20.5/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74, 10 speed
FRONT HUB	
REAR HUB	
RIMS	FULCRUM RED Metal 5 disc
SPOKES	
TIRES (front/rear)	
PEDALS	X
GEARS	30
WEIGHT	X

XP 930



SIZE	16.5", 18.5", 20.5"
FRAME	ALUMINIUM U6 SuperLite
FORK	MANITOU R7 PRO + MILO
(system spring/ damping)	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	BB30
STEM	ONE Race Elite 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8mm flat type 600mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX
BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore XT Rapidfire plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO XTR shadow
CRANKS w/CHAINWHEELS	SHIMANO Deore XT, 224/hollowtech 2 16.5/170 mm, 18.5", 20.5/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74, 10 speed
FRONT HUB	
REAR HUB	
RIMS	FULCRUM RED Metal 5 disc
SPOKES	
TIRES (front/rear)	
PEDALS	X
GEARS	30
WEIGHT	X

XP 920



SIZE	16.5", 20.5"
FRAME	ALUMINIUM U6 Super Lite
FORK	MANITOU Minute Expert + MILO
(system spring/ damping)	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping
(travel)	100 mm
REAR SPRING	
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	Shimano BSA
STEM	ONE Race Elite 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm
HANDLEBAR	ONE Team issue - 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Tundra MG
BRAKE LEVERS	FORMULA RX
BRAKES (front/rear)	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	Shimano Deore SLX 224/hollowtech 2 16.5/170 mm 19", 21.5/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74, 10 speed
FRONT HUB	
REAR HUB	
RIMS	FULCRUM RED Metal 10 disc
SPOKES	
TIRES (front/rear)	
PEDALS	X
GEARS	30
WEIGHT	11.2* kg

XP 915








SIZE	17.0", 18.5", 20.0"
FRAME	CARBON UD
FORK	SR SUNTOUR Epicon RLD
(system spring/ damping)	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA
STEM	ONE Race Pro 31.8 mm 17", 18.5"/90 mm, 20.7/110 mm
HANDLEBAR	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9°
SEAT POST	ONE Race CRB 31.6 mm/350 mm
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nesene Sport
BRAKE LEVERS	HAYES STROKER Trail hydraulic system
BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow
CRANKS w/CHAINWHEELS	SHIMANO FCM552C 224 10 speed 17/170 mm, 18.5", 20.7/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T
CHAIN	SHIMANO HG74, 10 speed
FRONT HUB	
REAR HUB	KT - alloy Disc industrial bearings w/OR
RIMS	KT - alloy Disc industrial bearings w/OR
SPOKES	RIGIDA TAURUS 2000 DISC double wall stainless black
TIRES (front/rear)	
PEDALS	SCHWALBE SMART SAM 26x2.10
GEARS	X
WEIGHT	30
	11.4* kg

	XP 910	XP 905	XP 900	MACH CARBON DRIVE	DARK FACE CARBON DRIVE
SIZE	14.0", 16.5", 19.0", 21.5"	17.0", 18.5", 20.0"	14.0", 16.5", 19.0", 21.5"	17.0", 19.0", 21.0"	18.5", 20.0"
FRAME	ALUMINIUM U6 SuperLite	CARBON UD	ALUMINIUM U6 SuperLite	ALUMINIUM 6066 DB	ALUMINIUM 6061
FORK	SR SUNTOUR Epicon RLD	SR SUNTOUR Raidon RLD Air	SR SUNTOUR Raidon RLD Air	SR SUNTOUR Raidon RLD Air	CARBON Rigid
(system spring/damping)	Air spring system/hydraulic remote speed lock with rebound adjust	Air spring system/hydraulic remote speed lock with rebound adjust	Air spring system/hydraulic remote speed lock with rebound adjust	Air spring system/hydraulic remote speed lock with rebound adjust	X
(travel)	100 mm	100 mm	100 mm	100 mm	X
REAR SPRING	X	X	X	X	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA	FSA Mega Exo	FSA Mega Exo	FSA CARTRIDGE Square system	FSA CARTRIDGE Square system
STEM	ONE Race Pro 31.8 mm 14", 14.5"/90 mm, 19", 21.5"/110 mm	ONE Race Pro 31.8 mm 17", 18.5"/90 mm, 20"/110 mm	ONE Race Pro 31.8 mm 14", 16.5"/90 mm, 19", 21.5"/110 mm	ONE Race Elite 31.8 mm 17"/90 mm, 19", 21"/110 mm	Metropolis STCT 160 90 mm x 31.8 x ID28.6xH70, 30"
HANDLEBAR	ONE Race Elite 20.16; Scandium DB 31.8 mm flat type 600 mm; back swept 9°	ONE Race Elite 20.16; Scandium DB 31.8 mm flat type 600 mm; back swept 9°	ONE Race Elite 20.16; Scandium DB 31.8 mm flat type 600 mm; back swept 9°	ONE Race 20 butted AL6061 160 mm back 9°/Reed 18-20 mm/diam 31.8 mm	FSA HBC73080S Metropolis W620/45731 8/632 Alloy
SEAT POST	ONE Race 31.6 mm/350 mm AL6061	ONE Race CRB 31.6 mm/350 mm	ONE Race 31.6 mm/350 mm AL6061	ONE Race CRB 31.6 mm/350 mm	SPCT270 METROPOLIS D27 21.350/20 mm, alloy, brushed silver
GRIPS	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity kraton-gel w/Hi-Tech non-slip system
SADDLE	FIZIK Nissene Sport	FIZIK Nissene Sport	FIZIK Nissene Sport	FIZIK Nissene Sport	SELLE ROYAL Respiro Athletic
BRAKE LEVERS	HAYES STROKER Trail hydraulic system	HAYES STROKER Ryde hydraulic system	HAYES STROKER Ryde hydraulic system	HAYES STROKER Ryde hydraulic system	HAYES STROKER hydraulic system
BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V6" 160 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V6" 160 mm	HAYES STROKER hydraulic disc brake, rotor V6" 160 mm
SHIFT LEVERS	SHIMANO Deore SLX Rapidfire Plus 3x10	SRAM 1:1 X-7 Trigger system 3x10	SRAM 1:1 X-7 Trigger system 3x10	SRAM 1:1 X-7 Trigger system 3x10	SHIMANO ALFINE Rapidfire plus 11 speed
FRONT DERAILLEUR	SHIMANO Deore XT 34.9 mm	SRAM X-7 DUAL PULL 34.9 mm	SRAM X-7 DUAL PULL 34.9 mm	X	X
REAR DERAILLEUR	SHIMANO DEORE XT shadow	SRAM 1:1 X-9 long cage carbon	SRAM 1:1 X-7 long cage	X	X
CRANKS w/CHAINWHEELS	SHIMANO FCM552C Z44 10 speed 14", 16.5"/170 mm, 19", 21.5"/175 mm	SHIMANO FCM552C Z44 10 speed 14", 16.5"/170 mm, 19", 21.5"/175 mm	FSA Comet Mega Exo 44/32/24 10 speed 14", 16.5"/170 mm, 19", 21.5"/175 mm	FRONT SPROCKET 50T - 580LT 130 mm BC	FRONT SPROCKET 50T - 580LT 130 mm BC
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T	SRAM PG1050 11-32T	SRAM PG1050 11-32T	X	X
CHAIN	SHIMANO HG74 10 speed	SRAM CN-PC1050	SRAM CN-PC1050	BELT CARBON DRIVE 11M-113T-10	BELT CARBON DRIVE 11M-113T-10
FRONT HUB	KT - alloy Disc industrial bearings w/OR	KT - DISC alloy w/OR	KT - DISC alloy w/OR	KT - alloy Disc industrial bearings w/OR	KT - alloy Disc industrial bearings w/OR
REAR HUB	KT - alloy Disc industrial bearings w/OR	KT - DISC alloy w/OR; cassette type	KT - DISC alloy w/OR; cassette type	ALFINE internal hub gear 11 speed for disc	ALFINE internal hub gear 11 speed for disc
RIMS	RIGIDA TAURIUS 2000 DISC double wall	RIGIDA TAURIUS 2000 DISC double wall	RIGIDA TAURIUS 2000 DISC double wall	RIGIDA TAURIUS 2000 DISC double wall	RIGIDA TAURIUS 2000 DISC double wall
SPOKES	stainless black	stainless black	stainless black	stainless black	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2 10	SCHWALBE SMART SAM 26x2 10	SCHWALBE SMART SAM 26x2 10	SCHWALBE Racing Ralph 26x2 10	SCHWALBE MARATHON 700x35C
PEDALS	X	X	X	SHIMANO PD-M520RS clipless	XCF80AC Alloy black
GEARS	30	30	30	11	11
WEIGHT	11.7* kg	11.7* kg	11.9* kg	11.6* kg	X

* weight without pedals

** weight without balancing wheels

F50	F40	F30	OXIDE 870	OXIDE 840
				
SIZE	15.0", 16.5", 18.5", 20.5"	15.0", 16.5", 18.5", 20.5"	16.0", 18.0", 20.0", 22.0"	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINIUM 7005 T6 Hydroforming	ALUMINIUM 7005 T6 Hydroforming	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM 6061 T6 Hydroforming
FORK	MANTOU Minute Pro + MILO 20mm Hex lock	MANTOU Minute Expert + MILO	RST Sauro	SR SUNTOUR XCR RL
(system spring/damping)	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping	Absolute + damper. Externally adjustable low speed damping. Internally tuneable high-speed damping	Hydraulic cartridge, coil MCU with adjust lock out	coil spring/hydraulic remote speed lockout
(travel)	120/130 mm	130/130 mm	130/130 mm	100mm
REAR SPRING	DT SWISS 210M Remote Lockout (190 mm)	DT SWISS 210M Remote Lockout (190 mm)	MANTOU Radium Comp (190 mm)	X
HEAD PARTS	ONE HS 1.5/1-1/8" with sealed bearings	ONE HS 1.5/1-1/8" with sealed bearings	ONE HS 1.5/1-1/8" with sealed bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	Shimano BSA	FSA Mega Exo	Shimano BSA	FSA Mega Exo
STEM	ONE Race Elite 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm	ONE Race Elite 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm	ONE Race Pro 31.8 mm 15", 16.5"/90 mm, 18.5", 20.5"/110 mm	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Race 20 butted AL6061 640 mm back 9° Rised 18-20 mm/diam 31.8 mm	ONE Race 20 butted AL6061 640 mm back 9° Rised 18-20 mm/diam 31.8 mm	ONE Race 20 butted AL6061 640 mm back 9° Rised 18-20 mm/diam 31.8 mm	ONE Oxide W 640 mm, 9", 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Race 31.6 mm/350 mm AL6061	ONE Race 31.6 mm/350 mm AL6061	ONE Race 31.6 mm/350 mm AL6061	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity Kraton-gel w/Hi-Tech non-slip system	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel
SADDLE	FIZIK Gobi XM	FIZIK NISSEN Sport	FIZIK NISSEN Sport	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Trail hydraulic system	HAYES STROKER Trail hydraulic system	HAYES STROKER Ryde hydraulic system	HAYES STROKER Ryde hydraulic system
BRAKES (front/rear)	HAYES STROKER Trail hydraulic disc brake, rotor V7" 180 mm	HAYES STROKER Trail hydraulic disc brake, rotor V7" 180 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V7" 180 mm	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO DEORE XT Rapidfire Plus 3x10	SRAM 1:1 X-9 Trigger system 3x10	SHIMANO Deore SLX Rapidfire Plus 3x10	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm	SRAM X-9 DUAL PULL 34.9 mm	SHIMANO Deore SLX 34.9 mm	SRAM X-7 34.9 mm
REAR DERAILLEUR	SHIMANO DEORE XT Shadow	SRAM 1:1 X-9 long cage	SHIMANO Deore SLX shadow	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	Shimano Deore XT 224g/hollowtech 2 15", 16.5"/170 mm 18.5", 20.5"/175 mm	FSA Comet 44-32-21T MegaExo II speed 15", 16.5"/170 mm, 18.5", 20.5"/175 mm	Shimano FC-M552C 224 10 speed 15", 16.5"/170 mm, 18.5", 20.5"/175 mm	FSA Gamma One 44/32/21T MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T	SRAM PG1050 12-36T	SHIMANO Deore SLX 11-34T	SRAM PG950 11-32T
CHAIN	SHIMANO HG74 10 speed	SRAM CN-PC1050	SHIMANO HG74 10 speed	SRAM CN-951
FRONT HUB			KT - DISC alloy industrial bearings w/OR	KT - DISC alloy w/OR
REAR HUB	FULCRUM Red Zone, front 20 mm axle, rear 9 mm QR		KT - DISC alloy industrial bearings w/OR	KT - DISC alloy w/OR, cassette type
RIMS		FULCRUM RED Metal 10 disc	KT - DISC alloy industrial bearings w/OR	RIGIDA TAURUS 2000 DISC double wall
SPOKES			RIGIDA TAURUS 2000 DISC double wall	stainless black
TIRES (front/rear)			stainless black	
PEDALS	SCHWALBE NOBBY NIC Evolution 26x2.25	SCHWALBE NOBBY NIC Evolution 26x2.25	SCHWALBE SMART SAM 26x2.25	SCHWALBE SMART SAM 26x2.10
GEARS	X	X	X	VP -M20. ALLOY CAGE/ALLOY BARREL BODY
WEIGHT	30	30	30	27
	13.6" kg	13.9" kg	14.3" kg	13.4 kg

OXIDE NEON YELLOW



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061 T6 Hydroforming
FORK	SR SUNTOUR XCR RL
(system spring/ damping)	coil spring/hydraulic remote speed lockout
(travel)	100 mm
REAR SPRING	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm
HANDLEBAR	ONE Oxide W 640 mm, 9", 31.8 mm R18-20 alloy, rised type
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL Look in Freccia
BRAKE LEVERS	HAYES STROKER Ryde hydraulic system
BRAKES (front/rear)	HAYES Stroker Ryde hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SRAM 1:1 X-7 Trigger system
FRONT DERAILLEUR	SRAM X-7 34.9 mm
REAR DERAILLEUR	SRAM 1:1 X-7 long cage
CRANKS w/CHAINWHEELS	FSA Gamma Drive 44/32/22 MegaExo 14", 16", 18"/170 mm, 20", 22"/175 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-32T
CHAIN	SRAM CN-951
FRONT HUB	KT - DISC alloy w/OR
REAR HUB	KT - DISC alloy w/OR, cassette type
RIMS	RIGIDA TAURUS 2000 DISC double wall
SPOKES	stainless black
TIRES (front/rear)	SCHWABE SMART SAM 26x2.10
PEDALS	VP -M20. ALLOY CAGE/ALLOY BARREL BODY
GEARS	27
WEIGHT	13.4 kg

* weight without pedals

** weight without balancing wheels

OXIDE NEON GREEN



OXIDE NEON BLUE



OXIDE NEON PURPLE



OXIDE NEON RED



OXIDE NEON RED



OXIDE 825



SIZE	16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061 T6 Hydroforming
FORK	SR SUNTOUR XCM PM HLO
coil spring/hydraulic speed lockout	
100 mm	
X	
ONE HS 1-1/8" w/cartridge bearings	
FSA CARTRIDGE Square system	
ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm	
ONE Oxide W 640 mm, 9", 31.8 mm R18-20 alloy, rised type	
ONE Oxide 31.6 mm/350 mm AL6061	
ONE MTB DualDensity kraton-gel	
SELLE ROYAL Freccia	
TEKTRO DRACO Hydraulic system	
TEKTRO DRACO Hydraulic system, 160 mm rotor	
SHIMANO DEORE Rapidfire plus	
SHIMANO DEORE 34.9 mm	
SHIMANO DEORE	
FSA Dyna Drive 9spd 44/32/22 14", 16"/170 mm, 18", 20", 22"/175 mm	
SRAM PG950 11-32T	
KMC Z9000	
KT - DISC alloy w/OR	
KT - DISC alloy w/OR, cassette type	
RIGIDA X-Star Disc double wall	
stainless black	
IMPAC CrossPac 26x2.1	
VP -M20. ALLOY CAGE/ALLOY BARREL BODY	
27	
14.4 kg	

OXIDE 810



SIZE	14.0", 16.0", 18.0", 20.0", 22.0"
FRAME	ALUMINUM 6061 T6 Hydroforming
FORK	SR SUNTOUR XCM HLO
coil spring/hydraulic lockout	
100 mm	
X	
ONE HS 1-1/8" w/cartridge bearings	
THUN Live Square system	
ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm	
ONE Oxide W 640 mm, 9", 31.8 mm R18-20 alloy, rised type	
ONE Oxide 31.6 mm/350 mm AL6061	
ONE MTB DualDensity kraton-gel	
SELLE ROYAL New Freccia	
TEKTRO DRACO Hydraulic system	
TEKTRO DRACO Hydraulic system, 160 mm rotor	
SHIMANO SL-M310 Rapidfire plus	
SHIMANO FD-M190	
SHIMANO ALIVIO	
SHIMANO FC-M171 42/34/24 170 mm	
SHIMANO HG40 11-30T	
KMC Z51	
KT - DISC alloy w/OR	
KT - DISC alloy w/OR, cassette type	
RIGIDA X-Star Disc double wall	
galvanized black	
IMPAC CrossPac 26x2.1	
VP -M20. ALLOY CAGE/ALLOY BARREL BODY	
24	
14.5 kg	



OXIDE 800



TEAM 29



929








829



TEAM WOMEN



SIZE	14.0", 16.0", 18.0", 20.0", 22.0"	16.0", 19.0", 21.5", 23"	19.0", 21.5", 23"	16.0", 19.0", 21.5", 23"	16.0", 19.0", 21.5", 23"	17", 19"W
FRAME	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM U6 Super Lite	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM U6 Super Lite
FORK	SR SUNTOUR XCM V3 MLO	MANITOU Tower 29er PRO + MLO	MANITOU Tower 29er Expert + MLO	MANITOU Tower 29er Comp	MANITOU Tower 29er Comp	SR SUNTOUR Raidon RLD Air
(system spring/damping)	coil spring	Mars Air - Adjustment Air, compression, lock out, rebound.	ACT Air - Adjustment Air, compression, lock out, rebound	Coil - Preload, compression, lock out, rebound	Coil - Preload, compression, lock out, rebound	Air spring system/Hydraulic remote speed lock with rebound adjust
(travel)	100 mm	100 mm	100 mm	100 mm	100 mm	100 mm
REAR SPRING	X	X	X	X	X	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	THUN Jive Square system	SHIMANO BSA	SHIMANO BSA	SHIMANO BSA	FSA Mega Exo	FSA Mega Exo
STEM	ONE Oxide 31.8 mm 14", 16", 18"/90 mm, 20", 22"/110 mm	ONE Team Issue 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm, 23"/130 mm	ONE Race Pro 31.8 mm 19", 21.5"/110 mm, 23"/130 mm	ONE Race Pro 31.8 mm 19", 21.5"/110 mm, 23"/130 mm	ONE Oxide 31.8 mm 16.5"/90 mm, 19", 21.5"/110 mm, 23"/130 mm	ONE Race Elite 31.8 mm 90 mm
HANDLEBAR	ONE Oxide W 640 mm, 9", 31.8 mm R/FB-20 alloy, riser type	ONE Race 20 butted AL6061 660 mm back 9"/Rised 18-20 mm/diam 31.8 mm	ONE Race 20 butted AL6061 660 mm back 9"/Rised 18-20 mm/diam 31.8 mm	ONE Race 20 butted AL6061 660 mm back 9"/Rised 18-20 mm/diam 31.8 mm	ONE Race 20 butted AL6061 660 mm back 9"/Rised 18-20 mm/diam 31.8 mm	ONE Race Elite 2016; Scandium DB 31.8 mm flat type 600 mm; back swept 9"
SEAT POST	ONE Oxide 31.6 mm/350 mm AL6061	ONE Race CRB 31.6 mm/350 mm	ONE Race 31.6 mm/350 mm AL6061	ONE Race 31.6 mm/350 mm AL6061	ONE Oxide 31.6 mm/350 mm AL6061	ONE Race 31.6 mm/350 mm AL6061
GRIPS	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel w/H-Tech non-slip system	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel	ONE MTB DualDensity Kraton-gel
SADDLE	SELLE ROYAL Freccia ActTex	FIZIK Tundra MG	FIZIK Tundra MG	FIZIK Tundra MG	FIZIK NISSEN Sport	FIZIK Viesse CP
BRAKE LEVERS	TEKTRO 392A	FORMULA RX	HAYES STROKER Trail hydraulic system	HAYES STROKER Ryde hydraulic system	HAYES STROKER Ryde hydraulic system	FORMULA RX
BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads	FORMULA RX hydraulic disc brake, rotor 180 mm	HAYES STROKER Trail hydraulic disc brake, rotor V7* 180 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V7* 180 mm	HAYES STROKER Ryde hydraulic disc brake, rotor V7* 180 mm	FORMULA RX hydraulic disc brake, rotor 160 mm
SHIFT LEVERS	SHIMANO SL-M310 Rapidfire plus	SHIMANO DEORE SLX Rapidfire Plus 3x10	SHIMANO DEORE SLX Rapidfire Plus 3x10	SHIMANO DEORE SLX Rapidfire Plus 3x10	SHIMANO DEORE SLX Rapidfire Plus 3x10	SRAM 1.1 X-9 Trigger system 3x10
FRONT DERAILLEUR	SHIMANO FD-M190	SHIMANO DEORE XT 34.9 mm	SHIMANO DEORE XT 34.9 mm	SHIMANO DEORE XT 34.9 mm	SHIMANO DEORE XT 34.9 mm	SRAM X-9 34.9 mm DUAL PULL
REAR DERAILLEUR	SHIMANO ACERA	SHIMANO DEORE XT Shadow	SHIMANO DEORE XT Shadow	SHIMANO DEORE XT Shadow	SHIMANO DEORE Shadow	SRAM 1.1 X-9 long cage
CRANKS w/CHAINWHEELS	SHIMANO FC-M131 142/34/24 170 mm	SHIMANO Deore XT, 224 hollowtech 2 16.5"/170 mm, 19", 21.5", 23"/175 mm	SHIMANO Deore SLX 11-34T	SHIMANO Deore SLX 11-34T	SHIMANO Deore SLX 11-34T	FSA V-Drive 44-32-22T MegaExo 10 speed 170 mm
FREEWHEEL/CASSETTE	SHIMANO HG40 11-30T	SHIMANO Deore SLX 11-34T	SHIMANO Deore SLX 11-34T	SHIMANO Deore SLX 11-34T	SRAM PG950 11-32T	SRAM PG1050 11-32T
CHAIN	KMC Z51	SHIMANO HG74 10 speed	SHIMANO HG74 10 speed	SHIMANO HG74 10 speed	SRAM CN-951	SRAM CN-PC1050
FRONT HUB	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT - DISC alloy industrial bearings w/OR	KT - DISC alloy w/OR	KT DISC alloy w/OR	KT - DISC alloy industrial bearings w/OR
REAR HUB	KT - parallax alloy w/OR, cassette type	KT - parallax alloy w/OR, cassette type	KT - DISC alloy industrial bearings w/OR	KT - DISC alloy industrial bearings w/OR	KT DISC alloy /OR, cassette type	KT - DISC alloy industrial bearings w/OR
RIMS	RIGIDA X-Star double wall	FULCRUM RED Metal SL29 disc	RIGIDA TAURUS 2000 DISC double wall	RIGIDA TAURUS 2000 DISC double wall	RIGIDA TAURUS 2000 DISC double wall	RIGIDA TAURUS 2000 DISC double wall
SPOKES	galvanized black	SHIMANO DEORE XT Shadow	stainless black	stainless black	stainless black	stainless black
TIRES (front/rear)	IMPAC CrossPac 26x2.1	SHIMANO Deore XT, 224 hollowtech 2 16.5"/170 mm, 19", 21.5", 23"/175 mm	SCHWALBE Racing Ralph Evolution; folding 29x2.25	SCHWALBE Racing Ralph Evolution; folding 29x2.25	SCHWALBE Racing Ralph Evolution; folding 29x2.25	SCHWALBE SMART SAM 26x2.10
PEDALS	VP -M20, ALLOY CAGE/ALLOY BARREL BODY	SHIMANO PD-M520 clipless	SHIMANO PD-M520 clipless	SHIMANO PD-M520 clipless	VP -M20, ALLOY CAGE/ALLOY BARREL BODY	SHIMANO PD-M520 White clipless
GEARS	24	30	30	30	27	30
WEIGHT	14.3 kg	11.4* kg	12.5* kg	12.5* kg	13.32 kg	X

	MOD0 845	MOD0 830	MOD0 815	MOD0 760	RX 625 W
					
SIZE	15.0", 17.0", 19.0"W	15.0", 17.0"W	15.0", 17.0", 19.0"W	15.0", 19.0"W	16.5"W, 19.0"W
FRAME	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6 Double butted
FORK	SR SUNTOUR XCM HLO	SR SUNTOUR XCM HLO	SR SUNTOUR XCM HLO	SR SUNTOUR XCM V3 MLO	SR SUNTOUR NCX-D RL Lite
(system spring/damping)	coil spring/ hydraulic lockout	coil spring/ hydraulic lockout	coil spring/ hydraulic lockout	Coil spring	coil spring/hydraulic remote lockout
(travel)	80 mm	80 mm	80 mm	80 mm	63 mm
REAR SPRING		X	X	X	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	SHIMANO BSA	FSA CARTRIDGE Square system	FSA CARTRIDGE Square system	THUN Jive Square system	FSA CARTRIDGE Square system
STEM	ONE Modo 31.8 mm, 90 mm	ONE Modo 31.8 mm, 90 mm	ONE Modo 31.8 mm, 90 mm	ONE Modo 31.8 mm, 90 mm	ONE 31.8 mm, 90 mm 6" Alloy
HANDLEBAR	ONE Modo 31.8 mm flat type 600 mm; back swept 6°	ONE Modo 31.8 mm flat type 600 mm; back swept 6°	ONE Modo 31.8 mm flat type 600 mm; back swept 6°	ONE Modo 31.8 mm flat type 600 mm; back swept 6°	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE Modo 31.6 mm/350 mm AL6061	ONE Modo 31.6 mm/350 mm AL6061	ONE Modo 31.6 mm/350 mm AL6061	ONE Modo 31.6 mm/350 mm AL6061	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel
SADDLE	FDK Vitesse OEM	SELLE ROYAL FRECCIA Gel	SELLE ROYAL FRECCIA Royal	SELLE ROYAL FRECCIA Royal	SELLE ROYAL FRECCIA Royal gel
BRAKE LEVERS	AVID SPEED DIAL 5	AVID SPEED DIAL 5	AVID SPEED DIAL 5	TEKTRO 392A	AVID SPEED DIAL 5
BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO DEORE SLX Rapidfire Plus 3x10	SHIMANO DEORE Rapidfire plus	SHIMANO ALIVIO Rapidfire Plus	SHIMANO SL-M310 Rapidfire plus	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE XT 34.9 mm	SHIMANO DEORE 34.9 mm	SHIMANO ALIVIO 34.9 mm	SHIMANO FD-M190 34.9 mm	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE XT shadow	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO DEORE LX
CRANKS w/CHAINWHEELS	SHIMANO FDM55ZC 224.10 speed 170 mm	FSA Dyna Drive 9spd 42/32/22 170 mm	FSA Dyna Drive 9spd 42/32/22 170 mm	SHIMANO FCM171 24/34/42	SHIMANO ALIVIO 9 speed 24/34/48 170 mm
FREEWHEEL/CASSETTE	SHIMANO Deore SLX 11-34T	SRAM PG950 11-32T	SHIMANO CS-HG30-9 11-32T	SHIMANO CS-HG40-8 11-30T	SRAM PG950 11-34T
CHAIN	SHIMANO HG74 10 speed	SRAM CN-951	KMC Z9000	KMC Z51	SRAM CN-951
FRONT HUB	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR
REAR HUB	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	KT parallax alloy w/OR, cassette type	SHIMANO FH-RM40-8
RIMS	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA Zac 2000 double wall
SPOKES	stainless black	stainless black	stainless black	galvanized black	stainless black
TIRES (front/rear)	SCHWALBE SMART SAM 26x2.10	SCHWALBE SMART SAM 26x2.10	SCHWALBE SMART SAM 26x2.10	IMPAC CrossPac 26x2.1	SCHWALBE XC Comp 700x38C
PEDALS	SHIMANO PD-M520 White clipless	VP -M20, ALLOY CAGE/ALLOY BARREL BODY	Alloy/STEEL w/reflectors	Alloy/STEEL w/reflectors	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	30	27	27	24	27
WEIGHT	12.9 kg	13.2 kg	13.2 kg	13.9 kg	13.9 kg

* weight without pedals

** weight without balancing wheels



RX 615 W



RX 600 W



RX 650



RX 640



RX 630



SIZE	16.5", 19.0"W	16.5", 19.0"W	19.0", 21.5"	19.0", 21.5"	16.5", 19.0", 21.5", 23.0"
FRAME	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted
FORK	SR SUNTOUR NX4410 V2 HLO	SR SUNTOUR NX4410 V2 HLO	SR SUNTOUR NCX-D RL Lite	SR SUNTOUR NCX-D RL Lite	SR SUNTOUR NCX-D RL Lite
(system spring/ damping)	coil spring, hydraulic lock out	coil spring, hydraulic lock out	coil spring/hydraulic remote lockout	coil spring/hydraulic remote lockout	coil spring/hydraulic remote lockout
(travel)	63 mm	63 mm	63 mm	63 mm	63 mm
REAR SPRING	X	X	X	X	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings
BB PARTS	FSA CARTRIDGE Square system	THUN Jiye Square system	FSA CARTRIDGE Square system	FSA CARTRIDGE Square system	FSA CARTRIDGE Square system
STEM	ONE 31.8 mm, 90 mm 6" Alloy	ONE 31.8 mm, 90 mm 6" Alloy	ONE 31.8 mm, 110 mm 6" Alloy	ONE 31.8 mm, 110 mm 6" Alloy	ONE 31.8 mm, 110 mm 6" Alloy
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy	ONE MTB 620mm 31.8mm alloy	ONE MTB 620 mm 31.8 mm alloy	ONE MTB 620 mm 31.8 mm alloy	ONE MTB 620 mm 31.8 mm alloy
SEAT POST	ONE 27.2 mm 350 mm Alloy	ONE 27.2 mm 350 mm Alloy	ONE 27.2 mm 350 mm Alloy	ONE 27.2 mm 350 mm Alloy	ONE 27.2 mm 350 mm Alloy
GRIPS	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA	SELLE ROYAL FRECCIA Royal gel	SELLE ROYAL FRECCIA ATHLETIC	SELLE ROYAL LOOK IN FRECCIA	SELLE ROYAL LOOK IN FRECCIA
BRAKE LEVERS	AVID SPEED DIAL 5	TEKTRO KS392A	HAYES STROKER Ryde hydraulic system	AVID SPEED DIAL 5	TEKTRO DRACO Hydraulic brake system
BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	HAYES STROKER Ryde hydraulic disc brake, rotor 16" 160 mm	AVID SINGLE DIGIT 3 w/cartridge pads	TEKTRO DRACO Hydraulic brakes, rotor 160 mm
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus	SHIMANO SL-M310 Rapidfire plus	SHIMANO DEORE LX Rapidfire Plus	SHIMANO DEORE Rapidfire Plus	SHIMANO DEORE Rapidfire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm	SHIMANO FD-M191 31.8 mm	SHIMANO DEORE XT 31.6 mm	SHIMANO DEORE XT 31.6 mm	SHIMANO DEORE 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO DEORE XT	SHIMANO DEORE XT	SHIMANO DEORE LX
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 9 speed 26/36/48 170 mm	FSA A-Drive trekking 28/38/48 170 mm	SHIMANO FC-M521 48/34/26T 170 mm	FSA Alpha Drive Trekking 48/34/26, 9 speed 170 mm	SHIMANO ALIVIO 48/36/26, 9 speed 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T	SHIMANO CS-H640-8 11-32T	SRAM PG950 11-32T	SRAM PG950 11-34T	SRAM PG950 11-34T
CHAIN	SRAM CN-951	KMC Z51	SRAM CN-951	SRAM CN-951	SRAM CN-951
FRONT HUB	KT parallax alloy w/OR	KT parallax alloy w/OR	KT - DISC alloy industrial bearings w/OR	KT parallax alloy w/OR	KT DISC alloy w/OR
REAR HUB	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	KT - DISC alloy industrial bearings w/OR	SHIMANO FH-RM40-8	KT DISC alloy /OR/ cassette type
RIMS	RIGIDA Zac 2000 double wall	RIGIDA X-Star double wall	RIGIDA TAURIUS 2000 DISC double wall	RIGIDA Zac 2000 double wall	Rigida Zac 2000 DISC double wall
SPOKES	stainless black	galvanized black	stainless black	stainless black	stainless black
TIRES (front/rear)	SCHWALBE SILENTO 700x38C	IMPAC CrossPac 700x38C	SCHWALBE CX COMP 700x38C	SCHWALBE CX COMP 700x38C	SCHWALBE CX COMP 700x38C
PEDALS	ALLOY/STEEL w/reflectors	ALLOY/STEEL w/reflectors	VP -M20, ALLOY CAGE/ALLOY BARREL BODY	VP -M20, ALLOY CAGE/ALLOY BARREL BODY	VP -M20, ALLOY CAGE/ALLOY BARREL BODY
GEARS	27	24	27	27	27
WEIGHT	13.9 kg	14.2 kg	13.4 kg	13.34 kg	13.9 kg



RX 620



RX 610 – GREY



RX 610 – WHITE



BLOXX 590



BLOXX 590 L



SIZE	16.5", 19", 21.5"	16.5", 19", 21.5"	16.5", 19", 21.5"	16.5", 19", 21.5"	18.0"
FRAME	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Double butted	ALUMINIUM 6061 T6 Hydroforming	ALUMINIUM 6061 T6 Hydroforming
FORK	SR SUNTOUR NEX4410 V2 HLO	SR SUNTOUR NEX4410 V2 HLO	SR SUNTOUR NEX4410 V2 HLO	SR SUNTOUR CR8V V3 MLO	SR SUNTOUR CR8V V3 MLO
(system spring/damping)	coil spring, hydraulic lock out	coil spring, hydraulic lock out	coil spring, hydraulic lock out	coil spring, hydraulic lock out	coil spring/ preload adjuster
(travel)	63 mm	63 mm	63 mm	50 mm	50 mm
REAR SPRING	X	X	X	X	X
HEAD PARTS	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	ONE HS 1-1/8" w/cartridge bearings	MH 309AP 1-1/8" HS 44/50 ALLOY	MH 309AP 1-1/8" HS 44/50 ALLOY
BB PARTS	FSA CARTRIDGE Square system	THUN Jiye Square system	THUN Jiye Square system	THUN Jiye Square system	THUN Jiye Square system
STEM	ONE 31.8 mm, 110 mm 6° Alloy	ONE 31.8 mm, 110 mm 6° Alloy	ONE 31.8 mm, 110 mm 6° Alloy	MTS-AL476-SSUS Adjustable 0°-90° 25.4 mm x 230 mm	MTS-AL476-SSUS Adjustable 0°-90° 25.4 mm x 230 mm
HANDLEBAR	ONE MTB 620 mm 31.8 mm alloy	ONE MTB 620 mm 31.8 mm alloy	ONE MTB 620 mm 31.8 mm alloy	ATB ALLOY W-590mm	ATB ALLOY W-590mm
SEAT POST	ONE 27.2 mm 350 mm Alloy	ZOOM MTB 27.2 mm alloy w/steel clamp	ZOOM MTB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp
GRIPS	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ONE MTB DualDensity kraton-gel	ERG0 DualDensity kraton-gel	ERG0 DualDensity kraton-gel
SADDLE	SELLE ROYAL LOOK IN FRECCIA	SELLE ROYAL FRECCIA Royal gel	SELLE ROYAL FRECCIA Royal gel	VELO VL4111 GEL	VELO VL4111 GEL
BRAKE LEVERS	AVID SPEED DIAL 5	TEKTRO RS392A	TEKTRO RS392A	SHIMANO ST-EF60 2-fingers	SHIMANO ST-EF60 2-fingers
BRAKES (front/rear)	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	AVID SINGLE DIGIT 3 w/cartridge pads	TEKTRO linear pull brake	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO DEORE Rapidfire Plus	SHIMANO SL-M310 Rapidfire plus	SHIMANO SL-M310 Rapidfire plus	SHIMANO ST-EF60 EZ-Fire Plus	SHIMANO ST-EF60 EZ-Fire Plus
FRONT DERAILLEUR	SHIMANO DEORE 31.8 mm	SHIMANO FD-M191 31.8 mm	SHIMANO FD-M191 31.8 mm	SHIMANO FD-M191 31.8 mm	SHIMANO FD-M191 31.8 mm
REAR DERAILLEUR	SHIMANO DEORE	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ALIVIO	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SHIMANO ALIVIO 48/36/24, 9 speed 170 mm	FSA AL-8TTTG 28/38/48 170 mm	FSA AL-8TTTG 28/38/48 170 mm	SHIMANO FCM171 28/38/48 170 mm	SHIMANO FCM171 28/38/48 170 mm
FREEWHEEL/CASSETTE	SRAM PG950 11-34T	SHIMANO CS-H640-8 11-32T	SHIMANO CS-H640-8 11-32T	SHIMANO CS-H640-8 13-32T	SHIMANO CS-H640-8 13-32T
CHAIN	SRAM CN-951	KMC Z51	KMC Z51	KMC Z51	KMC Z51
FRONT HUB	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR
REAR HUB	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8	SHIMANO FH-RM40-8
RIMS	RIGIDA Zac 2000 double wall	RIGIDA Zac 2000 double wall	RIGIDA Zac 2000 double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall
SPOKES	stainless black	stainless black	stainless black	galvanized black	galvanized black
TIRES (front/rear)	SCHWALBE SILENTO 700x38C	SCHWALBE SILENTO 700x38C	SCHWALBE SILENTO 700x38C	IMPAC CrossPac 700x38C	IMPAC CrossPac 700x38C
PEDALS	ALLOY/STEEL w/reflectors	ALLOY/STEEL w/reflectors	ALLOY/STEEL w/reflectors	Alloy/Plast w/reflectors	Alloy/Plast w/reflectors
GEARS	27	24	24	24	24
WEIGHT	13.9 kg	13.9 kg	13.9 kg	14.5 kg	14.5 kg

* weight without pedals

** weight without balancing wheels



BLOXX 540



BLOXX 540 L



BLOXX 520



BLOXX 520 L



RACING TEAM CADET 24



SIZE	16.5", 19.0", 21.5"	18.0"	19.0", 21.5"	18.0"	18.0"	13.0"
FRAME	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6 Hydroforming	ALUMINUM 6061 T6	ALUMINUM 6061 T6	ALUMINUM 6061 T6	ALUMINUM 6061 T6
FORK	SR SUNTOUR CRRV V3 MLO	SR SUNTOUR CRRV V3 MLO	SR SUNTOUR CRRV V3	SR SUNTOUR CRRV V3	SR SUNTOUR CRRV V3	RST CAPA
(system spring/damping)	coil spring/ preload adjuster	coil spring/ preload adjuster	coil spring	coil spring	coil spring	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm	50 mm	50 mm	50 mm	50 mm	50mm
REAR SPRING	X	X	X	X	X	X
HEAD PARTS	MH 309AP 1-1/8" IHS 44/50 ALLOY	MH 309AP 1-1/8" IHS 44/50 ALLOY	MH 309AP 1-1/8" IHS 44/50 ALLOY	MH 309AP 1-1/8" IHS 44/50 ALLOY	MH 309AP 1-1/8" IHS 44/50 ALLOY	AHEADSET 1-1/8" STEEL semi-cartridge
BB PARTS	THUN Jive Square system	THUN Jive Square system	THUN Jive Square system	THUN Jive Square system	THUN Jive Square system	THUN JIVE CARTRIDGE Square system
STEM	MTS C232NS Adjustable 90 mm + 0° -50°	MTS C232NS Adjustable 90 mm + 0° -50°	MTS C232NS Adjustable 90 mm + 0° -50°	MTS C232NS Adjustable 90 mm + 0° -50°	MTS C232NS Adjustable 90 mm + 0° -50°	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB Steel W-590 mm	ATB Steel W-590 mm	ATB Steel W-590 mm	ATB Steel W-590 mm	ATB Steel W-590 mm	MTB alloy, flat type 540 mm
SEAT POST	ATB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp	ATB 27.2 mm alloy w/steel clamp	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	ERG6 DualDensity kraton-gel	ERG6 DualDensity kraton-gel	ERG6 DualDensity kraton-gel	ERG6 DualDensity kraton-gel	ERG6 DualDensity kraton-gel	MTB kraton
SADDLE	VELO VL4111 GEL	VELO VL4111 GEL	VELO VL4111 GEL	VELO VL4111 GEL	VELO VL4111 GEL	VELO SPORT5063
BRAKE LEVERS	SHIMANO ST-EF51 2-fingers	SHIMANO ST-EF51 2-fingers	SHIMANO ST-EF51 2-fingers	ATB 3-fingers; for linear pull brake	ATB 3-fingers; for linear pull brake	TEKTRO RS340A 2-fingers
BRAKES (front/rear)	TEKTRO linear pull brake	TEKTRO linear pull brake	TEKTRO linear pull brake	TEKTRO linear pull brake	TEKTRO linear pull brake	AVID SINGLE DIGIT 3 w/cartridge pads
SHIFT LEVERS	SHIMANO ST-EF51 2-fingers	SHIMANO ST-EF51 2-fingers	SHIMANO ST-EF51 2-fingers	SHIMANO SL-RS35-3/7 Revoshift	SHIMANO SL-RS35-3/7 Revoshift	SHIMANO SL-RS41 + 3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TZ31 31.8 mm	SHIMANO FD-TZ31 31.8 mm	SHIMANO FD-TZ31 31.8 mm	SHIMANO RD-TZ31 31.8 mm	SHIMANO RD-TZ31 31.8 mm	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO ACERA	SHIMANO ACERA	SHIMANO ACERA	SHIMANO RD-TX-51	SHIMANO RD-TX-51	SHIMANO ALIVIO
CRANKS w/CHAINWHEELS	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system	SUNTOUR NEX208 28/38/48 170 mm w/guard, Square system	SUNTOUR CW-KC7202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ07-7 14-28T	SHIMANO MF-TZ07-7 14-28T	SHIMANO MF-TZ07-7 14-28T	SHIMANO MF-TZ07-7 14-28T	SHIMANO MF-TZ07-7 14-28T	SHIMANO MF-TZ1-7 14-28T
CHAIN	KMC Z50	KMC Z50	KMC Z50	KMC Z50	KMC Z50	KMC Z51
FRONT HUB	KT parallax alloy w/OR	KT parallax alloy w/OR	KT parallax alloy w/OR	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT parallax alloy w/OR
REAR HUB	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT - parallax alloy w/OR	KT parallax alloy w/OR, threaded type
RIMS	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA X-Star double wall	RIGIDA Zac 2000 double wall
SPOKES	galvanized black	galvanized black	galvanized black	galvanized	galvanized	galvanized black
TIRES (front/rear)	IMPAC CrossPac 700x38C	IMPAC CrossPac 700x38C	IMPAC CrossPac 700x38C	IMPAC CrossPac 700x38C	IMPAC CrossPac 700x38C	IMPAC Outpac 24x2.1"
PEDALS	Plast w/reflectors	Plast w/reflectors	Plast w/reflectors	Plast w/reflectors	Plast w/reflectors	ALLOY/STEEL w/reflectors
GEARS	21	21	21	21	21	21
WEIGHT	14.5 kg	14.5 kg	14.4 kg	14.4 kg	14.4 kg	12.9 kg

* weight without pedals

** weight without balancing wheels



XC 24 PANDA BLACK



SIZE	13" UNISEX
FRAME	ALUMINIUM 6061 T6
FORK	RST CAPA
(system spring/ damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THIN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers, for linear pull brake
BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX310
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/OR
REAR HUB	KT parallax alloy w/OR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg

* weight without pedals

** weight without balancing wheels

XC 24 PANDA YELLOW



XC 24 PANDA GREEN



XC 24 PANDA BLUE



XC 24 PANDA PURPLE



XC 24 PANDA RED



XC 24 PANDA ORANGE



XC 24 PAINT WHITE



SIZE	13" UNISEX
FRAME	ALUMINIUM 6061 T6
FORK	RST CAPA
(system spring/ damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THIN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers, for linear pull brake
BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX310
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/OR
REAR HUB	KT parallax alloy w/OR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg

XC 24 PAINT BLUE



SIZE	13" UNISEX
FRAME	ALUMINIUM 6061 T6
FORK	RST CAPA
(system spring/ damping)	SUPERIOR soft coil spring w/pre-load adjuster
(travel)	50 mm
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THIN JIVE CARTRIDGE Square system
STEM	ZOOM MTB 60 mm, alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	ZOOM MTB 27.2 mm alloy w/alloy clamp 300 mm
GRIPS	MTB kraton
SADDLE	VELO SPORT5063
BRAKE LEVERS	MTB junior 2-fingers, for linear pull brake
BRAKES (front/rear)	TEKTRO linear pull brake
SHIFT LEVERS	SHIMANO SL-RS41-3/7 Revoshift
FRONT DERAILLEUR	SHIMANO FD-TY10 31.8 mm
REAR DERAILLEUR	SHIMANO RD-TX310
CRANKS w/CHAINWHEELS	SR SUNTOUR CW-XCCT202-PB 22/32/42 160 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ21-7 14-28T
CHAIN	KMC Z50
FRONT HUB	KT parallax alloy w/OR
REAR HUB	KT parallax alloy w/OR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 24x2.0"
PEDALS	PP BMX junior w/reflectors
GEARS	21
WEIGHT	12.6 kg



XC 20 PANDA BLACK



SIZE	11" UNISEX
FRAME	ALUMINIUM 6061 T6
FORK	RIGID
(system spring/ damping)	X
(travel)	X
REAR SPRING	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge
BB PARTS	THIN JIVE CARTRIDGE Square system
STEM	MTB 60 mm alloy, ahead
HANDLEBAR	ATB steel, riser-type 540 mm
SEAT POST	MTB 27.2 mm alloy w/o clamp 300 mm
GRIPS	MTB transparent
SADDLE	VELO SPORT5062
BRAKE LEVERS	MTB junior 3-fingers, for linear pull brake
BRAKES (front/rear)	ALLOY linear pull brake
SHIFT LEVERS	SHIMANO SL-RC35-6 RevoSHIFT
FRONT DERAILLEUR	X
REAR DERAILLEUR	SHIMANO RD-FT300
CRANKS w/CHAINWHEELS	PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm
FREEWHEEL/CASSETTE	SHIMANO MF-TZ06-6 14-28T
CHAIN	KMC Z50
FRONT HUB	KT paralax alloy w/OR
REAR HUB	KT paralax alloy w/OR, threaded type
RIMS	RIGIDA Zac 20
SPOKES	galvanized black
TIRES (front/rear)	IMPAC Crosspac 20x1.9
PEDALS	PP BMX junior w/reflectors
GEARS	6
WEIGHT	9.9 kg

* weight without pedals

** weight without balancing wheels

XC 20 PANDA YELLOW



XC 20 PANDA GREEN



XC 20 PANDA BLUE



XC 20 PANDA PURPLE



XC 20 PANDA RED



XC 20 PANDA ORANGE



XC 20 PAINT WHITE



11" UNISEX	11" UNISEX
ALUMINIUM 6061 T6	ALUMINIUM 6061 T6
RIGID	RIGID
X	X
X	X
X	X
AHEADSET 1/8" STEEL semi-cartridge	AHEADSET 1/8" STEEL semi-cartridge
THIN JIVE CARTRIDGE Square system	THIN JIVE CARTRIDGE Square system
MTB 60 mm alloy, ahead	MTB 60 mm alloy, ahead
ATB steel, riser-type 540 mm	ATB steel, riser-type 540 mm
MTB 27.2 mm alloy w/o clamp 300 mm	MTB 27.2 mm alloy w/o clamp 300 mm
MTB transparent	MTB transparent
VELO SPORT5062	VELO SPORT5062
MTB junior 3-fingers, for linear pull brake	MTB junior 3-fingers, for linear pull brake
ALLOY linear pull brake	ALLOY linear pull brake
SHIMANO SL-RC35-6 RevoSHIFT	SHIMANO SL-RC35-6 RevoSHIFT
X	X
SHIMANO RD-FT300	SHIMANO RD-FT300
PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm	PROWHEEL steel w/alloy cranks 40T w/single guard, Square type 140 mm
SHIMANO MF-TZ06-6 14-28T	SHIMANO MF-TZ06-6 14-28T
KMC Z50	KMC Z50
KT paralax alloy w/OR	KT paralax alloy w/OR
KT paralax alloy w/OR, threaded type	KT paralax alloy w/OR, threaded type
RIGIDA Zac 20	RIGIDA Zac 20
galvanized black	galvanized black
IMPAC Crosspac 20x1.9	IMPAC Crosspac 20x1.9
PP BMX junior w/reflectors	PP BMX junior w/reflectors
6	6
9.9 kg	9.9 kg

XC 20 PAINT BLUE







	SUP 16	HERO 16	SKY 16	CHICKS 16	HERO 12
SIZE	11" UNISEX	10" UNISEX	10" UNISEX	10" UNISEX	UNISEX 9"
FRAME	ALUMINIUM 6061 T6	ALUMINIUM 6061 T6	ALUMINIUM 6061 T6	ALUMINIUM 6061 T6	ALUMINIUM 6061 T6
FORK	RIGID	RIGID	RIGID	RIGID	RIGID
(system spring/ damping)	X	X	X	X	X
(travel)	X	X	X	X	X
REAR SPRING	X	X	X	X	X
HEAD PARTS	AHEADSET 1/8" STEEL semi-cartridge	THREAD 1"	THREAD 1"	THREAD 1"	THREAD 1"
BB PARTS	THIN JIVE CARTRIDGE Square system	THIN Twist Square system	THIN Twist Square system	THIN Twist Square system	THIN Twist Square system
STEM	ALLOY/ STEEL 22.2/40 mm	ALLOY/ STEEL 22.2/40 mm	ALLOY/ STEEL 22.2/40 mm	ALLOY/ STEEL 22.2/40 mm	ALLOY/ STEEL 22.2/40 mm
HANDLEBAR	ALLOY RAISED 440 mm x 50 mm	STEEL RAISED 440 x 50 mm	STEEL RAISED 440 x 50 mm	STEEL RAISED 440 x 50 mm	STEEL RAISED 400 x 50 mm
SEAT POST	ALLOY 27.2 mm 220 mm	STEEL 27.2 mm 220 mm	STEEL 27.2 mm 220 mm	STEEL 27.2 mm 220 mm	STEEL 27.2 mm 220 mm
GRIPS	PVC 88 mm Transparent, Kids safety	PVC 88 mm Transparent, Kids safety	PVC 88 mm Transparent, Kids safety	PVC 88 mm Transparent, Kids safety	PVC 88 mm Transparent, Kids safety
SADDLE	VELO SPORT5073	VELO SPORT5073	VELO SPORT5073	VELO SPORT5073	VELO SPORT5073
BRAKE LEVERS	alloy/plast caliper roll brake	alloy/plast adjustable for kids	alloy/plast adjustable for kids	alloy/plast adjustable for kids	alloy/adjustable for kids
BRAKES (front/rear)	SHIMANO BRCT9 TWF	V brake ALLOY	V brake ALLOY	V brake ALLOY	V brake ALLOY
SHIFT LEVERS	X	X	X	X	X
FRONT DERAILLEUR	X	X	X	X	X
REAR DERAILLEUR	X	X	X	X	X
CRANKS w/CHAINWHEELS	STEEL/ALLOY 28T/102 mm	STEEL 28T/102 mm	STEEL 28T/102 mm	STEEL 28T/102 mm	STEEL 28T/102 mm
FREEWHEEL/CASSETTE	18T	16T	16T	16T	16T
CHAIN	KMC Z4 10	KMC Z4 10	KMC Z4 10	KMC Z4 10	KMC Z4 10
FRONT HUB	KT parallel alloy w/QR	FORMULA 28H	FORMULA 28H	FORMULA 28H	FORMULA 28H
REAR HUB	Coaster brake	Coaster brake	Coaster brake	Coaster brake	Coaster brake
RIMS	RIGIDA Zac 20	RIGIDA Zac 20	RIGIDA Zac 20	RIGIDA Zac 20	RIGIDA Zac 20
SPOKES	galvanized silver	CP	CP	CP	CP
TIRES (front/rear)	SHWALBE CITY JET 16x1.95	DURO 16x1.75	DURO 16x1.75	DURO 16x1.75	DURO 12x1.75
PEDALS	PLASTIC	PLASTIC	PLASTIC	PLASTIC	PLASTIC
GEARS	1	1	1	1	1
WEIGHT	9.4** kg	9.8** kg	9.8** kg	9.8** kg	8.6** kg

* weight without pedals

** weight without balancing wheels



	SKY 12	CHICKS 12			
					
SIZE	UNISEX 9"	UNISEX 9"			
FRAME	ALUMINIUM 6061 T6	ALUMINIUM 6061 T6			
FORK	RIGID	RIGID			
(system spring/ damping)	X	X			
(travel)	X	X			
REAR SPRING	X	X			
HEAD PARTS	THREAD 1"	THREAD 1"			
BB PARTS	THIN Twist Square system	THIN Twist Square system			
STEM	ALLOY/ STEEL 22,2/40 mm	ALLOY/ STEEL 22,2/40 mm			
HANDLEBAR	STEEL RAISED 400 x 50 mm	STEEL RAISED 400 x 50 mm			
SEAT POST	STEEL 27,2 mm 220 mm	STEEL 27,2 mm 220 mm			
GRIPS	PVC 88 mm Transparent, Kids safety	PVC 88 mm Transparent, Kids safety			
SADDLE	VELO SPORTS073	VELO SPORTS073			
BRAKE LEVERS	alloy/adjustable for kids	alloy/adjustable for kids			
BRAKES (front/rear)	V brake ALLOY	V brake ALLOY			
SHIFT LEVERS	X	X			
FRONT DERAILLEUR	X	X			
REAR DERAILLEUR	X	X			
CRANKS w/CHAINWHEELS	STEEL 287/102 mm	STEEL 287/102 mm			
FREEWHEEL/CASSETTE	16T	16T			
CHAIN	KMC Z4 10	KMC Z4 10			
FRONT HUB	FORMULA 28H	FORMULA 28H			
REAR HUB	Coaster brake	Coaster brake			
RIMS	RIGIDA Zac 20	RIGIDA Zac 20			
SPOKES	CP	CP			
TIRES (front/rear)	DURO 12X1,75	DURO 12X1,75			
PEDALS	PLASTIC	PLASTIC			
GEARS	1	1			
WEIGHT	8.6** kg	8.6** kg			

* weight without pedals

** weight without balancing wheels

SHIMANO

Supplier of quality products and services, which are reliable and trustworthy.

Philosophy of the Shimano team: Mission – support of health and happiness through the joy from nature and the world around us. Main principles – getting inspired, thinking creatively and constant effort to self-improve.

Constantly improve our technical knowledge with the intention to fulfil our dreams.

fi'zi:k

Fi'zi: k is a racing brand.

It represents beauty, speed, passion, freedom for those who race, race against time, for enthusiastic cyclists from all over the world who identify with the feeling of an eager fighting spirit.

Hand made in Italy.



Schwalbe tires can be found all around the world – in the USA, Australia, Japan as well as South Africa.

Schwalbe is the market leader in Europe!

There are two reasons for this success.

1. "tire fanatics"! Absolute specialization in bicycles.
 2. Schwalbe tires cannot be bought just anywhere, but only in specialized stores!
-



Fulcrum design of spokes and components for racing bicycles.

The company's headquarters is in Italy, in the hills near Berici Vicenza.

The company Fulcrum was established in July 2004, based on the idea of three aeronautical engineers who were keen on bicycles. The strengths of this young company include the use of unique patents, continuing technological research and an attractive and young – resolute design.

Fulcrum have developed a broad range of systems, which are unique in the world, e.g.: 2:1 – double the number of spokes in critical points, Dynamik Balance T – gaining a constantly balanced rotation.



Power, technology, design

Formula was established in 1987 with the target to produce brakes for motorbikes.

Formula was the first company that successfully produced and distributed disk brakes on MTB.

Formula hasn't stopped its innovative development and it supplies high-quality products, along with its experience.

DT SWISS

DT Swiss was established in 1994.

The production of the company has expanded through producing legendary spokes for bicycles to producing hi-end spring-loaded forks, shock absorbers, spokes and components for spokes.



Passion and dedication to sport.

The Manitou brand was established 20 years ago with the target to produce the most technologically developed products. The Manitou brand has shown to be the most innovative company in its field, over the decade-lasting R&D exams, loads in competitions of both the world championships and local level races. The effort has resulted in using top technology, used in the model series of spring-loaded forks and shock absorbers.

Selle Royal

Selle Royal has been making comfortable seats for millions of cyclists all over the world for more than 50 years.

Selle Royal has grown from a small workshop into a big company, which is the world leader in production of bicycle seats, thanks to its original design and radical innovation.

Selle Royal has become the main partner of the biggest producers of both sports-recreational and recreational bicycles. At present, Selle Royal produces 70 000 seats every day.



PRODUCTION:



BIKE FUN International s.r.o.

Areál Tatry 1445/2
742 21 Kopřivnice

ph.: +420 591 003 630
fax: +420 591 003 600

www.superior.cz
superior-bikes@bikefunint.com





SUPERIOR TEAM SUP.PORT

PROFESSIONAL TEAM

S&H SUPERIOR MTB TEAM
MTB UCI PROFESSIONAL TEAM



FACTORY TEST RIDERS

SUP.RIDERS



SUPERIOR



SUPERIOR

PRODUCT MANUAL 0'11

WWW.SUPERIOR.CZ

