



08







OZY CARBON TEAM

material
weight

carbon
1380g



ozy00 TEAM

material
weight

Al US TB / carbon
1550g




ozy99 TEAM

material
weight

Al US TB
1460g






Evgeny Pechenin

MTB World Championship 2005, New Zealand (under) – 8th place;
 MTB Europe Championship 2004 – 6th place;
 *Race Under the Sun XCO-1 – Cyprus 2007 – 3rd place;
 Scots AUTO Grand Prix 2005 – 5th place;
 Stage Scots AUTO Grand Prix 2006, ultra mar – 2nd place;
 MTB Russian Championship 2005 – 1st place;
 Cyclo-cross Russian Championship 2003, 2004, 2005, 2006 – 1st place;
 XCO Russian Championship 2005 – 3rd place;
 Uphill Russian Championship 2005 – 2nd place;
 Cyclo-cross Russian Championship 2007 – 3rd place;
 MTB Russian Cup 2006 – 4th place.



Aleksyey Belokrylov

MTB Russian Cup – 3rd place;
 MTB international race, Poland – 6th place;
 Cyclo-cross Russian Cup 2003 – 3rd place;
 Cyclo-cross Russian Cup 2007 – 4th place;
 Cyclo-cross Russian Championship 2007 – 4th place;
 Cyclo-cross Russian Championship 2006 – 4th place;
 MTB Russian Championship 2005 – 4th place;
 Cyclo-cross Russian Championship 2005 – 5th place.



Boris Vesilyev

Mountain night criterium Bergamo 2005 – 1st place;
 Circuito Montebaiate 2005 – 3rd place;
 Ticino Lampre 2005 – 4th place;
 Silvano Pelita 2005 – 4th place;
 Rio Terme 2005 – 3rd place;
 Pioni Coli 2007 – 2nd place;
 Viaggio Valle del Rosta 2007 – 2nd place;
 Mauro Pazzoni 2007 – 3rd place;
 Stavio comune di Lamprechio 2007 – 5th place.



Sviyeta Shashova

Russian Cup 2007, cyclo-cross – 1st place;
 Miesza maraton 2007, Poland,
 1st stage – 3rd place;
 Grand-Fondo marathon 2007, Poland,
 5th stage – 2nd place;
 Grand-Fondo marathon 2007, Poland,
 2nd stage – 3rd place.



Vladimir Binkrylov

Head coach



Vladimir Loginov

XCO, May, 26th, 2007, Poland, Warsaw – 5th place;
 Russian Championship 2007, cyclo-cross,
 under – 2nd place.



Timofey Ivanov

Russian Championship 2007, cyclo-cross,
 junior – 1st place;
 Russian Cup 2007, cyclo-cross, junior – 1st place.

OZYPTILA

CROSS COUNTRY RACE

Cross-country riding is one of the most famous sports in cycling. In competition riding the track is laid through the cross-country locality and involves riding through dirt tracks, a lot of up and down hill, through streams, woody and field paths and even tarmacked parts. Therefore all these features of the locality are taken into account while a bicycle is being designed. The bicycle must pick up speed easily, move under the very severe circumstances in a good way and, moreover, have high reliability. FORMAT'S OZYPTILA series is the leader in the cross-country bicycles. The frames of 1400g weight have high parameters of ruggedness, so the bicycles have the highest efficiency coefficient of pedaling. All FORMAT frames of the racing series are made from high quality aluminum tubes of the label U6 with triple butting. The frames are being designed with participation of our race team and have special geometry which ideally matches for race and everyday trainings.



OZY 99

frame:
fork:
stem:
handlebar:
crank set:
front derailleur:
rear derailleur:
shifters:
seat post:
caddle:
hubc:
rimc:
tire:
braker:
sizec:

Al US TB
RockShox Tora
KaloY6Uno
KaloY6Uno
Triuvati Blaze 31
Sam X7
Sam X9
Sam X7 trigger
KaloY6Uno
Velo VL-825
Formula
AlecRims Ace19
Kenda Kharisma
Avid SD3
15, 17, 19

frame:
fork:
stem:
handlebar:
crank set:
front derailleur:
rear derailleur:
shifters:
seat post:
caddle:
hubc:
rimc:
tire:
braker:
sizec:

Al US TB
RockShox Tora
KaloY6Uno
KaloY6Uno
Triuvati Blaze 31
Sam X7
Sam X9
Sam X7 trigger
KaloY6Uno
Velo VL-825
Formula
AlecRims Ace19
Kenda Kharisma
Avid Jucy 3
15, 17, 19

OZY 88







OZY 77

frame: Al US TB
 fork: RockShox Torq
 stem: KalloyEuno
 handlebar: KalloyEuno
 crank set: Shimano Deore
 (2-piece)
 front derailleur: Shimano Deore
 rear derailleur: Shimano XT
 shifters: Shimano Deore
 seat post: KalloyEuno
 saddle: Velo VL-125
 hubs: Shimano Deore
 rims: AlexRims Ace9
 tires: Kenda Kharisma
 brakes: Avid S03
 sizes: 15, 17, 19

frame: Al US TB
 fork: RockShox Torq
 stem: KalloyEuno
 handlebar: KalloyEuno
 crank set: Shimano Deore
 (2-piece)
 front derailleur: Shimano Deore
 rear derailleur: Shimano XT
 shifters: Shimano Deore
 seat post: KalloyEuno
 saddle: Velo VL-125
 hubs: Shimano Deore
 rims: AlexRims Ace9
 tires: Kenda Kharisma
 brakes: Shimano Deore HidDisc
 sizes: 15, 17, 19

OZY 66



ZIONIS

CROSS COUNTRY SPORT

The ZIONIS series is specially created for hard core mountain bike riders, who love to ride regularly and even take part in cross country competition. The frame's geometry moves from the race series practically without any changes.

The frame is built using Aluminum of 7005 series which weighs a paltry 1600g. The tubes of the front triangle have double butting that provides excellent ruggedness with low weight.



Z10 99

frame: Al 7005 DB
 fork: RockShox Dart I
 stem: Kallay6Uno
 handlebar: Kallay6Uno
 crank set: Truvativ FxwD
 front derailleur: Sam X7
 rear derailleur: Sam X7
 shifters: Sam X5 trigger
 seat post: Kallay6Uno
 saddle: Wto VL-207
 hubs: Joytech
 rims: Weinmann ZAC-2000
 tires: Kenda Komodo
 brakes: Tektro B39
 sizes: 15, 17, 19

frame: Al 7005 DB
 fork: RockShox Dart I
 stem: Kallay6Uno
 handlebar: Kallay6Uno
 crank set: Truvativ FxwD
 front derailleur: Sam X7
 rear derailleur: Sam X7
 shifters: Sam X5 trigger
 seat post: Kallay6Uno
 saddle: Wto VL-207
 hubs: Joytech
 rims: Weinmann ZAC-2000
 tires: Kenda Komodo
 brakes: Avid BB5
 sizes: 15, 17, 19

Z10 88







Z10 77

frame: A1 7005 DB
 fork: RST Omega TL
 stem: KalloyEUro
 handlebar: KalloyEUro
 crank set: Shimano Alivio
 (Octalink)
 front derailleur: Shimano Deore
 rear derailleur: Shimano LX
 shifters: Shimano Deore
 seat post: KalloyEUro
 saddle: Velo VL-207
 hubs: Shimano Alivio
 rims: Weinmann ZAC-2000
 tires: Kenda Komodo
 brakes: Tektro B39
 sizes: 15, 17, 19

frame: A1 7005 DB
 fork: RST Omega TL
 stem: KalloyEUro
 handlebar: KalloyEUro
 crank set: Shimano Alivio
 (Octalink)
 front derailleur: Shimano Deore
 rear derailleur: Shimano LX
 shifters: Shimano Deore
 seat post: KalloyEUro
 saddle: Velo VL-207
 hubs: Shimano Alivio
 rims: Weinmann ZAC-2000
 tires: Kenda Komodo
 brakes: Shimano Deore Disc
 sizes: 15, 17, 19

Z10 66



IXODES

CROSS COUNTRY ADVANCE

Mountain XC bikes of amateur level. The frames of the IXODES series have a forged dropout and a head tube with integrated headset. Riding position is much more comfortable than on sports models which mean you can be on the saddle for a longer period. The equipment used enables the rider to participate in amateur competitions.

We use aluminum of brand 6061 to produce frames of this class.

The frames have high ruggedness, excellent coasting and durability.



IXO 99

frame:	Al 6061, forged dropout
fork:	RST Cia ML
stem:	KalloyGUno
handlebar:	KalloyGUno
crank set:	Shimano Acera
front derailleur:	Shimano Altus
rear derailleur:	Shimano Deore
shifters:	Shimano Alivio
seat post:	KalloyGUno
saddle:	Wilo VL-306I
hub:	Shimano Alivio
rim:	Weinmann ZAC-19
tire:	CST
brake:	Teletto B36
size:	15, 17, 19, lady's 15, 17

frame:	Al 6061, forged dropout
fork:	RST Cia ML
stem:	KalloyGUno
handlebar:	KalloyGUno
crank set:	Shimano Acera
front derailleur:	Shimano Altus
rear derailleur:	Shimano Deore
shifters:	Shimano Alivio
seat post:	KalloyGUno
saddle:	Wilo VL-306I
hub:	Shimano Alivio
rim:	Weinmann ZAC-19
tire:	CST
brake:	Shimano Alivio Disk
size:	15, 17, 19, lady's 15, 17

IXO 88





IX077

frame:
fork:
stem:
handlebar:
candle set:
front derailleur:
rear derailleur:
shifters:
seat post:
saddle:
hub:
rim:
tire:
brakes:
size:

Al 6061, forged dropout
RST Capa TB
KallioEuno
KallioEuno
Shimano Altus
Shimano Altus
Sam SXS
Sam SX4 trigger
KallioEuno
Velo VL-306I
Joytech
Weinmann ZAC-19
CST
Tektro 836
15, 17, 19, lady's 15, 17

frame: Al 6061, forged dropout
fork: RST Capa TB
stem: KallioEuno
handlebar: KallioEuno
candle set: Shimano Altus
front derailleur: Shimano Altus
rear derailleur: Sam SXS
shifters: Sam SX4 trigger
seat post: KallioEuno
saddle: Velo VL-306I
hub: Joytech
rim: Weinmann ZAC-19
tire: CST
brakes: Promax DSX-400
size: 15, 17, 19, lady's 15, 17

IX066





IXO 55

frame:	Al 6061, forged dropout
fork:	RST Capa TB
stem:	KalloyEUno
handlebar:	KalloyEUno
crank set:	Shimano Altus
front derailleur:	Shimano Altus
rear derailleur:	Sram SX5
shifters:	Sram SX4 trigger
seat post:	KalloyEUno
saddle:	Wilo VL-306I
hub:	Joytech
rim:	Winnmann ZAC-19
tire:	CST
brake:	Tektro B36
size:	15, 17, 19, lady's 15, 17

frame:	Al 6061, forged dropout
fork:	RST Capa TB
stem:	KalloyEUno
handlebar:	KalloyEUno
crank set:	Shimano Altus
front derailleur:	Shimano Altus
rear derailleur:	Shimano Alivio
shifters:	Shimano Altus
seat post:	KalloyEUno
saddle:	Wilo VL-306I
hub:	Shimano Altus
rim:	Winnmann ZAC-19
tire:	CST
brake:	Shimano Altus Disk
size:	15, 17, 19, lady's 15, 17

IXO 33



EXILIS

ALL TERRAIN

These bicycles ideally match for a pleasant ride in a park or a dacha. A shortened upper tube makes riding position more comfortable. Thanks to inexpensive equipment, a double walled rim and a firm frame, the bicycles of the EXILIS series are undemanding, reliable and simple to use. The price satisfies those people who just want to start riding a mountain bicycle and not ready to purchase an advanced bicycle yet.

We use aluminum of brand 6061 to produce frames of this class. The frames have high ruggedness, are affordable and reliable.



EXI 99

frame:	Al 6061
fork:	Mozo RD20A
crank set:	Cyclone 48/38/28
front derailleur:	Shimano TZ31
rear derailleur:	Shimano Acera
shifters:	Shimano Altus
hub:	Joytech
rim:	DH-18
tire:	Wanda
brakes:	Promax DSX400/V-brake
size:	15, 17, 19, lady's 15, 17

frame:	Al 6061
fork:	Mozo RD20A
crank set:	Cyclone 48/38/28
front derailleur:	Shimano TZ31
rear derailleur:	Shimano Acera
shifters:	Shimano Altus
hub:	Joytech
rim:	DH-18
tire:	Wanda
brakes:	V-brake
size:	15, 17, 19, lady's 15, 17

EXI 88







EXI 77

frame:	Al 6061
fork:	XMO M-30
crank set:	Cyclone 48/38/28
front derailleur:	Shimano TZ31
rear derailleur:	Shimano Altus
shifters:	Shimano TX50
hub:	Joytech
rim:	DH-18
tire:	Wanda
brake:	Promax DSX600/V-brake
size:	15, 17, 19, lady's 15, 17



EXI 66

frame:	Al 6061
fork:	XMO M-30
crank set:	Cyclone 48/38/28
front derailleur:	Shimano TZ31
rear derailleur:	Shimano M31
shifters:	Shimano TX50
hub:	Joytech
rim:	DH-18
tire:	Wanda
brake:	V-brake
size:	15, 17, 19, 21

frame:	Al 6061
fork:	XMO M-19
crank set:	Cyclone 48/38/28
front derailleur:	Shimano TZ31
rear derailleur:	Shimano TX31
shifters:	Shimano TX30
hub:	Joytech
rim:	DH-18
tire:	Wanda
brake:	V-brake
size:	15, 17, 19, lady's 15, 17

EXI 55



convexa

ROAD

It is difficult to say whether cross-country or road race is more popular. But it is sure to say when man invented the bicycle; he intended to get from point A to the point B faster. People have ridden along roads for a long time. And bicycles have become lighter and roads have become smoother.

After aluminum and carbon fibre have started being used in the production of bicycles. It has become possible to produce light and rugged bicycles.

The convexa Road is made using the best materials and latest technology.



con99


frame: 7005 DB
 fork: EVO
 stem: KalloyEuno
 handlebar: KalloyEuno
 crank set: Shimano Soa
 (Octalink)
 Shimano Soa
 front derailleur: Shimano Tiagra
 rear derailleur: Shimano Soa
 shifters: Shimano 2200
 shifters: Shimano 2200
 saddle: Velo VL-163
 hubs: Joytech
 rims: Weinmann DA7
 tires: Kenda Kwest
 brakes: Promax
 sizes: 540, 580.

frame: U6 TB
 fork: EVO
 stem: KalloyEuno
 handlebar: KalloyEuno
 crank set: Shimano Tiagra
 (2-piece)
 Shimano Tiagra
 front derailleur: Shimano Tiagra
 rear derailleur: Shimano Tiagra
 shifters: Shimano Tiagra
 saddle: Velo VL-105
 hubs: Shimano Tiagra
 rims: Weinmann DA16
 tires: Kenda Kontender
 Promax
 sizes: 540, 580

con88







frame	6061
fork	TGS
crank set	Shimano 2200
front derailleur	Shimano Sora
rear derailleur	Shimano Sora
shifters	Sunace(on frame)
saddle	Velo VL-153
hub	Joytech
rim	Wenmann DAD
tires	Kenda Kweid
brakes	Promax
stems	500, 540, 580

cyrba

CYCLO CROSS

Cyclocross is very similar to cross-country cycling, but here the bicycles are like a cross between road bikes. In spite of formal resemblance of cross bikes to road bikes nevertheless the difference exists. The first points are cantilever brake and wider tires (30/35 mm).

In distinction from road bikes, cyclocross frames are a bit longer; the chain stays have a large air space. Upper position of brake lever and slower angle of headset provide to overcome such down runs which road bikes can't do.



cyr 99



frame:	U6 TB, Cyclocross
fork:	EVO
stem:	Kalloy6Uno
handlebar:	Kalloy6Uno
crank set:	Shimano Sora H-2
front derailleur:	Shimano Deore
rear derailleur:	Shimano 105
shifters:	Shimano Tiagra
seat post:	Kalloy6Uno
saddle:	Velo VL-125
hub:	Shimano Tiagra
rim:	Wenmann DA16
tire:	Kenda Kekaer
brakes:	Tektro 992AC
size:	510, 550, 590



frame:	606L Cyclocross
fork:	TCS
crank set:	Shimano 2200
front derailleur:	Shimano Aceul
rear derailleur:	Shimano 2200
shifters:	Shimano 2200
saddle:	Velo VL-153
hub:	Joytech
rim:	Wenmann DA7
tire:	Kenda Kekaer
brakes:	Tektro 992AC
size:	510, 550, 590



cyr 88

frame:	7005 DB, Cyclocross
fork:	TCS
stem:	Kalloy6Uno
handlebar:	Kalloy6Uno
crank set:	Shimano Sora
front derailleur:	Shimano Alivio
rear derailleur:	Shimano Tiagra
shifters:	Shimano Sora
seat post:	Kalloy6Uno
saddle:	Velo VL-153
hub:	Joytech
rim:	Wenmann DA7
tire:	Kenda Kekaer
brakes:	Tektro 992AC
size:	510, 550, 590

cyr 77



zenodores

CITY

Are you a city person? Well if you like to avoid long queues of traffic and weave in and out of traffic!

Then we have the ideal bike designed just for you in mind, the ZENODORES CITY bike.

This bike is equipped with a multi hub, incorporating an internal deralleur which makes it very easy to shift gears, instead of the conventional deralleur system.

The frame is built from 6061 series of aluminum and tires are with smooth treads which makes it an effortless ride in the city.





zen 99

frame: 6061
 fork: Suntour XCT
 stem: Kalloy/Elino
 handlebar: Kalloy/Elino
 crank set: Cyclone 38T
 shifters: Shimano Nexus 3sp
 seat post: Kalloy/Elino
 saddle: Velo VL-207
 hubs: Shimano Altus/Nexus 7sp
 rims: Weinmann ZAC-19
 tires: CST
 brakes: Tektro 836
 size: D', 19"

frame: 6061
 fork: RST Gila Mt.
 stem: Kalloy/Elino
 handlebar: Kalloy/Elino
 crank set: Cyclone 38T
 shifters: Shimano Nexus 7sp
 seat post: Kalloy/Elino
 saddle: Velo VL-207
 hubs: Shimano Altus/Nexus 7sp
 rims: Weinmann ZAC-19
 tires: CST
 brakes: Tektro 836
 size: D', 19"



zen 88



SINGA

TOUR

Every one has their own way of expressing the word "TOURING". For some it means away from the hustle and bustle of the city into the serene country side.

Yet for others it's testing one's endurance and ability by discovering new places of interest. We have built the ideal bike just for that, this is our SINGA series, which is a durable lightweight bike. Equipped with carrier and mud guards.



SIN 99

frame:	7005 DB
fork:	Suntour XCR
stem:	KalloyEuno
handlebar:	KalloyEuno
crank set:	Proxheel
front derailleur:	Shimano CD50
rear derailleur:	Sam S15
shifters:	Sam S14
seat post:	KalloyEuno
saddle:	Wilo VL-309
hub:	Joytech
rim:	Weinmann DM30
tire:	Kenda Keen
brake:	Tektro B36
carrier:	
size:	17", 19"

frame:	7005 DB
fork:	Suntour XCR
stem:	KalloyEuno
handlebar:	KalloyEuno
crank set:	Shimano Alivio (Octalink)
front derailleur:	Shimano Deore
rear derailleur:	Shimano Deore
shifters:	Shimano Deore
seat post:	KalloyEuno
saddle:	Wilo VL-309
hub:	Shimano Albus
rim:	Weinmann DM30
tire:	Kenda Keen
brake:	Tektro B36
carrier:	
size:	17", 19"

SIN 88



GENUS

TRAIL FULL SUSPENSION

Imagine hurtling down a steep narrow trail, whizzing past trees and shrubs, as you manage to steer your bike round the sharp bend!! Trail riding consists of hopping and jumping bikes over obstacles. It can be performed either off-road or in an urban environment. It requires an excellent sense of balance.

Here the GENUS model is your ideal bike, equipped with a four lever rear suspension with horst link and the front fork suspension is well suited for that downhill descent. All moving parts are fitted with well oiled industrial bearings.





gen 99

frame:	Al 6061 FS
fork:	Suntour Duo DJ D 180mm
shock:	Kind shock
stem:	Kalloy/Lino
handlebar:	Kalloy/Lino
crank set:	Truvativ IS Drive
front derailleur:	Sram X7
rear derailleur:	Sram X7
shifters:	Sram X5
seat post:	Kalloy/Lino
saddle:	Welo VL-207
spokes:	Joytech
hubs:	ZAL-2010
brakes:	Kanda Komodo
brake c:	Avia BB5
size:	16, 18



gen 88

frame:	Al 6061 FS
fork:	Suntour XCR 100mm
stem:	Kalloy/Lino
handlebar:	Kalloy/Lino
shock:	Kind shock
crank set:	Shimano Acacia
front derailleur:	Shimano LTB-D
rear derailleur:	Shimano Deore
shifters:	Shimano Acacia
seat post:	Kalloy/Lino
saddle:	Welo VL-205I
hubs:	Shimano Acacia
rim:	ZAL-BI
spoke:	CS1
brake c:	Shimano Alivio disk
size:	16, 18

frame:	Al 6061 FS
fork:	RST B1
shock:	Kind shock
crank set:	Cyclone
	48/38/28
front derailleur:	Shimano TZ3I
rear derailleur:	Shimano Altus
shifters:	Shimano Altus
hub:	Joytech
rim:	DH-18
tire:	Wanda
brake c:	Promax DSK400/V-brake
size:	16, 18

gen 77





Nhandu

STREET & DIRT

Do you fancy jumping on springboards or race along a skate park? The idea is that after riding over the 'take off' the rider will become momentarily airborne, and aim to land on the 'landing' well firstly you will need a pretty strong bike to do that! We have designed an aluminum hard tail bike just for that.

Whether it's street, dirt, trial or BMX fun! Then look no further than our NHANDU series bikes which are made using 6061 series aluminum for ruggedness and durability.



Nha

frame: Al 6061, forged dropout
 fork: RST PRO RA 100mm
 stem: Kalloy 6Uho
 handlebar: Kalloy 6Uho
 crank set: PROwheel 32/22T
 front derailleur: Shimano Altus
 rear derailleur: Shimano Sora
 shifters: Shimano Alivio
 seat post: Kalloy 6Uho
 saddle: Wlo VL-7029
 hub: Joytech disc
 rim: Weinman DM-30
 brakes: Tektro 835
 tire: Kenda K-Rad

frame: Al 6061 forged dropout
 fork: Sunfour Duro G1 100mm
 stem: Kalloy 6Uho
 handlebar: Kalloy 6Uho
 crank set: TRUMATIV Ruction 36T(Howbar)
 chain guide: TRUMATIV BOXGUIDE
 rear derailleur: Shimano Sora
 shifters: Shimano Alivio
 seat post: Kalloy 6Uho
 saddle: Wlo VL-7029
 hub: Joytech disc
 rim: Weinman DiskBull
 brakes: Avid BB7
 tire: Kenda K-Rad



Nha

Taunaji

BMX

BMX (an acronym for Bicycle Motocross) is a form of cycling on specially designed bicycles which usually have 20-inch wheels. The sport includes racing on earthen tracks, known as BMX racing, as well as the performance of tricks on the bikes, called Freestyle BMX.

The BMX bike has grown very popular with youth and has been known to be practical as it'

Freestyle BMX has grown to include five distinct disciplines. These are Street, Park, Vert, Dirt, and Flatland. These usually involve technical movements of the bike in different ways over varied terrain.

In 2008, BMX racing will enter the Olympics for the first time in Beijing, China.





9
Tetra

frame:
fork:
stem:
handlebar:
crank set:

CiMo 430
CiMo
Promax
Promax
Prooshell 40T
(eurobottom, 4 bearings)
Promax
Velo VL-7050
Joytech 10mm
Weinmann TM20
Innova
Tektro

seat post:
saddle:
hubc:
rimc:
tirec:
brakec:

frame:
fork:
stem:
handlebar:
crank set:

CiMo 430
CiMo
Promax
Promax
Prooshell 40T
(eurobottom, 4 bearings)
Promax
Velo VL-7050
Joytech 10mm
Weinmann TM20
Innova
Tektro

seat post:
caddle:
hubc:
rimc:
tirec:
brakec:

8
Tetra







Tau.RC.

frame: Al 5061
 fork: C/Mo
 stem: Promax
 handlebar: Promax
 crank set: Prooshel 24T
 (eurobottom, 4 bearings)
 seat post: Promax
 saddle: Velo VL-7060
 hub: Joytech Mmm
 rim: Weinmann DM30
 tire: Innoa

frame: U6 TB
 fork: C/Mo
 stem: Promax
 handlebar: Promax
 crank set: Prooshel 43T
 (eurobottom, 4 bearings)
 seat post: Promax
 saddle: Velo VL-7018
 hub: Joytech Mmm
 rim: Weinmann DM30
 tire: Innoa
 brakes: Tektro V-br.

Tau.FL.



MINIMA

JUNIOR

This 24" wheel size bike is ideally suited for energetic teenagers keen on going off the beaten track. This is a junior version of the Exilis series.

The frame is constructed from 6061 series aluminum which makes the bike lighter and easier to control. We have paid great attention to all the components used.

The double suspension system ensures of a comfortable ride especially on rough terrain.



MIN 99

frame:	Al 6061 HT 24"
fork:	XMO M-20
crank set:	Cyclone 42/34/24
front derailleur:	Shimano TZ30
rear derailleur:	Shimano TX3I
shifters:	Shimano TX30
hub:	Joytech
rim:	DH-18 24"
tire:	Wanda
brake:	Promax DSK40Q/V-brake.

frame:	Al 6061 FS 24"
fork:	XMO M-20
shock:	Kind shock.
crank set:	Cyclone 42/34/24
front derailleur:	Shimano TZ30
rear derailleur:	Shimano TX3I
shifters:	Shimano TX30
hub:	Joytech
rim:	DH-18 24"
tire:	Wanda
brake:	Promax DSK40Q/V-brake

MIN 88



MICROMMATA

BABY

This year we have introduced a special model for teenagers.

The frame is constructed from lightweight aluminum 6061 series tubing. This makes the bike light and easy to control. It is equipped with a 7 speed gear system.

For our younger riders we also have a single speed version.



MIC 99

frame: Al 6061 HT 20"
fork: XMO M-19
crank set: Prowheel 36T
hubc: Quando
rimc: TM-20 20"
brake: Wanda
brakec: Al V-brake

MIC 88

frame: Al 6061 HT 20"
fork: XMO M-19
crank set: Prowheel 36T
rear derailleur: Shimano FT3
shifters: Shimano RS3
hubc: Joytech
rimc: TM-20 20"
brake: Wanda
brakec: Al V-brake





FORMAT

IP COMPONENTS

C-Star

FALCON

ZOOM

TRINX



